Natural History Museum Library
000102440

Coleopterorum Catalogus

auspiciis et auxilio

W. Junk

editus a

S. Schenkling.

Pars 8:

G. van Roon

Lucanidae.

Einzel-Preis: Mark 6.50
Subscriptions-Preis: Mark 4.35

W. Junk
Berlin W. 15, Kurfuerstendamm 201.
27. I. 1910.

W. JUNK, Berlin W. 15.

Coleopterorum Catalogus.

Pars 1: **R. Gestro,** Rhysodidae. 1910. 11 p.
(Mark 1) Mk. 0.65

2: **F. Borchmann,** Nilionidae, Othniidae, Aegialitidae, Petriidae, Lagriidae. 1910. 32 p.
(Mark 3) Mk. 2.—

3: **F. Borchmann,** Alleculidae. 1910. 80 p.
(Mark 7.50) Mk. 5.—

4: **M. Hagedorn,** Ipidae. 1910. 134 p.
(Mark 12.75) Mk. 8.50

5: **R. Gestro,** Cupedidae, Paussidae. 1910. 31 p.
(Mark 3) Mk. 2.—

6: **H. Wagner,** Curculionidae: Apioninae. 1910. 81 p.
(Mark 7.50) Mk. 5.—

7: **H. von Schönfeldt,** Brenthidae. 1910. 57 p.
(Mark 5.25) Mk. 3.50

Coleopterorum Catalogus

auspiciis et auxilio

W. Junk

editus a

S. Schenkling.

Pars 8:

G. van Roon

BRITISH MUSEUM
NATURAL HISTORY

Lucanidae.

W. Junk
Berlin W. 15, Kurfuerstendamm 201.
1910.

Druck von A. Hopfer in Burg b. M.

Fam. Lucanidae.

Auct. **G. van Roon.**

Mac Leay, Horae Entomologicae I, 1819, p. 95—112. — Westwood, Ann. Sc. Nat. (2) I, 1834, p. 112—124. — Westwood, Isis VII, 1836, p. 501—502. — Westwood, Entom. Magaz. V, 1838, p. 259—268, f. — Hope (Westwood) A catalogue of the Lucanoid Coleoptera in the collection of the Rev. F. W. Hope, together with descriptions of new species, therein contained. London 1845. Descriptions p. 9—31. — Westwood, Trans. Ent. Soc. London IV, 1847, p. 271—277, f. — Westwood, Trans. Ent. Soc. London (2) III, 1855, p. 197—221. — Jaquelin du Val, Essai Monographique sur les Lucanes d'Europe. Genera des Coléoptères d'Europe, 1859, fasc. 74—75, p. 7—14. — Kraatz, Über die europäischen Hirschkäfer. Berl. Ent. Zeitschrift IV, 1860, p. 68—75 und p. 265—275, t. 7, f. 1—30. — Thomson, Catalogue des Lucanides de la Collection de M. James Thomson, suivi d'un appendix, renfermant la description des coupes génériques et spécifiques nouvelles. Ann. Soc. Ent. France (4) II, 1862, Appendix p. 405—436. — Parry, A catalogue of Lucanoid Coleoptera, with illustrations and descriptions of various new and interesting species. Trans. Ent. Soc. London (3) II, 1864, Descriptions p. 6—66, t. 1—12. — Parry, A revised Catalogue of Lucanoid Coleoptera, with remarks on the nomenclature and descriptions of new species. Trans. Ent. Soc. London 1870, Descriptions p. 53—103, t. 1—3. — Mulsant, Ann. Soc. Agric. Lyon (4) III, 1870, p. 481—522, t. 3. — Kraatz, Entom. Monatsbl. I, 1876, p. 71—74. — Gestro, Enumerazione dei Lucanidi raccolti nell' Arcipelago Malese e nella Papuasia dai Signori G. Doria, O. Beccari, e L. M. d'Albertis. Ann. Mus. Civ. Genova XVI, 1881, p. 303—347, f. — Albers, Deutsche Ent. Zeitschrift 1883, p. 221—230. — Lewis, On the Lucanidae of Japan. Trans. Ent. Soc. London 1883, p. 333—342. — Fuchs, Synopsis of the Lucanidae of the U. S. of America. Bull. Brooklyn Ent. Soc. (V) 1883, p. 49—52 und p. 57—60. — Sharp, Compt. Rend. Soc. Ent. Belg. XXVII, 1884, p. 78—80 (Neu-Seeland). — Leuthner, A Monograph of the Odontolabini. Trans. Zool. Soc. London XI, 1885, p. 385—491, t. 84—97. — Ganglbauer, Übersicht der europ.-mediterranen Dorcus-Arten. Societ. Entom. I, 1886, p. 81—82. — Ritsema, Notes Leyden Museum XIV, 1892, p. 3—6. — Planet, Essai Monographique des Genres Lucane et Pseudolucane. Paris, 1898. — Boileau, Descriptions de Lucanides nouveaux. Paris 1899. — Péringuey, Descriptive Catalogue of the Coleoptera of South-Africa. Lucanidae. Trans. South Afr. Phil. Soc. XII, 1901, p. 1—12. — Boileau, Note sur quelques Lucanides du Musée de Bruxelles, et sur quelques Lucanides nouveaux ou peu connus. Mém. Soc. Ent. Belg. IX, 1902, p. 33—62, t. 1—2. — Griffini, Studi sui Lucanidi, I. Torino, 1905. — Boileau, Descriptions de Lucanides nouveaux. Paris, 1906. — Griffini, Lucanidi, raccolti da

L. Fea nell'Africa occidentale. Ann. Mus. Civ. Genova XLII, 1906, p. 135—148. — Griffini, Studi sui Lucanidi, II. Milano 1906, III—IV. Milano 1907.

Kataloge: Hope (Westwood), A Catal. of the Luc. Col. in the coll. of the Rev. F. W. Hope. London 1845. — Thomson, Cat. des Luc. de la Coll. de M. James Thomson, Ann. Soc. Ent. Fr. (4) II, 1862, p. 389—404. — Parry, Cat. Luc. Col. Trans. Ent. Soc. Lond. (3) II, 1864, p. 1—113. — Gemminger und Harold, Cat. Col. III, 1868, p. 941—968. — Parry, Revised Cat. Luc. Col. Trans. Ent. Soc. Lond. 1870, p. 53—118. — Parry, Catal. Col. Lucan, ed. III. London 1875. — Nonfried, Verz. der Luc. beschr. v. 1875 bis Ende 1889. Deutsche Ent. Zeitschrift 1891, p. 277—281. — Felsche, Verz. der Lucaniden, welche bis jetzt beschrieben sind. Leipzig 1898. — Boileau, Note s. l. Catal. des Lucan. d. M. C. Felsche. Ann. Soc. Ent. Fr. LXVII, 1898, p. 401—437. — Van Roon, Naamlijst der Lucaniden, welke tot heden beschreven zijn. Tijdschr. v. Ent. XLVIII, 1905, p. 83—180. — Van Roon, Eenige Aanvullingen en Verbeteringen op mijne „Naaml. der Lucaniden". Tijdschr. v. Ent. I, 1907, p. 58—70.

I. Chiasognathinae.

J. Thomson, Ann. Soc. Ent. Fr. (4) II, 1862, p. 391 *(Chiasognathitae)*.

Pholidotus M'Leay.

M'Leay, Horae Ent. I, 1819, p. 97.

Chalcimon Dalm. Ephemerides Entom. 1824, p. 1.
Casignetus M'Leay, Horae Ent. I, 1819, p. 98 ♀.

Humboldti Gyll. in Schönh. Syn. Ins. (I) III. App. 1817, p. 197. — Guér. Jc. Règne Anim. Ins. 1843, p. 109, t. 27, f. 6. — Burm. Handb. V, 1847, p. 419. — Brasilien
geotrupoides M'Leay, Horae Ent. I, 1819, p. 98 ♀.
lepidosus M'Leay, l. c., p. 97 ♂.
Lindei Boil. Bull. Soc. Ent. Fr. 1899, p. 296. — „
Spixi Perty, Delect. Anim. Art. 1830, p. 54, t. 11, f. 13. — Burm. Handb. V, 1847, p. 420. — Lacord. Gen. Col. III, 1856, p. 12. — „
Dejeani Buquet, Ann. Soc. Ent. Fr. X, 1841, Bull. p. 21.

Chiasognathus Steph.

Steph. Trans. Phil. Soc. Cambr. IV, 1831, p. 5, t. 1, 2.

Tetraophthalmus Lesson, Illustr. de Zool. 1831, t. 24.

Gaujoni R. Obth. Bull. Soc. Ent. Fr. 1885, p. CXVIII. — Ecuador
Granti Steph. Trans. Phil. Soc. Cambr. IV, 1831, p. 5, t. 1, 2. — Sturm, Cat. 1843, p. 343, t. 4, f. 1, 2. — Chili

Burm. Handb. V, 1847, p. 339. — Gay, Hist. Chile, Zool. Atlas 1851, t. 13, f. 1 ♂, 2 ♀.
chiloensis Lesson, Illustr. de Zool. 1831, t. 24.
affinis Philippi, Ann. Univ. Chile III, 1859, p. 658 (teste Reed).

— **Higginsi** Parry, Ent. Monthl. Mag. XII, 1876, p. 174. — Bolivia
— **impubis** Parry, Trans. Ent. Soc. Lond. 1870, p. 68, t. 1, f. 5. — Germain, Ann. Univ. Chile 1894, p. 9. — Chili
— **Jousselini** Reiche, Rev. Zool. 1850, p. 249; Ann. Soc. Ent. Fr. (2) VIII, 1850, p. 288. — Parry, Trans. Ent. Soc. Lond. 1864, p. 6. — „
Mniszechi Thoms. Ann. Soc. Ent. Fr. (4) II, 1862, p. 406 ♂. — Parry, Trans. Ent. Soc. Lond. 1864, p. 6, t. 10, f. 3; l. c. 1870, p. 68.
— **Latreillei** Sol. in Gay, Hist. Chile V, 1851, p. 42 ♀. — Parry, Trans. Ent. Soc. Lond. 1864, p. 6; l. c. 1870, t. 1, f. 6 ♂. — „
imberbis Philippi, Ann. Univ. Chile III, 1859, p. 657 (teste Parry).
Reichei Thoms. Ann. Soc. Ent. Fr. (4) II, 1862, p. 407. — Parry, Trans. Ent. Soc. Lond. 1870, p. 69, t. 1, f. 6 ♂. — Germain, Ann. Univ. Chile 1901, p. 452, f. 2.
— **peruvianus** Waterh. Trans. Ent. Soc. Lond. 1869, p. 18. t. 3, f. 2—3. — Peru
Wallisi Taschenb. Zeitschr. f. ges. Naturw. 1870, p. 178. — Parry, Trans. Ent. Soc. Lond. 1874, p. 369.

7

Sphenognathus Buquet.

Buquet, Revue Zool. 1838, p. 104.

armatus Parry, Trans. Ent. Soc. Lond. 1872, p. 73, t. 1, f. 3. — Columbia
bellicosus Boil. Naturaliste 1904, p. 284. — Santa Martha
— **canaliculatus** Parry, Trans. Ent. Soc. Lond. 1874, p. 368, t. 4, f. 2 ♂. — Venezuela
— **Feisthameli** Guér. Rev. Zool. 1838, p. 287; Mag. Zool. 1840, t. 39. — Burm. Handb. V, 1847, p. 340. — Bolivia
circumflexus Parry, Trans. Ent. Soc. Lond. 1874, p. 367, t. 4, f. 3 ♂.
— **Garleppi** Boil. Bull. Soc. Ent. Fr. 1899, p. 196. — Bolivia
— **Lindeni** Murray, Edinb. New Phil. Journ. V, 1857, p. 221, t. 10, f. 1, 1 a. 1 b ♂; 2, 2 a, 2 b ♀. — Quito
manifestus Jacowl. Rev. Russ. Ent. I, 1901, p. 176. — Venezuela
— **Murrayi** Thoms. Ann. Soc. Ent. Fr. (4) II, 1862, p. 409. — „
— **nobilis** Parry, Trans. Ent. Soc. Lond. 1874, p. 366, t. 4, f. 1 ♂. Zang, Deutsche Ent. Zeitschr. 1905, p. 211 ♀. — „
praestans Jacowl. Rev. Russ. Ent. I, 1901, p. 77. — „
— **prionoides** Buquet, Rev. Zool. 1838, p. 104; Mag. Zool. 1839, t. 1. — Burm. Handb. V, 1847, p. 341. — Neu-Granada
albofuscus Blanch. Voy. d'Orb. 1837, p. 193, t. 12, f. 7. — Parry, Trans. Ent. Soc. Lond. 1870, p. 69.
pubescens Waterh. Ent. Monthl. Mag. X, 1873, p. 110. — Parry, Trans. Ent. Soc. Lond. 1874, t. 5, f. 3 ♂. — Venezuela

signatus Parry, Trans. Ent. Soc. Lond. 1874, p. 366, t. 5, f. 2 ♂. — Venezuela
spinifer Boil. Naturaliste 1904, p. 284. — Columbia
— **Taschenbergi** Parry, Trans. Ent. Soc. Lond. 1874, p. 368, t. 5, f. 1 ♂. — Venezuela

15

Dendroblax White.

White, Voyage of Ereb. and Terr. 1846, Ent. p. 9.

— **Earlei** White, l. c. p. 9, t. 2, f. 9—10. — Lacord. Atlas 1856, t. 25, f. 2. — Neu-Seeland

1

Rhyssonotus M'Leay.

M'Leay, Horae Ent. I, 1819, p. 98.

— **jugularis** Westw. Trans. Ent. Soc. Lond. 1863, p. 429, t. 14, f. 1. — Australien
laticeps M'Leay, Proc. Linn. Soc. N. S. Wales X, 1885, p. 201. — „
— **nebulosus** Kirby, Trans. Linn. Soc. Lond. XII, 1818, p. 411, t. 21, f. 4. — Sturm, Cat. 1843, p. 345, t. 3, f. 9 ♀. — Parry, Trans. Ent. Soc. Lond. 1870, p. 70. — „
? *foveolatus* Thumb. Mém. Ac. Petr. I, 1806, p. 199.
— **parallelus** Deyr. Ann. Soc. Ent. Fr. (6) I, 1881, p. 238, t. 5, f. 3. — „

4

Homolamprima M'Leay.

M'Leay, Proc. Linn. Soc. N. S. Wales X, 1885, p. 199.

crenulata M'Leay, l. c. p. 200. — Clarence River

1

Cacostomus Newm.

Newman, Mag. Nat. Hist. (2) IV, 1840, p. 364.

Lepidotes Westw. Ann. Mag. Nat. Hist. VIII, 1841, p. 124.

— **squamosus** Newm. Mag. Nat. Hist. (2) IV, 1840, p. 364 ♀. — Westw. Trans. Ent. Soc. Lond. 1855, p. 211, t. 11, f. 6 ♂, 7 ♀. — Australien
rotundicollis Westw. Ann. Mag. Nat. Hist. VIII, 1841, p. 124.

1

Lamprima Latr.

Latr. Gen. Crust. et Ins. II, 1807, p. 152. — M'Leay, Proc. Linn. Soc. N. S. Wales X, 1885, p. 129—140 (Revis.).

aenea	F. Ent. Syst. I, 1801, p. 2. — M'Leay. Proc. Linn. Soc. N. S. Wales X, 1885, p. 130. *subrugosa* Hope (Westw.) Cat. Luc. 1845, p. 28. — M'Leay. l. c. p. 135.	Ins. Norfolk
aurata	Latr. Nouv. Dict. Hist. Nat. XVII, 1802, p. 279. M'Leay. l. c. p. 131. *aenea* Don. Ins. Nov. Holl. 1805, t. 1. — Guér. Ic. Règne Anim. 1843, p. 109, t. 27, f. 5. ♀ *cuprea* Latr. Nouv. Dict. Hist. Nat. XVII, 1802, p. 279. *fulgida* Boisd. Voy. Astrolabe Col. 1832, p. 231. — Burm. Handb. V, 1847, p. 413. *Schreibersi* Hope (Westw.) Cat. Luc. 1845, p. 30.	Darling River
insularis	M'Leay, Proc. Linn. Soc. N. S. Wales X, 1885, p. 137.	Lord Howe Ins.
Kreffti	M'Leay, l. c. II, 1871, p. 173; l. c. VI, 1883, p. 173; l. c. X, 1885, p. 134.	Australien
Latreillei	M'Leay, Horae Ent. I, 1819, p. 101. — Er. Wiegm. Arch. VIII, 1842, I, p. 108. — Burm. Handb. V, 1847, p. 411. — M'Leay, Trans. Linn. Soc. N. S. Wales X, 1885, p. 132. ? *aenea* Boisd. Voy. Astrolabe, Col. 1832, p. 228. — M'Leay, l. c. p. 132. ? *amplicollis* Thoms. Ann. Soc. Ent. Fr. (4) II, 1862, p. 416. ? *coerulea* Don. Ins. Nov. Holl. 1805, t. 1. *pygmaea* M'Leay, Horae Ent. I, 1819, p. 101 (teste Parry). *sericea* M'Leay, Trans. Linn. Soc. N. S. Wales X, 1885, p. 132. *tasmaniae* Hope (Westw.) Cat. Luc. 1845, p. 27. — M'Leay, l. c. p. 135.	Victoria, Queensland
Micardi	Reiche, Rev. Zool. 1841, p. 51. — M'Leay, l. c. p. 132. *nigricollis* Hope (Westw.) Cat. Luc. 1845, p. 28 (teste Parry, Trans. Ent. Soc. Lond. 1870, p. 53). *purpurascens* Hope (Westw.) Cat. Luc. 1845, p. 28. *sumptuosa* Hope (Westw.) l. c. p. 28. — M'Leay, Trans. Linn. Soc. N. S. Wales X, 1885, p. 135 (teste Parry, Trans. Ent. Soc. Lond. 1870, p. 53).	W.-Australien
minima	M'Leay, Trans. Linn. Soc. N. S. Wales X, 1885, p. 138.	Australien
nigripennis	M'Leay, l. c. p. 137.	„
rutilans	Er. Wiegm. Arch. VIII, 1842, I, p. 170. — M'Leay, l. c. p. 134.	Victoria, Tasmania
splendens	Er. l. c. p. 108 ♀. — M'Leay, l. c. p. 133.	Australien
varians	(Germ.) Burm. Handb. V, 1847, p. 415. — M'Leay, l. c. p. 133. *cultridens* Burm. Handb. V, 1847, p. 146. — M'Leay, l. c. p. 133.	W.-Australien

violacea M'Leay, l. c. p. 138. — Botany Bay
viridis Er. Wiegm. Arch. VIII, 1842, I, p. 109. — M'Leay, l. c. p. 131. — Tasmania

13

Neolamprima Gestro.

Gestro, Ann. Mus. Civ. Genova, VII, 1875, p. 999.

Adolphinae Gestro, l. c. p. 999, fig. ♂. — l. c. XVI, 1881, p. 305 — Neu-Guinea, Ins. Arfak
mandibularis M'Leay, Trans. Linn. Soc. N. S. Wales X, 1885, p. 139 — Queensland

2

Phalacrognathus M'Leay.

M'Leay, Trans. Linn. Soc. N. S. Wales X, 1885, p. 473.

Muelleri M'Leay, l. c. p. 135 ♀, p. 474 ♂. — Dattari, Remarks on the Austral. Beetle *Phalacrognathus Muelleri*, 1886, f. ♂ ♀. — Skuse, Proc. Linn. Soc. N. S. Wales (2) VII, 1892, p. 20. — N.-Australien
Westwoodi Shipp, Trans. Ent. Soc. Lond. 1893, p. 223 (form. max.).

1

Streptocerus Fairm.

Fairm., Ann. Soc. Ent. Fr. (2) VIII, 1850, p. 53.

eustictus Philippi, Stett. Ent. Zeit. XXV, 1864, p. 316. — Parry, Trans. Ent. Soc. Lond. 1870, p. 55. — Colchagua
speciosus Fairm. Ann. Soc. Ent. Fr. (2) VIII, 1850, p. 55, t. 1, f. 2 a—b ♂. — Westw. Trans. Ent. Soc. Lond. (2) III, 1856, p. 204, t. 11, f. 1 a—d ♀. — Chili
Dejeani Sol. in Gay, Hist. Chile V, 1851, p. 44, t. 13, f. 3 ♂.

2

Colophon Gray.

Gray in Griff. Anim. Kingd. 1832, I, p. 533. — Parry, Trans. Ent. Soc. Lond. 1864, p. 7. — Péringuey, Trans. South. Afr. Phil. Soc. XII, 1901, p. 2.

Thunbergi Westw., Trans. Ent. Soc. Lond. 1855, p. 198, t. 10, f. 2 ♂. — Südafrika
Westwoodi Gray in Griff. Anim. Kingd. 1832, I, p. 534, t. 46, f. 5 ♂. — Westw., Ann. Sc. Nat. (2) I, 1834, p. 113, t. 7, f. 5 a—e; Trans. Ent. Soc. Lond. 1855, p. 197, t. 10, f. 1. — Péringuey, Descr. Cat. S. Afr. Col. Trans. S. Afr. Phil. Soc. XII, 1901, p. 10, t. XXXI, f. 1. — „

2

II. Lucaninae.

MacLeay, Horae Ent. I, 1819, p. 111 *(Lucanidae)*.

Pseudolucanus Hope.

Hope (Westw.), Cat. Luc. 1845, p. 30. — Parry, Trans. Ent. Soc. Lond. 1870, p. 72. — Planet, Naturaliste XVII, 1895, p. 126; Essai Monographique, Paris 1899, p. 7—30.

— **atratus** Hope in Gray, Zool. Miscell. I, 1831, p. 22. — Hope (Westw.) Cat. Luc. 1845, p. 10. — Burm. Handb. V, 1847, p. 528. — Reiche, Ann. Soc. Ent. Fr. (3) I, 1853, p. 71. — Planet, Naturaliste 1895, p. 144; 1896, p. 278, f. 1—2 ♂, 3 ♀; Essai Mon. 1898, p. 9, t. 1, f. 1—2 ♂, 3 ♀. — Assam

— **barbarossa** F. Syst. El. II, 1801, p. 251. — Ill. Mag. II, 1803, p. 233. — Burm. Handb. V, 1847, p. 349. — Planet, Naturaliste 1895, p. 180, f. ♂ ♀; Essai Mon. 1898, p. 26, t. 4, f. 1, 3, 4 ♂, 2, 5, ♀. — Portugal, Spanien, Marokko

— **capreolus** L. Mus. Lud. Ulr. 1764, p. 32. — Ol. Ent. I, 1, 1789, p. 15, t. 2, f. 4 ♂, t. 3, f. 4 ♀. — Planet, Naturaliste, 1895, p. 154, f. ♂ ♀; Essai Mon. 1898, p, 23, t. 3, f. 1, 2, 3, ♂, 4, 5, ♀. — N.-Amerika

dama F. Syst. El. II, 1801, p. 249 ♂. — Burm. Handb. V, 1847, p. 355. — Saund. Canad. Ent. XIII, 1881, p. 118, f. 8. — Fuchs, Bull. Brookl. Ent. Soc. V, 1882, p. 50, f. 2, t. f. 2 ♂. — Packard, Psyche V, 1889, p. 226.

muticus Thunb. Mém. Mosc. I, 1806, p. 205. — Planet, Essai Mon. 1898, p. 24, t. 2, f. 3 ♂. ♀ *trigonus* Thunb. Mém. Mosc. I, 1806, p. 200, t. 12, f. 4.

Davidis Deyr. Ann. Soc. Ent. Fr. (5) VIII, 1878, p. 93, t. 4, f. 1—2 ♂ ♀. — Planet, Naturaliste 1895, p. 145, f. 1 ♂, 2 ♀; Essai Mon. 1898, p. 16, f. 5 ♂, 6 ♀, t. 2, f. 1 ♂, 2 ♀. — China

— **Groulti** Planet, Naturaliste 1897, p. 227, f.; Essai Mon. 1898, p. 100, fig. ♂. — Ostindien

— **Lesnei** Planet, Naturaliste 1905, p. 212, f. 1—2. — Thibet

— **Mazama** Lec. Proc. Acad. Philad. 1861, p. 345 ♂. — Parry, Trans. Ent. Soc. Lond. 1864, p. 51; Trans. Ent. Soc. Lond. 1870, p. 72, t. 1, f. 1 ♂. — Fuchs, Bull. Brookl. Ent. Soc. V, 1882, p. 50, f. 3, t. f. 3 ♂. — Planet, Naturaliste 1895, p. 145, f. 3 ♂; 1896, p. 279, f. 6 ♀; Essai Mon. 1898, p. 19, f. 7 ♂, t. 2, f. 4 ♂, 3 ♀. — Neu-Mexico

Mniszechi Planet, Naturaliste 1900, p. 96; Essai Mon. 1898, p. 100, f. 52. — Ostindien

Oberthüri Planet, Naturaliste 1896, p. 279; Essai Mon. 1898, p. 13, t. 1, f. 4 ♂, 5 ♀; Naturaliste 1901, p. 250. — Sikkim

— **placidus** Say. Journ Ac. Phil. V, 1865, p. 202. — Fuchs, Bull. Brookl. Ent. Soc. V, 1882, p. 51, f. 4, t. f. 4, ♂. — Planet, Essai Mon. II, 1898, p. 102, f. 53—54. — N.-Amerika

lentus Cast. Hist. Nat. II, 1837, p. 171. — Burm. Handb. V, 1847, p. 356. — Horn, Trans. Am. Ent. Soc. V, 1875, p. 137.
rupicapra Dej. Cat. III, 1837, p. 193.
10

Lucanus Scop.

Scop. Entom. Carniol. 1763, p. 1. — Planet, Essai Mon. Paris 1898.

Boileavi Planet, Naturaliste 1897, p. 205, f.; Essai Mon. II, 1898, p. 26, f. 11 ♂, 12 ♀.		Siao-Lou
Cantori Hope, Proc. Ent. Soc. Lond. 1842, p. 83. — Hope (Westw.) Cat. Luc. 1845, p. 5. — Hope, Ann. Mag. Nat. Hist. XII, 1850, p. 363. — Burm. Handb. V, 1847, p. 355. — Planet, Essai Mon. II, 1898, p. 57, f. 29 ♂, 30 ♀.		Assam
cervus L. Syst. Nat. I, 1735, p. 559. — Kraatz, Berl. Ent. Zeitschr. IV, 1860, p. 68 und 265. — Planet, Essai Mon. I, 1898, p. 31, f. 1 ♂, 8 ♀.		W.- u. M. Europa
americanus Hope (Westw.), Cat. Luc. 1845, p. 10 (form. max.).		
armiger Herbst, Käfer III, 1790, p. 301, t. 34, f. 1. — Planet, Essai Mon. 1898, p. 42, f. 9 (monstr.).		
capra Ol. Entom. I, 1, 1789, p. 11, t. 1, f. e. (form. med.).		
capreolus Sulz. Abgek. Gesch. Ins. I, 1776, p. 19, t. 2, f. 1. — F. Ent. Syst. II, 1793, p. 237 (form. min.).		
dorcas Panz. Fauna Germ. N. 58, 1798, p. 11 (form. min.).		
hircus Herbst, Käfer III, 1790, p. 299, t. 33, f. 4—6.		
inermis Marsham (♀), Ent. Brit. I, 1802, p. 47. — Planet, Essai Mon. 1898, p. 35.		
lusitanicus Hope (Westw.), Cat. Luc. 1845, p. 9.		
maxillaris Motsch. Bull. Mosc. XVIII, 1845, I, p. 60. — Planet, Essai Mon. 1898, p. 64.		
microcephalus Muls. Col. Fr. Lamell. 1842, p. 586.		
tauricus Motsch. Bull. Mosc. XVIII, 1845, I, p. 60. — Planet, Essai Mon. 1898, p. 65.		
var. *akbesianus* Planet, Naturaliste 1896, p. 256, f. 8 ♂; Essai Mon. 1898, p. 62, t. 14, f. 2.		Syrien
var. *judaicus* Planet, Essai Mon. II, 1898, p. 125, f.		Tauria, Aïn-Tab
var. *laticornis* Deyr. Ann. Soc. Ent. Fr. (4) IV, 1864, p. 312. — Planet, Naturaliste 1896, p. 237, f. 6—7; Essai. Mon. 1898, p. 60, f. 1 und 4.		Syrien, Ararat
var. *pentaphyllus* Reiche, Ann. Soc. Ent. Fr. (3) I, 1853, p. 71; Rev. Zool. 1856, p. 81. — Kraatz, Berl. Ent. Zeitschr. IV, 1860, t. 7, f. 13. — Planet, Essai Mon. 1898, p. 52, f. 14 ♀, t. 13, f. 1—3 ♂.		S.-Frankreich
Fabiani Muls. Ann. Soc. Linn. Lyon II, 1855, p. 250. — Kraatz, Berl. Ent. Zeitschr. 1860, t. 7, f. 15. — Planet, Essai Mon. 1898, p. 55, f. 12 (forma min.).		

Lucanus

See Boileau, Ann. Soc. Ent. Fr., 67, 1898, p. 206

v. Pontbrianti Muls. Ann. Soc. Lyon, (4) iii, 1870, p. 481, t. 3.

var. *Pontbrianti* Muls. Ann. Soc. Agr. et Ind. Lyon II, 1855, p. 119, t. 2; Col. France Lamell. 1842, p. 538. — Kraatz, Berl. Ent. Zeitschr. IV, 1860, t. 7, f. 16—17. — Planet, Essai Mon. 1898, p. 58, f. 15, t. 14. f. 3 ♂. — Lyon

barbarossa var. med. Burm. Handb. V, 1847, p. 349.

var. *Poujadei* Planet, Naturaliste 1897, p. 267, f; Essai Mon. 1898, p. 104, f. 37—38 ♂. — Syrien

var. *syriacus* Planet, Bull. Soc. Ent. Fr. 1897, p. 64, f; Essai Mon. 1898, p. 48 und 51. — Kleinasien, Syrien

var. *turcicus* Sturm, Cat. 1843, p. 347, t. 5, f. 1. — Richter, Soc. Ent. I, 1887, p. 181. — Planet, Essai Mon. 1898, p. 46, f. 10—11, t. 9, f. 1—2. — O.-Europa

barbarossa var. max. Burm. Handb. V, 1847, p. 349.

— **Delavayi** Fairm., Bull. Soc. Ent. Fr. 1887, p. 37; Ann. Soc. Ent. Belg. XXX, 1887, p. 98. — Planet, Essai Mon. II, 1898, p. 68, f. 33—34 ♂, 35 ♀. — Yunnan

Dybowskyi Parry, Trans. Ent. Soc. Lond. 1873, p. 335. — Jacowl. Hor. Soc. Ent. Ross. XXX, 1896, p. 171. — Planet, Essai Mon. II, 1898, p. 30, f. 13 ♂, 14 ♀. — Amur

— **elaphus** F. Syst. Ent. 1775, p. 2. — Ol. Ent. I, 1, 1789, p. 12, t. 3, f. 7. — Burm. Handb. V, 1847, p. 354. — Fuchs, Bull. Brookl. Ent. Soc. V, 1882, p. 1, f. 1. — Albers, Deutsche Ent. Zeitschr. 1890, p. 88. — Planet, Essai Mon. II, 1898, p. 92, f. 49 ♂, 50—51 ♀. — Wickham, Canad. Ent. XXXV, 1903, p. 205. — N.-Amerika

cervus var. Geer, Mém. Ins. IV, 1774, p. 33.

—**Fairmairei** Planet, Naturaliste 1897, p. 265, f; Essai Mon. II, 1898, p. 80, f. 43 ♂, 44 ♀. — Thibet

Ferriei Planet, Naturaliste 1898, p. 251, f. 1 ♂; Essai Mon. II, 1898, p. 44, f. 22—23 ♂, 24 ♀. — Liu-Kiu-Inseln

— **formosanus** Planet, Naturaliste 1899, p. 36 und 47; Essai Mon. II, 1890, p. 42, f. 21 ♀. — Formosa

— **Fortunei** Saund. Trans. Ent. Soc. Lond. 1854, p. 46, t. 3, f. 1—2. — Planet, Essai Mon. II, 1898, p. 85, f. 45 ♂, 46 ♀. — China

gracilis Albers, Deutsche Ent. Zeitschr. 1889, p. 319. — Planet, Essai Mon. II, 1898, p. 130. — Sikkim

Hopei Parry, Proc. Ent. Soc. Lond. 1862, p. 108 ♂; Trans. Ent. Soc. Lond. 1864, p. 9, t. 4, f. 2. — Planet, Essai Mon. II, 1898, p. 34, f. 15 und 18 ♂, 16—17 ♀. — Japan

— var. *maculifemoratus* Motsch. Etud. Ent. 1861, p. 9. — Lewis, Trans. Ent. Soc. Lond. 1883, p. 333. — Heyden, Deutsche Ent. Zeitschr. 1884, p. 276. — Planet, Essai Mon. II, 1898, p. 39, f. 19 ♂, 20 ♀. — Jokohama

elegans Planet, Naturaliste 1898, p. 19 und 253, f. 2 ♂, 3 ♀; Essai Mon. II, 1898, p. 35.

sericans Voll. Tijdschr. v. Ent. IV, 1861, p. 103; Tijdschr. v. Ent. 1865, p. 147. — Parry, Trans. Ent. Soc. Lond. 1864, p. 10; Trans. Ent. Soc. Lond. 1870, p. 56. — Planet, Essai Mon. II, 1898, p. 39.

laminifer Waterh. Ann. Mag. Nat. Hist. (6) V, 1890, p. 33; Aid Ident. Ins. II, 1890, t. 186, f. 4—5. — Planet, Essai Mon. II, 1898, p. 53, f. 27 ♂, 28 ♀.	Assam
lunifer Hope in Royle. Illustr. Nat. Hist. Himal. Ins. 1833, p. 55, t. 9, f. 4. — Redtenb. Hügel. Kashmir IV, 1850, p. 531, t. 24, f. 4. — Reiche, Ann. Soc. Ent. Fr. (3) I, 1853, p. 71. — Planet, Naturaliste 1898, p. 107 f.; Essai Mon. II, 1898, p. 12, f. 5 ♂, 6 ♀.	Himalaya
lama Burm. Handb. V, 1847, p. 353.	
rugifrons ♀ Hope (Westw.), Cat. Luc. 1845, p. 4. — Parry, Trans. Ent. Soc. Lond. 1864, p. 72.	
Mearesi Hope, Proc. Ent. Soc. Lond. 1842, p. 83; Trans. Ent. Soc. Lond. IV, 1845, p. 273; Ann. Mag. Nat. Hist. XII, 1850, p. 364 ♂. — Westw. Cab. Or. Ent. 1848, p. 21, t. 10, f. 1. — Planet, Essai Mon. II, 1898, p. 17, f. 7 ♂, 8 ♀.	Sylhet
lunifer var. Burm. Handb. V, 1847, p. 527.	
nigripes ♀ Hope (Westw.), Cat. Luc. 1845, p. 10.	
Oberthüri Planet, Naturaliste 1897, p. 179; Essai Mon. II, 1898, p. 73, f. 36—38 ♂, 39—41 ♀.	Thibet, Siao-Lu-Lu-Chan
orientalis Kraatz, Berl. Ent. Zeitschr. 1860, p. 269, t. 7, f. 18—21, 27, 28. — Planet, Naturaliste 1897, p. 83; Essai Mon. 1898, p. 70, f. 16—19, t. 15, f. 2—3.	O.-Europa, Kleinasien
intermedius Motsch. Bull. Mosc. 1870, p. 41, t. 2, f. 13. — Planet, Essai Mon. 1898, p. 87.	
piger Motsch. Bull. Mosc. 1870, p. 37—39, t. 2, f. 10. — Planet, Essai Mon. 1898, p. 74.	
tetraodon Jacquel. du Val, Gen. Col. III, 1865, p. 11.	
?*subvelutinus* Motsch. Bull. Mosc. 1870, p. 46, t. 2, f. 17. — Planet, Essai Mon. 1898, p. 85.	
?*syriacus* Motsch. l. c. p. 40. — Planet, Essai Mon. 1898, p. 85.	
?*tenebrosus* Motsch. l. c. p. 40. — Planet, Essai Mon. 1898, p. 86.	
var. *caspica* Semenow, Rev. Russ. Ent. I, 1901, p. 105.	Georgien
var. *curtulus* Motsch. Bull. Mosc. XVIII, 1845, I, p. 60, No. 170; 1870, p. 40—41, t. 2, f. 12. — Planet, Essai Mon. 1898, p. 78, f. 23.	Kaukasus, Kleinasien
barbarossa var. minor. Burm. Handb. V, 1847, p. 349.	
var. *ibericus* Motsch. Bull. Mosc. XVIII, 1845, I, p. 60, No. 167; 1870, p. 39—40. — Kraatz, Berl. Ent. Zeitschr. IV, 1860, p. 269. — Planet, Essai Mon. 1898, p. 75, f. 21.	Georgien
barbarossa var. med. Burm. Handb. V, 1847, p. 349.	
var. *macrophyllus* Reiche (in litt.) Kraatz, Berl. Ent. Zeitschr. IV, 1860, p. 271—272, t. 7, f. 29. — Motsch. Bull. Mosc. 1870, p. 50. — Planet, Essai Mon. 1898, p. 88. — Möllenk. Insektenbörse XXIII, 1906, p. 32.	Caramanien
Parryi Boil. Bull. Soc. Ent. Fr. 1899, p. 111. — Planet, Essai Mon. II, 1898, p. 78, f. 42 ♂.	M.-China, Kua-Thun

— **Planeti** Planet, Naturaliste 1899, p. 72; Essai Mon. II, 1898, p. 49, f. 25♂, 26♀. — Tonkin
— **singularis** Planet, Essai Mon. II, 1899, p. 22, f. 9♀; Naturaliste 1903, p. 12, f. 1♂, 2♀. — Ostindien
— **Swinhoei** Parry, Trans. Ent. Soc. Lond. 1874, p. 370, t. 4, f. 4. — Planet, Essai Mon. II, 1898, p. 88, f. 47♂, 48♀. — Formosa
— **tetraodon** Thunb. Mém. Mosc. I, 1806, p. 88. — Kraatz, Berl. Ent. Zeitschr. IV, 1860, p. 68 und 265, t. 7, f. 22—26. — Planet, Essai Mon. 1898, p. 89, f. 30—31, t. 16, f. 1♂, 2♀; Essai Mon. II, 1898, p. 126—127. — Italien, Corsica, Sizilien, Griechenl., Albanien
barbarossa Costa. Fauna Nap. 1832—1854, p. 17.
barbarossa var. min. Burm. Handb. V, 1847, p. 349.
bidens (♂ form. min.) Thunb. Mém. Mosc. I, 1806, p. 198. — Kraatz, Berl. Ent. Zeitschr. IV, 1860, p. 266.
impressus (♀ form. min.) Thunb. Mém. Mosc. I 1806, p. 197. — Kraatz, Berl. Ent. Zeitschr. IV, 1860, p. 266.
serraticornis Fairm. Ann. Soc. Ent. France (3) VII, 1859, p. 275.
var. *siciliana* Planet, Essai Mon. p. 98, f. 33—34. — Sizilien
thibetanus Planet, Naturaliste 1898, p. 277; Essai Mon. II, 1898, p. 24, f. 10. — Thibet
vicinus Hope (Westw.) Cat. Luc. 1845, p. 10. — Burm. Handb. V, 1847, p. 527. — Planet, Essai Mon. II, 1898, p. 63, f. 31♂, 32♀. — Punah
— **villosus** Hope in Gray, Zool. Miscell. I, 1831, p. 22. — Hope (Westw.) Cat. Luc. 1845, p. 9♂. — Parry, Trans. Ent. Soc. Lond. 1863, p. 446, 453. — Planet, Essai Mon. II, 1898, p. 7, f. 3♂, 4♀. — Nepaul
lama Burm. Handb. V, 1847, p. 353.
— *Smithi* Parry, Proc. Ent. Soc. Lond. 1862, p. 108♂; Trans. Ent. Soc. Lond. 1864, p. 10, t. 10, f. 2.
— **Westermanni** Hope (Westw.), Cat. Luc. 1845, p. 10. — Planet, Essai Mon. II, 1898, p. 3, f. 1♂, 2♀. — Assam

26

Rhaetus Parry.

Parry, Trans. Ent. Soc. Lond. (3) II, 1864, p. 10.

Parryi Boil. Mém. Soc. Ent. Belg. IX, 1902, p. 49, t. 2, f. 2. — Patria unbekannt
— **Westwoodi** Parry, Proc. Ent. Soc. Lond. 1862, p. 108♂; Trans. Ent. Soc. Lond. 1864, p. 11, t. 9, f. 2. — Westw., Trans. Ent. Soc. Lond. 1871, p. 355. — Boil. Mém. Soc. Ent. Belg. IX, 1902, p. 47, t. 2, f. 1♀. — Assam, Himalaya

2

Pseudorhaetus Planet.

Planet, Naturaliste 1899, p. 174.

— **Oberthüri** Planet, Naturaliste 1899, p. 174, f. ♂ ♀. — Tonkin
— **sinicus** Boil. Bull. Soc. Ent. Fr. 1899, p. 111. — China

2

Rhaetulus Westw.

Westw., Trans. Ent. Soc. Lond. 1871, p. 353.

crenatus Westw. l. c. p. 353, t. 8, f. 4♂. — Formosa
1

Hexarthrius Hope.

Hope, Trans. Linn. Soc. XIX, 1843, II, p. 104.

aduncus Jordan und Rothsch. Novit. Zool. I, 1894, p. 484, t. 13, f. 1. — Assam

Bowringi Parry, Proc. Ent. Soc. Lond. 1862, p. 108; Trans. Ent. Soc. Lond. 1864, p. 12, t. 9, f. 5 und 7♂. — Ostindien

Buqueti Hope, Proc. Ent. Soc. Lond. 1843, p. 95; Trans. Ent. Soc. Lond. IV, 1846, p. 182, t. 13, f. 4♂. — Reiche, Ann. Soc. Ent. Fr. (3) I, 1853, p. 75. — Griffini, Studi sui Lucanidi, Zool. Anzeiger XXX, 1906, p. 899—905. — Java

rhinoceros var. Burm. Handb. V, 1847, p. 366.

Davisoni Waterh., Ann. Mag. Nat. Hist. (6) I, 1888, p. 260. — Ostindien

Castetsi Boil. Ann. Soc. Ent. Fr. LXVI, 1897, p. 581, f. ♂ ♀ (teste Boileau).

?*Cotesi* Nonfried, Berl. Ent. Zeitschr. XXXVI, 1892, p. 365 (teste Waterhouse).

Deyrollei Parry, Trans. Ent. Soc. Lond. 1864, p. 11, t. 4, f. 1♂. — Siam, Sumatra

var. *paradoxus* Möllenk. Soc. Ent. 1897, p. 146; Insektenbörse XXIV, 1905, p. 7. — Sumatra

elongatus Jordan und Rothsch. Novit. Zool. I, 1894, p. 484. — Borneo

Forsteri Hope, Trans. Linn. Soc. Lond. 1841, p. 587, t. 40, f. 1. — Burm. Handb. V, 1847, p. 367. — Assam

serricollis (♀) Hope, Trans. Linn. Soc. Lond. 1841, p. 591. — Parry, Trans. Ent. Soc. Lond. 1863, p. 446.

mandibularis Deyr. Ann. Soc. Ent. Fr. (6) I, 1881, p. 237, t. 5, f. 2. — Borneo, Sumatra

Mniszechi Thoms. Arch. Ent. I, 1857, p. 396. — Lacord. Genera Col. Atlas, 1854, t. 24, f. 5♂. — Sylhet

Parryi Hope, Trans. Linn. Soc. Lond. XIX, 1843, p. 104, t. 10, f. 2. — Burm. Handb. V, 1847, p. 367. — ,,

rhinoceros Ol. Ent. I, 1, 1789, p. 21, t. 5, f. 21. — Burm. Handb. V, 1847, p. 366. — Java

falciger Hope (Westw.), Cat. Luc. 1845, p. 11 (form. med.).

longipennis (♀) Hope (Westw.), Cat. Luc. 1845, p. 10.

vitulus (♀) Hope, Proc. Ent. Soc. Lond. 1843, p. 95; Trans. Ent. Soc. Lond. IV, 1866, p. 183.

var. *Chaudoiri* Deyr. Ann. Soc. Ent. Fr. (4) IV, 1864, p. 312, t. 4, f. 1♂. — Voll. Tijdschr. v. Ent. VIII, 1865, p. 148. — Planet, Naturaliste 1899, p. 47—48. — Sumatra

Rollei Möllenk. Insektenbörse XXI, 1904, p. 402. — Kina Balu

Deyrollei var. *rufipes* Boil. Naturaliste 1904, p. 227.

Mesotopus Hope.

Hope (Westw.) Catal. Lucan. 1845, p. 4. — Burmeister, Handbuch V, 1847, p. 362. — Zang, Deutsche Ent. Zeitschr. 1906, p. 93.

regius Möllenk. Deutsche Ent. Zeitschr. 1896, p. 360, f. b. — Guinea
tarandus Sweder. Vet. Ak. nya Handl. VIII, 1787, p. 186, t. 8, f. 1 ♂. — Burm., Handb. V, 1847, p. 363. — Parry, Proc. Ent. Soc, Lond. 1862, p. 107; Trans. Ent. Soc. Lond. 1864, p. 7, t. 5, f. 4 ♀. — Möllenk., Deutsche Ent. Zeitschr. 1896, p. 360, f. a. — Griffini, Ann. Mus. Civ. Genova 1906, p. 136. — „

2

Allotopus Albers.

Albers, Deutsche Ent. Zeitschr. 1894, p. 162.

Möllenkampi Fruhst. Ent. Nachr. XX, 1894, p. 299. — Kraatz, Deutsche Ent. Zeitschr. 1895, p. 287, f. ♂ (Monstr.). — Sumatra
Moseri Möllenk. Entom. Zeitschr. Guben XX, 1906, nr. 29. — Malacca
Rosenbergi Voll. Trans. Ent. Soc. Lond. 1872, p. 81, t. 2, f. 1. — Fruhst., Ent. Nachr. 1894, p. 298 (Fundort, Flugzeit). — Rits. Notes Leyd. Mus. 1898, p. 162, t. 1, f. 3—4 (pupa). — W. Java

3

III. Odontolabinae.

Parry, Trans. Ent. Soc. Lond. 1870, p. 74 *(Odontolabidae)*.

Monogr.: Leuthner, Trans. Zool. Soc. XI, 1885, p. 385.

Neolucanus Thoms.

Thoms. Ann. Soc. Ent. Fr. (4) II, 1862, p. 415. — Leuthner, Monographie p. 420.

Anoplocnemus Burm. (pars), Handb. V, 1847, p. 357. — Parry, Trans. Ent. Soc. Lond. (3) II, 1864, p. 12.
Odontolabis Hope (pars), Cat. Luc. 1845, p. 5.

— **brevis** Boil. Bull. Soc. Ent. Fr. 1899, p. 197. — Birmah
birmaensis Möllenk. Notes Leyd. Mus. XXII, 1900, p. 46 (teste: Zang, Deutsche Ent. Zeitschr. 1905, p. 212).
— **eastanopterus** Hope in Gray, Zool. Miscell. 1831, p. 22. — Hope (Westw.), Cat. Luc. 1845, p. 18. — Westw. Cab. Or. 1848, p. 22, 54, t. 10, f. 5 ♂, t. 26, f. 6 ♀. — Leuthner, Monogr. 1885, p. 423, t. 84, f. 13 ♂, 14 ♀. — N.-Ostindien
bicolor Burm. *(Anoplocnemus)*, Handb. V, 1847, p. 360 (teste Leuthner).
var. *elongatulus* Möllenk. Intern. Ent. Zeitschr. Guben I, 1907, p. 94. — Yunnan

celebensis Möllenk. Notes Leyd. Mus. XXII, 1900, p. 46; Deutsche Ent. Zeitschr. 1903, p. 349.	O.-Celebes
Championi Parry, Trans. Ent. Soc. Lond. 1864, p. 20. — Leuthner, Monogr. 1885, p. 428, t. 85, f. 8♂, 6♀.	China
cingulatus Parry, Trans. Ent. Soc. Lond. 1864, p. 20, t. 4, f. 3♀. — Leuthner, Monogr. 1885, p. 422, t. 85, f. 10♀.	Sumatra, Malacca
lama Ol. Ent. I, 1, 1789, p. 14, t. 3, f. 8. — Leuthner, Monogr. 1885, p. 430, t. 85, f. 14, 15♂, 11, 12♀.	Sylhet
angulatus Hope (Westw.) Cat. Luc. 1845, p. 17. — Parry, Trans. Ent. Soc. Lond. 1870, p. 74.	
baladeva Hope, Trans. Linn. Soc. XIX, 1843, p. 105. — Parry, Trans. Ent. Soc. Lond. 1870, p. 74.	
Lansbergei Leuthner, Monogr. 1885, p. 421, t. 84, f. 4♀. — Möllenk. Soc. Entom. 1897, p. 145♂; Insektenbörse XXII, 1905, p. 7.	O.-Sumatra
laticollis Thunb. Mém. Soc. Nat. Mosc. I, 1806, p. 163. — Albers, Deutsche Ent. Zeitschr. 1884, p. 303. — Leuthner, Monogr. 1885, p. 420, t. 84, f. 1, 2♂, 3♀.	Java
—— *glabratus* Hope (Westw.) Cat. Luc. 1845, p. 18.	
latus Boil. Naturaliste XXIV, 1902, p. 204.	Birmah
Leuthneri Boil. Bull. Soc. Ent. Fr. 1899, p. 175.	Tonkin
marginatus Waterh. Ent. Monthl. Mag. IX, 1873, p. 53. — Leuthner, Monogr. 1885, p. 426, t. 85, f. 1♂, 3♀. — Boil. Bull. Soc. Ent. Fr. 1899, p. 178.	Sikkim
muntjac Gestro, Ann. Mus. Civ. Genova XVI, 1881, p. 314, f. — Leuthner, Monogr. 1885, p. 422.	Borneo
nitidus Saund. Trans. Ent. Soc. Lond. 1854, t. 4, f. 1♂. — Leuthner, Monogr. 1885, p. 427.	China
Oberthuri Leuthner, Monogr. 1885, p. 429, f.	,,
opacus Boil. Bull. Soc. Ent. Fr. 1899, p. 176.	Tonkin
pallescens Leuthner, Monogr. 1885, p. 426, t. 85, f. 2♂.	China
Parryi Leuthner, Monogr. 1885, p. 424, t. 85, f. 4♂.	China, Laos, Tonkin
Saundersi Parry, Trans. Ent. Soc. Lond. 1864, p. 20, t. 9, f. 3. — Leuthner, Monogr. 1885, p. 431, t. 85, f. 9, 13, 16.	Nord.-Indien
sinicus Saund. Trans. Ent. Soc. Lond. 1854, p. 48, t. 4, f. 2♂, 3♀. — Leuthner, Monogr. 1885, p. 428, t. 85, f. 7♂, 5♀.	China
Swinhoei Bates, Proc. Zool. Soc. 1866, p. 346, f. 2♂. — Leuthner, Monogr. 1885, p. 424, t. 84, f. 15a, b♂, 16♀.	Formosa
Waterhousei Boil. (*marginatus* Waterh. ♂) Bull. Soc. Ent. Fr. 1899, p. 178.	Sikkim

Odontolabis Hope.

Hope (Westw.), Cat. Luc. 1845, p. 5, 13. — Leuthner, Monographie 1885, p. 432.

Chalcodes Westw. (pars), Ann. Sc. Nat. (2) I, 1834, p. 116.
Anoplocnemus Burm. (pars), Handb. V, 1847, p. 357.

aeratus Hope, Trans. Zool. Soc. I, 1835, p. 99, t. 14, f. 2. — Westw. Ann. Sc. Nat. (2) I, 1834, p. 118 *(Chalcodes)*. — Cast. Hist. Nat. Ins. II, 1837, p. 172. — Hope (Westw.) Cat. Luc. 1845, p. 16. — Westw. Cab. Or. Ent. 1848, p. 22, t. 10, f. 6. — Burm. Handb. V, 1847, p. 361. — Parry, Trans. Ent. Soc. Lond. (3) II, 1864, t. 7, f. 9; Trans. Ent. Soc. Lond. 1870, p. 74. — Leuthner, Monogr. 1885, p. 473, t. 97, f. 4, 5♂, 6♀. — Zang, Deutsche Ent. Zeitschr. 1905, p. 214. — Borneo, Sumatra, Singapore

alces F. Syst. Ent. 1775, p. 1. — Ol. Ent. I, 1, 1789, p. 8, t. 2, f. 3a, b. — Leuthner, Monogr. 1885, p. 443, t. 89, f. 1—7♂, 8♀. — Luzon, ?Celebes

Cumingi Hope (Westw.) Cat. Luc. 1845, p. 17 (forma amphiod.).

dux Westw. Ann. Mag. Nat. Hist. VIII, 1846, p. 124; Cab. Or. Ent. 1848, p. 17, t. 8, f. 1 (forma telod.).

antilope v. Rothenburg, Deutsche Ent. Zeitschr. 1901, p. 26. — Borneo

bellicosus Cast. Hist. Nat. II, 1837, p. 171, t. 16, f. 1. — Thoms. Ann. Soc. Ent. Fr. (4) II, 1862, p. 394. — Parry, Trans. Ent. Soc. Lond. (3) II, 1864, p. 76. — Java, ?Celebes

alces Burm. Handb. V, 1847, p. 359.

serrifer Hope (Westw.) Cat. Luc. 1845, p. 17 (forma priod.).

ursus (♀) Cast. Hist. Nat. II, 1837, p. 171, t. 16. f. 2.

Vishnu Hope (Westw.) Cat. Luc. 1845, p. 17 (forma amphiod.).

Brookeanus Voll. Tijdschr. Ent. IV, 1861, p. 107, t. 6, f. 1. — Parry, Trans. Ent. Soc. Lond. (3) II, 1864, p. 15, t. 6, f. 5. — Leuthner, Monogr. 1885, p. 469, t. 95, f. 13—15♂, 16—18♀. — Griffini, Atti della Soc. Ital. Sc. Natur. XLVI, 1907, p. 104—127. — Borneo, Sumatra

Burmeisteri Hope, Trans. Ent. Soc. Lond. III, 1839, p. 279, t. 13, f. 3. — Hope (Westw.) Cat. Luc. 1845, p. 5. — Hope, Ann. Mag. Nat. Hist. VIII, 1846, p. 302. — Waterh. Ann. Mag. Nat. Hist. (5) VII, 1881, p. 457. — Leuthner, Monogr. 1885, p. 455, t. 92, f. 5—8♂, 9♀. — Trovancore

camelus Ol. Entom. I, 1, 1789, p. 22, t. 5, f. 19. — Leuthner, Monogr. 1885, p. 446, t. 96, f. 7, 8♂, 9♀. — Philippinen

alces forma min. Burm. Handb. V, 1847, p. 359.

carinatus Parry, Trans. Ent. Soc. Lond. (3) II, 1864, p. 76, t. 2.

carinatus Reiche, Ann. Soc. Ent. Fr. (3) I, 1853, p. 73.

carinatus Thoms. Ann. Soc. Ent. Fr. (4) II, 1862, p. 394.

Gouberti Waterh. Ent. Monthl. Mag. XII, 1876, p. 172.

carinatus L. Syst. Nat. I, 2, 1735, p. 560; Mus. Lud. Ulr. 1764, p. 34. — Thunb, Mém. Soc. Mosc. I, 1806, p. 193, t. 12, f. 2. — Leuthner, Monogr. 1885, p. 474, t. 97, f. 7—9♂, 10♀, 11—13♂, — Ceylon

14♀. — Sharp, Proc. Ent. Soc. Lond. 1884, p. 18 (Cocons).
bengalensis Tennent, Ceylon I, 1859, p. 276.
?*cingalensis* Parry, Trans. Ent. Soc. Lond. 1864, p. 16, t. 10, f. 8.
?*intermedius* Deyr. Ann. Soc. Ent. Fr. (4) IV, 1864, p. 314.
?*nigritus* Deyr. l. c. p. 314.

Castelnaudi Parry, Trans. Ent. Soc. Lond. 1864, p. 14, t. 1, f. 2; l. c. 1870, p. 74, t. 3, f. 4—6. — Leuthner, Monogr. 1885, p. 466, t. 95, f. 1—4♂, 5♀. — Sumatra, Borneo

celebensis Leuthner, Monogr. 1885, p. 442, t. 88, f. 6—8♂. — Albers, Deutsche Ent. Zeitschr. XXX, 1886, p. 243♀. — v. d. Poll, Notes Leyd. Mus. IX, 1887, p. 280♂ (forma telod). — Celebes

ciliatus Albers, Deutsche Ent. Zeitschr. 1894, p. 167. — Ostindien

cupreiventris Möllenk. Notes Leyd. Mus. XXII, 1900, p. 45. — Deutsche Ent. Zeitschr. 1903, p. 348. — W.-Borneo

cuvera Hope, Trans. Linn. Soc. XIX, 1843, p. 105, t. 10, f. 3. — Westw. Cab. Or. Ent. 1848, t. 26, f. 5. — Leuthner, Monogr. 1885, p. 452, t. 91, f. 7—9♂, 10♀. — Assam
bicolor Burm. Handb. V, 1847, p. 360 (pars).
Delesserti Hope (Westw.) Cat. Luc. 1845, p. 16.
Prinseppi Hope (Westw.) Cat. Luc. 1845, p. 16 (forma mesod.).
var. *alticola* Möllenk. Insektenbörse XIX, 1902, p. 353; Deutsche Ent. Zeitschr. 1903, p. 351. — Assam
var. *mandibularis* Möllenk. Int. Ent. Zeitschr. Guben III, 1909, p. 3. — Brahmaputra

Dalmani Hope (Westw.) Cat. Luc. 1845, p. 17. — Thoms. Ann. Soc. Ent. Fr. (4) II, 1862, p. 394. — Parry, Trans. Ent. Soc. Lond. (3) II, 1864, p. 76. — Leuthner, Monogr. 1885, p. 439. — v. d. Poll, Notes Leyd. Mus. 1X, 1887, p. 279 (forma priod.). — Borneo, Sumatra, Tenasserim

Delesserti Guér. Delessert. Souv. Voyage Inde. II, 1839, p. 48, t. 12, f. 3. — Leuthner, Monogr. 1885, p. 454, t. 92, f. 1—3♂, 4♀. — Ostindien
cuvera Parry, Trans. Ent. Soc. Lond. (3) I, 1863, p. 447.

Duivenbodei Deyr. Ann. Soc. Ent. Belg. IX, 1865, p. 25, t. 1, f. 1. — Parry, Trans. Ent. Soc. Lond. 1870, p. 56. — Oberthur, Ann. Mus. Civ. Genova XIV, 1879, p. 566♀. — Leuthner, Monogr. 1885, p. 449, t. 90, f. 5—8♂, 9♀. — Schauf. Horae. Ent. Ross. XXI, 1887, p. 117. — Ins. Shanghir

elegans Möllenk. Insektenbörse XIX, 1902, p. 363; Deutsche Ent. Zeitschr. 1903, p. 347. — Zang, Deutsche Ent. Zeitschr. 1905, p. 212. — Möllenk. Insektenbörse XXIII, 1906, p. 31. — Birmah

eremicola Möllenk. Insektenbörse XXII, 1905, p. 7. — Kina-Balu

fallaciosus Boil. Bull. Soc. Ent. Fr. 1901, p. 284. — Tonkin
Fruhstorferi Meyer-Darcis, Mitt. Schweiz. Ent. Ges. X, 1902, p. 410, t. 1.

femoralis Waterh. Ann. Mag. Nat. Hist. (5) XIX, 1887, p. 446. — Perak

fratellus Leuthner, Monogr. 1885, p. 472, t. 96, f. 5♂, 6♀. — Luzon

—	**gazella** F. Mant. Ins. I, 1787, p. 1; Ent. Syst. I, 1792, p. 238; Syst. El. II, 1801, p. 250. — Ol. Entom. I, 1, 1789, p. 13, t. 4, f. 13a, b. — Herbst, Käfer III, 1790, p. 313. — Thunb. Mém. Soc. Ent. Mosc. I, 1806, p. 162. — Schönh. Syn. Ins. I, 3, 1806, p. 324. — Leuthner, Monogr. 1885, p. 463, t. 96, f. 10♂, 11♀, t. 91, f. 6♀. — Möllenk. Insektenbörse XXI, 1904, p. 347 (forma telod.).	Malacca, Borneo, Sumatra, Siam, ?Nepaul
	bicolor Ol. Entom. I, 1, 1789, p. 22, t. 5, f. 20.	
	bicolor Burm. Handb. V, 1847, p. 360 (pars).	
	bicolor Thoms. Ann. Soc. Ent. Fr. (4) II, 1862, p. 395. — Parry, Trans. Ent. Soc. Lond. (3) II, 1864, p. 77.	
	Gestroi Boil. Naturaliste XXIV, 1902, p. 204.	Birmah
—	**gracilis** Kaup in Harold, Coleopt. Hefte IV, 1868, p. 77. — Leuthner, Monogr. 1885, p. 438, t. 87, f. 1, 2♂, 3♀.	Nias
	bellicosus var. Parry, Trans. Ent. Soc. Lond. 1870, p. 57.	
—	**imperialis** Möllenk. Insektenbörse XXI, 1904, p. 348♂. — Boil. Naturaliste XXVII, 1905, p. 147♀.	Kina-Balu
—	**inaequalis** Kaup in Harold, Coleopt. Hefte IV, 1868, p. 77. — Leuthner, Monogr. 1885, p. 465, t. 96, f. 12♂. — Albers, Deutsche Ent. Zeitschr. XXX, 1886, p. 28♀.	Nias, Sumatra
	bicolor var. Parry, Trans. Ent. Soc. Lond. 1870, p. 57.	
	instabilis Möllenk. Insektenbörse XXI, 1904, p. 347.	Sumatra
	intermedius v. d. Poll, Notes Leyd. Mus. XI, 1889, p. 225.	Palawan
—	**Lacordairei** Voll. Tijdschr. Ent. IV, 1861, p. 104, t. 5, f. 1. — Leuthner, Monogr. 1885, p. 461, t. 94, f. 1—5♂, 6—7♀. — Boil. Mém. Soc. Ent. Belg. IX, 1902, p. 38, t. 1, f. 6—8.	O.-Sumatra Borneo
	var. *signatipennis* Möllenk. Ent. Zeitschr. Guben XX, 1906, p. 170.	N.-Sumatra
—	**latipennis** Hope (Westw.) Cat. Luc. 1845, p. 17. — Leuthner, Monogr. 1885, p. 471, t. 96, f. 1 und 3♂, 2 und 4♀.	Malacca, Borneo, Sumatra, Nias
	Dejeani Reiche, Rev. Mag. Zool. (2) IV, 1852, p. 23, t. 1, f. 4.	
	Dejeani Parry, Trans. Ent. Soc. Lond. (3) II, 1864, p. 76.	
	Dejeani var. *nigra* Voll. Tijdschr. Ent. IV, 1861, p. 108.	
—	**Leuthneri** Boil. Naturaliste XIX, 1897, p. 247, f. — Möllenk. Insektenbörse XXI, 1904, p. 341♂ (forma telod.). — v. Rothenburg, Deutsche Ent. Zeitschr. 1900, p. 92♀.	Borneo
—	**Lowei** Parry, Trans. Ent. Soc. Lond. 1873, p. 336, t. 5, f. 1. — Leuthner, Monogr. 1885, p. 470, t. 95, f. 9. — v. d. Poll, Notes Leyd. Mus. XII, 1890, p. 159♂ (forma priod.). — Albers, Deutsche Ent. Zeitschr. 1894, p. 165. — Zang, Deutsche Ent. Zeitschr. 1905, p. 214 (forma mesod.). — Griffini, Atti della Soc. Ital. Sc. Nat. XLV, 1906, p. 111—139.	,,
	rufonotatus v. Rothenb. (♀), Deutsche Ent. Zeitschr. 1900, p. 402.	

var. *nubigena* Möllenk. Insektenbörse XXII, 1905, p. 1.	Kina-Balu
Ludekingi Voll. Tijdschr. v. Ent. IV, 1861, p. 105, t. 5, f. 2. — Parry, Trans. Ent. Soc. Lond. (3) II, 1864, p. 13, t. 2, f. 1. — Leuthner, Monogr. 1885, p. 460, t. 93, f. 10, 11♂, 12♀, t. 94, f. 8♂. — Möllenk. Ent. Zeitschr. Guben XX, 1906, p. 170. — v. Roon, Tijdschr. Ent. XLIX, 1906, p. 271—278, t. 13, f. 2—5.	Sumatra
var. *monticola* Möllenk. Ent. Zeitschr. Guben XX, 1906, p. 170.	,,
var. *robustus* v. Roon, Tijdschr. Ent. XLIX, 1906, p. 276, t. 13, f. 1.	Palembang
Möllenkampi Fruhst. Berl. Ent. Zeitschr. XLIII, 1898, p. 167.	Sumatra
Mouhoti Parry, Trans. Ent. Soc. Lond. 1864, p. 14, t. 1, f. 1. — Leuthner, Monogr. 1885, p. 453, t. 91, f. 5♂. — Zang, Deutsche Ent. Zeitschr. 1905, p. 213♀.	Cambodja
Parryi Boil. Naturaliste XXVII, 1905, p. 47, f. ♂. — Möllenk. Int. Ent. Zeitschr. Guben III, 1909, p. 3.	Formosa
platynotus Hope (Westw.) Cat. Luc. 1845, p. 18. — Thoms. Ann. Soc. Ent. Fr. (4) II, 1862, p. 394. — Parry, Trans. Ent. Soc. Lond. (3) II, 1864, p. 77. — Leuthner, Monogr. 1885, p. 435, t. 88, f. 9—11♂, 12♀.	China
emarginatus Saund. Trans. Ent. Soc. Lond. 1854, p. 49, t. 3, f. 4.	
Evansi Westw. Trans. Ent. Soc. Lond. 1855, p. 201, t. 10, f. 5.	
relucens Möllenk. Notes Leyd. Mus. XXII, 1900, p. 45; Deutsche Ent. Zeitschr. 1903, p. 348.	Sumatra
Ritsemae Boil. Bull. Soc. Ent. Fr. 1899, p. 42.	Malacca
Sarasinorum Heller, Abh. Mus. Dresd. VII, 1898, nr. 3, p. 21, t. 3, f. 11♂ (forma telod.).	Celebes
sinensis Westw. Cab. Or. Ent. 1848, p. 54, t. 26, f. 2—3♂, 4♀. — Leuthner, Monogr. 1885, p. 450, t. 91, f. 1—3♂, 4♀.	China
gazella Thoms. Ann. Soc. Ent. Fr. (4) II, 1862, p. 395 (pars).	
gazella Parry, Trans. Ent. Soc. Lond. (3) II, 1864, p. 75.	
Siva Hope (Westw.) Cat. Luc. 1845, p. 5, 16. — Leuthner, Monogr. 1885, p. 436, t. 86, f. 1—6♂, 7♀.	Sylhet
bellicosus Reiche, Ann. Soc. Ent. Fr. (3) I, 1853, p. 72.	
bellicosus Thoms. Ann. Soc. Ent. Fr. (4) II, 1862, p. 394.	
carinatus Parry, Trans. Ent. Soc. Lond. (3) II, 1864, p. 76.	
Sommeri Parry, Trans. Ent. Soc. Lond. (3) II, 1864, p. 16, t. 6, f. 4. — Leuthner, Monogr. 1885, p. 467, t. 95, f. 6—8♂, 10—12♀. — v. d. Poll, Notes Leyd. Mus. XII, 1890, p. 160♂ (forma telod.). — Zang, Deutsche Ent. Zeitschr. 1905, p. 213.	Sumatra, Borneo, Banka
Lowei Gestro, Ann. Mus. Civ. Genova XVI, 1880, p. 313.	

spectabilis Boil. Mém. Soc. Ent. Belg. IX, 1902, p. 39, t. 1, f. 7—9; Naturaliste XXIV, 1902, p. 204. — Sumatra

— **Stevensi** Thoms. Ann. Soc. Ent. Fr. (4) II, 1862, p. 414. — Parry, Trans. Ent. Soc. Lond. (3) II, 1864, p. 76, t. 5, f. 2♂, 5♀; l. c. 1872, p. 84, t. 1, f. 6♂ (monstr.). — Leuthner, Monogr. 1885, p. 447, t. 90, f. 1—3♂, 4♀. — Celebes

— **striatus** Deyr. Ann. Soc. Ent. Fr. (4) IV, 1864, p. 313, t. 4, f. 3♂. — Westw. Trans. Ent. Soc. Lond. 1874, p. 360, t. 3, f. 4. — Leuthner, Monogr. 1885, p. 477, t. 97, f. 2♂, 3♀. — Malacca, Borneo

tarandus Möllenk. Insektenbörse XIX, 1902, p. 283; Deutsche Ent. Zeitschr. 1903, p. 342. — Philippinen

— **Vollenhoveni** Parry, Trans. Ent. Soc. Lond. (3) II, 1864, p. 13, t. 8, f. 1. — Leuthner, Monogr. 1885, p. 459, t. 93, f. 1—3♂, 4♀. — Borneo

Waterstradti v. Rothenburg, Deutsche Ent. Zeitschr. 1900, p. 84. — ,,

var. *kinabaluensis* Möllenk. Insektenbörse XXI, 1904, p. 341. — ,,

— **Wollastoni** Parry, Trans. Ent. Soc. Lond. (3) II, 1864, p. 14, t. 3, f. 1♂ (forma telod.), t. 2, f. 2♂ (forma amphoid.), f. 3♀. — Leuthner, Monogr. 1885, p. 457, t. 93, f. 5—7, 9♂, 8♀. — Malakka, Sumatra

50

Heterochthes Westw.

Westw. Trans. Ent. Soc. Lond. (3) II, 1864, p. 17. — Leuthner, Monographie 1885, p. 479.

andamanensis Westw. Trans. Ent. Soc. Lond. 1374, p. 359, t. 3, f. 2♂. — Leuthner, Monogr. 1885, p. 480, t. 84, f. 9—11♂, 12♀. — Andamanen

brachypterus Westw. Trans. Ent. Soc. Lond. (3) II, 1864, p. 18, t. 10, f. 6—7♂, t. 11, f. 1—3♂, ♀. — Leuthner, Monogr. 1885, p. 479, t. 84, f. 5—7♂, 8♀. — Cambodja

2

IV. Cladognathinae.

Parry, Trans. Ent. Soc. Lond. 1870, p. 75 *(Cladognathidae)*.

Cladognathus Burm.

Burm. Handb. Entom. V, 1847, p. 364.

Macrognathus Hope (Westw.) Cat. Luc. 1845, p. 5 (pars).

Confucius Hope, Proc. Ent. Soc. Lond. 1842, p. 60; Ann. Nat. Hist. XI, 1843, p. 62. — Hope (Westw.) Cat. Luc. 1845, p. 18; Trans. Ent. Soc. Lond. IV, 1847, p. 5. — China

5

giraffa F. Ent. Syst. App. 1794, p. 452. — Ol. Ent. I, 1, 1789, p. 21, t. 5, f. 16. — Burm. Handb. V, 1847, p. 368. — Gestro, Ann. Mus. Civ. Genova XVI, 1881, p. 306. — Nepaul, Assam, Java
brahminus Hope, Trans. Linn. Soc. XIX, 1843, p. 106.
Downesi (♀) Hope (Westw.) Cat. Luc. 1845, p. 19.
2

Psalidoremus Motsch.

Motsch. Et. Ent. 1861, p. 13 (Nom. nov. *Psalidognathus*). — Parry, Trans. Ent. Soc. Lond. 1870, p. 76.

dissimilis Boil. Bull. Soc. Ent. Fr. 1898, p. 95, f. — Liu-Kiu-Ins.
inclinatus Motsch. Et. Ent. VI, 1857, p. 29, f. 11; l. c. 1861, p. 13; l. c. 1862, p. 55. — Harold, Abh. Naturw. Ver. Bremen IV, 1875, p. 288. — Japan
mandibularis Thoms. Ann. Soc. Ent. Fr. (4) II, 1862, p. 417.
var. *inflexus* Harold, Abh. Naturw. Ver. Bremen IV, 1875, p. 288; Coleopt. Hefte XIII, 1875, p. 114. — Japan
Motschulskyi Waterh. Trans. Ent. Soc. Lond. 1869, p. 16. — „
3

Aulacostethus Waterh.

Waterh. Trans. Ent. Soc. Lond. 1869, p. 13.

Archeri Waterh. l. c. 1869, p. 14, t. 3, f. 1. — Parry, Trans. Ent. Soc. Lond. 1870, p. 82. — N. Indien
1

Metopodontus Hope.

Hope (Westw.) Cat. Luc. 1845, p. 30. — Parry, Trans. Ent. Soc. Lond. 1870, p. 76.

Hoplitocranum Jacowl. Horae Soc. Ent. Ross. XXX, 1896, p. 172.

attenuatus Parry, Trans. Ent. Soc. Lond. 1864, p. 26, t. 4, f. 2. — Malacca
biplagiatus Westw. Trans. Ent. Soc. Lond. 1885, p. 200, t. 10, f. 4. — Nepaul
var. *nigripes* Boil. Naturaliste XXVII, 1905, p. 17. — Tonkin, Siam, Cochin-China
bison F. Ent. Syst. II, 1793, p. 238. — Ol. Ent. I, 1, 1789, p. 13, t. 3, f. 6. — Burm. Handb. V, 1847, p. 373. — Amboina, Ceram
fulvolimbatus Blanch. Voy. Pole Sud 1837, p. 138, t. 9, f. 11—12.

tesserarius Herbst, Käfer III, 1790, p. 298, t. 33, f. 3.	
var. *tumidicollis* Möllenk. Insektenbörse XXIII, 1906, p. 32.	N.-Guinea
— **Blanchardi** Parry, Trans. Ent. Soc. Lond. 1873, p. 337, t. 5, f. 2♂.	Mongolia
var. *thibetanus* Planet, Ann. Soc. Ent. Fr. 1899, p. 385.	Thibet
calcaratus Jacowl. Horae Soc. Ent. Ross. XXX, 1896, p. 172.	Birmah
— **Candezei** Boil. Mém. Soc. Ent. Belg. IX, 1902, p. 34, t. 1, f. 1; Naturaliste XXIV, 1902, p. 203.	Malabar
castaneus Hope (Westw.) Cat. Luc. 1845, p. 12♂.	Ostindien
— **cinctus** Montr. Ann. Soc. Agr. Lyon. VII, 1857, p. 27. — Waterh. Ann. Mag. Nat. Hist. (5) XIX, 1887, p. 381.	Woodlark, N.-Guinea, Key-Inseln
bison var. Parry, Trans. Ent. Soc. Lond. 1864, p. 22.	
— **cinnamomeus** Guér. Icon. Règn. An. 1843, p. 108, t. 27, f. 3. — Burm. Handb. V, 1847, p. 372.	Java, Sumatra
fulvipes Hope (Westw.) Cat. Luc. 1845, p. 13.	
pallidipennis Hope, Trans. Linn. Soc. XVIII, 1842, p. 590.	
Rafflesi (♀) Hope, Proc. Ent. Soc. Lond. 1844, p. 106. — Westw. Trans. Ent. Soc. Lond. IV, 1847, p. 274, t. 20.	
— **Downesi** Hope, Trans. Zool. Soc. Lond. I, 1835, p. 99, t. 13, f. 7. — Hope (Westw.) Cat. Luc. 1845, p. 11. — Burm. Handb. V, 1847, p. 374. — Griffini, Ann. Mus. Civ. Genova XLII, 1906, p. 139.	Guinea
— **Dubernardi** Planet, Bull. Soc. Ent. Fr. 1899, p. 35, f.	China, Thibet
— **elaphus** Möllenk. Insektenbörse XIX, 1902, p. 283; Deutsche Ent. Zeitschr. 1903, p. 343.	Sumatra
Elizabethae Waterh. Ann. Mag. Nat. Hist. (7) XV, 1905, p. 375.	D.-O.-Afrika
Felschei Möllenk. Insektenbörse XXI, 1904, p. 372.	W.-Afrika
— **foveatus** Hope, Trans. Linn. Soc. XVIII, 1842, p. 590. — Hope (Westw.) Cat. Luc. 1845, p. 12.	Ostindien
astacoides Hope, Trans. Linn. Soc. XVIII, 1842, p. 590.	
fraternus Hope (Westw.) Cat. Luc. 1845, p. 12.	
omissus Hope, Trans. Linn. Soc. XVIII, 1842, p. 591. — Hope (Westw.) Cat. Luc. 1845, p. 12.	
impressus Waterh. Trans. Ent. Soc. Lond. 1869, p. 17. — Parry, Trans. Ent. Soc. Lond. 1870, t. 3, f. 1 ♂.	Ostindien
— **inquinatus** Westw. Cab. Or. Ent. 1848, t. 8, f. 4.	,,
Jacowleffi Boil. Bull. Soc. Ent. Fr. 1901, p. 282.	Annam
— **Jenkinsi** Westw. Cab. Or. Ent. 1848, p. 21, t. 10, f. 3.	Assam
Kannegieteri v. d. Poll, Notes Leyd. Mus. XVII, 1895, p. 63.	Sumatra
Volkmanni Nonfried, Berl. Ent. Zeitschr. XL, 1895, p. 279 (teste: Rits. Notes Leyd. Mus. XVIII, 1896, p. 130).	
— **limbatus** Waterh. Ann. Mag. Nat. Hist. (5) XIX, 1887, p. 381.	Queensland

Mac-Clellandi Hope, Proc. Ent. Soc. Lond. 1842, p. 83; Ann. Mag. Nat. Hist. XII, 1845, p. 364; Trans. Ent. Soc. Lond. ~~III, 1846,~~ p. 74.	Assam
—— *quadrinodosus* Parry, Proc. Ent. Soc. Lond. 1862, p. 109; Trans. Ent. Soc. Lond. 1864, p. 22, t. 8, f. 4 ♂ (teste: Parry, Trans. Ent. Soc. Lond. 1870, p. 75).	
magnificus Möllenk. Insektenbörse XXIII, 1906, p. 31.	Australien
mirabilis Boil. Naturaliste XXVI, 1904, p. 278.	Usambara
Mohnikei Parry, Trans. Ent. Soc. Lond. 1873, p. 338, t. 5, f. 3 ♂.	Java, Sumatra
occipitalis Hope (Westw.) Cat. Luc. 1845, p. 13. — Waterh. Ann. Mag. Nat. Hist. (6) V, 1890, p. 35.	Java,
asteriscus Thoms. Ann. Soc. Ent. Fr. (4) II, 1862, p. 417. — Waterh. Ann. Mag. Nat. Hist. (6) V, 1890, p. 35.	Sumatra, Nias, Borneo, Celebes, Philippinen
Planeti Boil. Naturaliste XIX, 1897, p. 287, fig. ♂.	Franz.-Kongo
Roepstorffi Waterh. Ann. Mag. Nat. Hist. (6) V, 1890, p. 35.	Andamanen
Savagei Hope, Ann. Mag. Nat. Hist. IX, 1842, p. 494. — Hope (Westw.) Cat. Luc. 1845, p. 12. — Parry, Trans. Ent. Soc. Lond. 1870, p. 81, t. 2, f. 4, 7 ♂.	Guinea
ungulatus Hope, Ann. Mag. Nat. Hist. IX, 1842, p. 494 (forma min.). — Hope (Westw.) Cat. Luc. 1845, p. 12. — Griffini, Ann. Mus. Civ. Genova XLII, 1906, p. 138.	
sericeus Westw. Proc. Ent. Soc. Lond. 1844, p. 106; Trans. Ent. Soc. Lond. IV, 1847, p. 274, t. 20, f. 3.	Java, Borneo, Sumatra,
juvencus Thoms. (♀) Ann. Soc. Ent. Fr. (4) II, 1862, p. 396.	Malacca
pulverosus Parry, Proc. Ent. Soc. Lond. 1862, p. 110; Trans. Ent. Soc. Lond. 1864, t. 6, f. 1.	
speciosus Boil. Naturaliste 1904, p. 278.	Neilgherries
suturalis Ol. Ent. I, 1, 1789, p. 16, t. 4, f. 12. — Parry, Trans. Ent. Soc. Lond. 1864, p. 25. — Planet, Bull. Ent. Soc. Fr. 1899, p. 225, f.	Siam
swanzyanus Parry, Trans. Ent. Soc. Lond. 1870, p. 81, t. 2, f. 2.	Ashanti
torresensis Deyr. Trans. Ent. Soc. Lond. 1870, p. 80, t. 1, f. 3 ♀, 4 ♂. — Gestro, Ann. Mus. Civ. Genova XVI, 1881, p. 306.	Queensland, Torresstr.
var. *flavoguttatus* Möllenk. Insektenbörse XXIII, 1906, p. 31.	Queensland
Umhangi Fairm. Bull. Soc. Ent. Fr. 1891, p. CXCII. — Planet, Bull. Soc. Ent. Fr. 1894, p. CXIX, f.; l. c. 1899, p. 388.	D.-O.-Afrika, Zanzibar
Hacquardi Oberth. Bull. Soc. Ent. Fr. 1880, p. 119. — Zang, Deutsche Ent. Zeitschr. 1906, p. 94. — Felsche, Deutsche Ent. Zeitschr. 1906, p. 352.	
Wentzel-Heckmannae Kolbe, S. B. Ges. Naturf. Berlin 1901, p. 71.	Annam

Prosopocoelus Hope.

Hope (Westw.) Cat. Luc. 1845, p. 30. — Parry, Trans. Ent. Soc. Lond. 1870, p. 76.

antilope Sweder. Vet. Ak. Nya Handl. 1787, VIII, p. 186, t. 8, f. 3 ♂. — Parry, Trans. Ent. Soc. Lond. 1864, p. 34; l. c. 1870, p. 85. — Griffini, Ann. Mus. Civ. Genova XLII, 1906, p. 143. *picipennis* Hope, Ann. Mag. Nat. Hist. IX, 1842, p. 494. — Hope (Westw.) Cat. Luc. 1845, p. 14. *quadridens* Hope (Westw.) Cat. Luc. 1845, p. 14. — Parry, Trans. Ent. Soc. Lond. 1870, p. 81. — Dohrn, Stett. Ent. Zeitschr. XXXVI, 1875, p. 292. *senegalensis* Hope (Westw.) Cat. Luc. 1845, p. 14. *speculifer* Hope (Westw.) Cat. Luc. 1845, p. 14.	Guinea, Sierra-Leona
approximatus Parry, Trans. Ent. Soc. Lond. 1864, p. 33; l. c. 1870, p. 82, t. 3, f. 2, 7.	Cochin-China, Laos
assimilis Parry, Trans. Ent. Soc. Lond. 1864, p. 25. *productus* (♀) Parry, Proc. Ent. Soc. Lond. 1862, p. 109.	Ins. Waigiu
aulicus Möllenk. Insektenbörse XXII, 1905, p. 7.	N.-Borneo
Boreli Boil. Naturaliste XXVI, 1904, p. ~~277~~.	Assam
Bruyni Oberth. Ann. Mus. Civ. Genova XIV, 1879, p. 567, t. 1, f. 4, 5 ♂, 6 ♀.	Sanghir
Buddha Hope, Trans. Linn. Soc. XIX, 1843, p. 107, ~~t. 7, f. 3 ♂.~~ — Parry, Trans. Ent. Soc. Lond. 1863, p. 448. — Albers, Ann. Soc. Ent. Belge XXXVII, 1893, p. 69. *thibeticus* Westw. Trans. Ent. Soc. Lond. 1855, p. 199, t. 10, f. 3 ♂ (forma min.).	Sylhet
bulbosus Hope, Trans. Linn. Soc. ~~XIX~~, 1843, p. 589, t. 40, f. 2. — Parry, Proc. Ent. Soc. Lond. 1864, p. 8. *crenicollis* Thoms. Ann. Soc. Ent. Fr. (4) II, 1862, p. 418 ♂ (teste: Parry, Trans. Ent. Soc. Lond. 1870, p. 82). *punctiger* (♀) Hope, Trans. Linn. Soc. ~~XIX~~, 1843, p. 592. — Hope (Westw.) Cat. Luc. 1845, p. 24.	Ostindien
camarunus Kolbe, Ent. Nachr. XXIII, 1897, p. 12. — Griffini, Ann. Mus. Civ. Genova XLII, 1906, p. 146 (*antilope* var.?).	Kamerun
cavifrons Hope (Westw.) Cat. Luc. 1845, p. 13. — Parry, Trans. Ent. Soc. Lond. 1864, p. 32. *dorsalis* Burm. Handb. V, 1847, p. 370. *tenuipes* (♀) Hope (Westw.) Cat. Luc. 1845, p. 18.	Luzon
cilipes Thoms. Ann. Soc. Ent. Fr. (4) II, 1862, p. 416 ♂.	Ostindien
congoanus Duviv. C. R. Soc. Ent. Belg. 1891, p. CCCXVII; l. c. 1892, p. 274. — Boil. Mém. Soc. Ent. Belg. IX, 1902, p. 33, t. 1, f. 5.	W.-Afrika, Ibemba
crenulidens Fairm. Ann. Soc. Ent. Belg. 1895, p. 173.	Lang-Song
curvidens Nonfried, Berl. Ent. Zeitschr. 1905, p. 11.	Madagascar
curvipes Hope (Westw.) Cat. Luc. 1845, p. 25 ♀. — Parry, Trans. Ent. Soc. Lond. 1864, p. 35 ♂.	Punah
decipiens Parry, Trans. Ent. Soc. Lond. 1864, p. 31, t. 4, f. 4 ♀. — Deyr. Ann. Soc. Ent. Fr. (4) IV,	Malabar.

	1864, p. 315. — Voll. Tijdschr. Ent. VIII, 1865, p. 148.	
	denticulatus Boil. Bull. Soc. Ent. Fr. 1901, p. 284.	Tonkin
—	**dentifer** Deyr. Ann. Soc. Ent. Belg. IX, 1865, p. 29, t. 1, f. 5.	Ostindien
	dorsalis Er. Nov. Act. Leop. Car. XVI, 1828, Suppl. p. 241, t. 37, f. 6♀. — Burm. Handb. V, 1847, p. 370. — Parry, Trans. Ent. Soc. Lond. 1864, p. 31 ♂. — Semper, Nat. Cond. of Existance 1881, p. 366, f. 96.	Manilla
	ebeninus Albers, Deutsche Ent. Zeitschr. 1891, p. 367. — v. d. Poll, Notes Leyd. Mus. XVII, 1905, p. 125, nota.	Mindanao
—	**elegantulus** Albers, Deutsche Ent. Zeitschr. 1891, p. 76.	Java
	eximius Parry, Trans. Ent. Soc. Lond. 1864, p. 33.	W.-Afrika
—	**faber** Thoms. Ann. Soc. Ent. Fr. (4) II, 1862, p. 419. — Parry, Trans. Ent. Soc. Lond. 1864, t. 12, f. 2.	Guinea
—	**Feai** Boil. Naturaliste XXIV, 1902, p. 204.	Birmah
	femoratus Boil. l. c. 1905, p. 147.	Kina-Balu
	flavidus Parry, Proc. Ent. Soc. Lond. 1862, p. 110; Trans. Ent. Soc. Lond. 1864, p. 27, t. 8, f. 2 ♂.	Ostindien
—	**forceps** Voll. Tijdschr. v. Ent. IV, 1861, p. 109, t. 6, f. 2♂. — Boil. Ann. Soc. Ent. Belge XLV, 1901, p. 8 ♂, t. f. 1♀, f. 2. — Möllenk. Insektenbörse XIX, 1902, p. 21. — Boil. Mém. Soc. Ent. Belg. IX, 1902, p. 56♀. — Möllenk. Deutsche Ent. Zeitschr. 1903, p. 341.	Sumatra, Borneo
—	**forficatus** Albers, Deutsche Ent. Zeitschr. 1889, p. 232.	Sumatra
—	**forficula** Thoms. Rev. Zool. 1856, p. 527; Arch. Ent. I, 1857, p. 488, t. 14, f. 7 ♂, 8♀.	Ostindien
—	**Fruhstorferi** Kolbe, Ent. Nachr. XXIII, 1897, p. 10.	Celebes, Lombok
	Hanningtoni Waterh. Ann. Mag. Nat. Hist. (6) V, 1890, p. 34.	O.-Afrika
	javanensis v. d. Poll, Notes Leyd. Mus. XVII, 1895, p. 125. — Zang, Deutsche Ent. Zeitschr. 1905, p. 214 (forma min.).	Lawang
—	**Lafertei** Reiche, Rev. Zool. 1852, p. 24, t. 1, f. 3. — Parry, Proc. Ent. Soc. Lond. 1862, p. 109; Trans. Ent. Soc. Lond. 1864, p. 23, t. 8, f. 5.	N.-Hebriden
	lifuanus Montr. Ann. Soc. Ent. Fr. (3) VIII, 1860, p. 281. — Reiche, Rev. Zool. 1852, p. 24, nota 2. — Fauvel. Bull. Soc. Normand. 1867, p. 181.	
	laminifer Boil. Naturaliste 1905, p. 286.	Medan
—	**lateralis** Hope (Westw.) Cat. Luc. 1845, p. 13. — Deyr. Ann. Soc. Ent. Belg. 1865, t. 1, f. 3.	Philippinen
	marginatus Burm. Handb. V, 1847, p. 369.	
	laticeps Möllenk. Insektenbörse XXI, 1904, p. 402.	Himalaya
—	**Lorquini** Deyr. Ann. Soc. Ent. Belg. IX, 1865, p. 26, t. 1, f. 2.	Celebes
	mandibularis Möllenk. Insektenbörse XIX, 1902, p. 283; Deutsche Ent. Zeitschr. 1903, p. 345.	Tonkin
—	**modestus** Parry, Trans. Ent. Soc. Lond. 1864, p. 29, t. 12, f. 1 ♂.	W.-Afrika
—	**mordax** Boil. Naturaliste 1904, p. 285.	Birmah
—	**myrmecolion** Schauf. Horae Soc. Ent. Ross. XXI, 1887, p. 118.	Makassar

— **mysticus** Parry, Trans. Ent. Soc. Lond. 1870, p. 82.	Malacca, Sumatra
— **natalensis** Parry, Trans. Ent. Soc. Lond. (2) III, 1864, p. 36; l. c. 1870, p. 82, t. 2, f. 6, 9. — Péringuey, Trans. South Afr. Phil. Soc. XII, 1901, p. 5.	Natal, Transvaal, Rhodesia, D.-O.-Afrika
Neervoorti Fruhst. Ent. Nachr. XXIV, 1898, p. 36.	Sumbawa
— **ovatus** Boil. Bull. Soc. Ent. Fr. 1901, p. 283.	Annam
— **Oweni** Hope (Westw.) Cat. Luc. 1845, p. 14.	Assam
subangulatus (♀) Hope (Westw.) Cat. Luc. 1845, p. 21.	
— **passaloides** (Dorcus) Hope (Westw.) Cat. Luc. 1845, p. 24♀. — Parry, Trans. Ent. Soc. Lond. 1864, p. 44, t. 10, f. 4 ♂. — (an huj. genus?)	Java, Sumatra, Borneo
— **Pasteuri** Rits. Notes Leyd. Mus. XIV, 1892, p. 31; l. c. XV, 1893, t. 2, f. 1 ♂.	Java
patricius Schauf. Horae Soc. Ent. Ross. XXI, 1887, p. 118.	Macassar
— **perplexus** Parry, Proc. Ent. Soc. Lond. 1862, p. 111; Trans. Ent. Soc. Lond. 1864, p. 26 ♂; l. c. 1870, p. 82.	Ostindien
politus Parry, Proc. Ent. Soc. Lond. 1862, p. 110; Trans. Ent. Soc. Lond. 1864, p. 21, t. 10, f. 5.	,,
— **punctatissimus** Fairm. Ann. Soc. Ent. Belg. XXXVII, 1893, p. 529.	Komoren
Sayersi Hope (Westw.) Cat. Luc. 1845, p. 14. — Griffini, Ann. Mus. Civ. Genova XLII, 1906, p. 143.	Sierra-Leona
— **senegalensis** Klug, Erman. Reise, Atlas, 1835, p. 38. — Parry, Trans. Ent. Soc. Lond. 1864, p. 34.	Senegal
antilope Burm. Handb. V, 1847, p. 371.	
Martini Hope (Westw.) Cat. Luc. 1845, p. 14.	
— **serricornis** Latr. Règn. Anim. III, 1825, t. 17, f. 3. — Burm. Handb. V, 1847, p. 392. — Reiche, Ann. Soc. Ent. Fr. (3) I, 1853, p. 81.	Madagascar
var. *brunneus* Nonfried, Ent. Nachr. XVIII, 1892, p. 119.	,,
— **specularis** Boil. Naturaliste XXVI, 1904, p. 284.	M'pala
— **Spencei** Hope, Trans. Linn. Soc. 1841, p. 589. — Hope (Westw.) Cat. Luc. 1845, p. 19. — Parry, Trans. Ent. Soc. Lond. 1864, p. 37; l. c. 1870, p. 81.	Assam
— **squamilateris** Parry, Proc. Ent. Soc. Lond. 1862, p. 111; Trans. Ent. Soc. Lond. 1864, p. 26 ♂.	Sumatra, Borneo, Malacca
tarsalis Rits. Notes Leyd. Mus. XIV, 1892, p. 191; l. c. XV, 1893, t. 2, f. 2 ♂.	Java
— **tragulus** Voll. Tijdschr. Ent. IV, 1861, p. 113, t. 7, f. 4, 5 ♂. — Parry, Trans. Ent. Soc. Lond. 1864, p. 24, t. 7, f. 6.	Ternate
— **vittatus** Deyr. Ann. Soc. Ent. Belg. IX, 1865, p. 28. t. 1, f. 4. — Parry, Trans. Ent. Soc. Lond. 1870, p. 59.	Philippinen
— **Wallacei** Parry, Proc. Ent. Soc. Lond. 1862, p. 109; Trans. Ent. Soc. Lond. 1864, p. 23, t. 7, f. 2 ♂; l. c. 1870, p. 81♀.	Halmaheira
— **Wimberleyi** Parry, Trans. Ent. Soc. Lond. 1875, p. 161.	Andamanen
— **zebra** Ol. Ent. I, 1, 1789, p. 24, t. 5, f. 17. — Burm. Handb. V, 1847, p. 375. — Voll. Tijdschr. Ent. IV, 1861, p. 108, t. 4, f. 5 ♂. — Parry, Trans. Ent. Soc. Lond. 1864, p. 25, t. 4, f. 5♀.	Java, Sumatra, Birmah

Homoderus Parry.

Parry, Proc. Ent. Soc. Lond. 1862, p. 107; Trans. Ent. Soc. Lond. 1864, p. 38; l. c. 1870, p. 86.

bellicosus	Boil. Mém. Soc. Ent. Belg. IX, 1902, p. 36, t. 2, f. 4; Naturaliste XXIV, 1902, p. 204.	Kongo, Kassai
bicolor	Möllenk. Soc. Entom. 1897, p. 145; Insektenbörse XXII, 1905, p. 7.	Guinea
gladiator	Jacowl. Horae. Ent. Ross. XXIX, 1895, p. 525.	Kamerun
	Preussi Kolbe, Ent. Nachr. XXII, 1896, p. 7, 301.	
— **Johnstoni**	Waterh. in Johnston, Uganda protectorate, 1902, I, p. 460.	Uganda
— **Mellyi**	Parry, Proc. Ent. Soc. Lond. 1862, p. 107. — Westw. Trans. Ent. Soc. Lond. 1863, p. 437, t. 16, f. 7 ♂, 8 ♀. — Parry, Trans. Ent. Soc. Lond. 1864, p. 38, t. 11, f. 6 ♂. — Deyr. Ann. Soc. Ent. Fr. (4) IV, 1864, p. 316, t. 4, f. 2a ♂. — Parry, Trans. Ent. Soc. Lond. 1870, p. 86. — Boil. Mém. Soc. Ent. Belg. IX, 1902, p. 54, t. 2, f. 7 ♂, 5, 8, 9 ♀.	Guinea
	var. *polyodontus* Boil. Mém. Soc. Ent. Belg. IX, 1902, p. 52, t. 2, f. 6.	Belg.-Kongo
— **variegatus**	Boil. Naturaliste 1904, p. 277.	Kongo, Kamerun

Cyclommatus Parry.

Parry, Trans. Ent. Soc. London. 1863, p. 9. — Ritsema, Notes Leyd. Mus. XIV, 1902, p. 3.

Cyclophthalmus Hope (Westw.) Cat. Luc. 1845, p. 5.

Megaloprepes Thoms. Ann. Soc. Ent. Fr. (4) II, 1862, p. 420.

— **Albersi**	Kraatz, Deutsche Ent. Zeitschr. 1894, p. 268.	Birmah
— **canaliculatus**	Rits. Notes Leyd. Mus. XIII, 1891, p. 235; l. c. XV, 1893, t. 2, f. 3 ♂.	Nias, Borneo, Sumatra
— **consanguineus**	Boil. Bull. Soc. Ent. Fr. 1898, p. 268.	Kina-Balu
cupreonitens	Boil. Ann. Soc. Ent. Belg. XLV, 1901, p. 12, t. 1, f. 3.	Java
— **De Haani**	Westw. Ann. Nat. Hist. 1841, p. 124. — Burm. Handb. V, 1847, p. 375. — Westw. Cab. Or. Ent. 1848, p. 21, t. 10, f. 2.	Borneo Sumatra
	affinis Parry, Trans. Ent. Soc. Lond. 1864, p. 40 ♂ (teste: Ritsema).	
elaphus	Gestro, Ann. Mus. Civ. Genova XVI, 1881, p. 309, f. ♂. — Rits. Ann. Mus. Civ. Genova. XIX, 1899, p. 622.	Sumatra
eximius	Möllenk. Intern. Ent. Zeitschr. Guben III, 1909, p. 3.	Deutsch-N.-Guinea
faunicolor	Hope, Proc. Ent. Soc. Lond. 1844, p. 106 ♂. — Westw. Trans. Ent. Soc. Lond. IV, 1847, p. 273, t. 20, f. 1.	Java
— **Frey-Gessneri**	Rits. Notes Leyd. Mus. XIV, 1892, p. 1.	Java
giganteus	Möllenk. Insektenbörse XIX, 1902, p. 20; Deutsche Ent. Zeitschr. 1903, p. 337.	Celebes

	giraffa Möllenk. Insektenbörse XXI, 1904, p. 372.	Kina-Balu
—	**imperator** Boil. Naturaliste 1905, p. 285, f. ♂.	N.-Guinea, Ugara
	incognitus Möllenk. Insektenbörse XXIII, 1906, p. 31.	Perak
	insignis Parry, Proc. Ent. Soc. Lond. 1862, p. 111; Trans. Ent. Soc. Lond. 1864, p. 41 ♂. — Rits. Notes Leyd. Mus. XVI, 1894, p. 110.	Borneo
—	**Kaupi** Deyr. Ann. Soc. Ent. Belg. IX, 1865, p. 30, t. 2, f. 2. — Gestro, Ann. Mus. Civ. Genova XVI, 1881, p. 310, f. ♂.	N.-Guinea
—	**lunifer** Boil. Naturaliste 1905, p. 71, f. ♂; l. c. 1905, p. 286 ♀.	Sumatra
—	**Maitlandi** Parry, Trans. Ent. Soc. Lond. 1864, p. 40, t. 12, f. 4 ♂; l. c. 1870, p. 86.	Nias
—	**Margaritae** Gestro, Ann. Mus. Civ. Genova IX, 1877, p. 324, fig. ♂.	Neu-Guinea
—	**metallifer** Boisd. Voy. Astrolabe, Col. 1832, p. 236, t. 6, f. 20. — Parry, Trans. Ent. Soc. Lond. 1864, p. 39. — Deyr. Ann. Soc. Ent. Belg. IX, 1865, p. 30, t. 2, f. 1. — Gestro, Ann. Mus. Civ. Genova, XVI, 1881, p. 310.	Celebes
	aeneomicans Parry, Proc. Ent. Soc. Lond. 1862, p. 111; l. c. 1864, p. 39 (forma min.).	
	var. *Ritsemae* Jacowl. Horae Soc. Ent. Ross. XXX, 1896, p. 173.	Celebes
—	**Mniszechi** Thoms. Rev. Zool. 1856, p. 526; Ann. Soc. Ent. Fr. (4) II, 1862, p. 397.	Shanghai
	Modiglianii Rits. Ann. Mus. Civ. Genova XXXIX, 1899, p. 620.	Si-Rambé
	montanellus Möllenk. Insektenbörse XXI, 1904, p. 372.	Kina-Balu
	mysticus Möllenk. Insektenbörse XIX, 1902, p. 21; Deutsche Ent. Zeitschr. 1903, p. 339.	Neu-Guinea
	Pasteuri Rits. Notes Leyd. Mus. XIII, 1891, p. 233, t. 10, f. 1 ♂.	Sumatra
	pulchellus Möllenk. Notes Leyd. Mus. XXII, 1901, p. 44; Deutsche Ent. Zeitschrift 1903, p. 340.	Neu-Guinea
—	**speciosus** Boil. Bull. Soc. Ent. Fr. 1898, p. 268.	Bougainville
	squamosus Rits. Notes Leyd. Mus. XIV, 1892, p. 45; l. c. XVI, 1894, p. 110.	Borneo
—	**strigiceps** Westw. Cab. Or. Ent. 1848, p. 18, t. 8, f. 5 ♂.	Ostindien, Himalaya
	multidentatus Westw. l. c. p. 17, t. 8, f. 3.	
	sumptuosus Möllenk. Insektenbörse 1902, p. 20; Deutsche Ent. Zeitschr. 1903, p. 338.	Kaiser-Wilh.-Land
—	**tarandus** Thunb. Mém. Mosc. I, 1806, p. 190, t. 12, f. 1. — Burm. Handb. V, 1847, p. 374. — Thoms. Ann. Soc. Ent. Fr. (4) II, 1862, p. 421. — Gestro, Ann. Mus. Civ. Genova XVI, 1881, p. 309. — Rits. Notes Leyden Mus. 1902, p. 6, nota. — Zang, Deutsche Ent. Zeitschr. 1906, p. 94.	Borneo
	metallifer Hope (Westw.) Cat. Luc. 1845, p. 5.	
	rangifer Schönh. Syn. Ins. I, 3, 1806, p. 322. — Westw. Cab. Or. Ent. 1848, p. 21, t. 10, f. 2. — Rits. Notes Leyd. Mus. XIV, 1892, p. 6, nota. — Zang, Deutsche Ent. Zeitschr. 1906, p. 94.	
	trifurcatus Möllenk. Insektenbörse XIX, 1902, p. 21; Deutsche Ent. Zeitschr. 1903, p. 339.	N. Pommern
—	**Zuberi** Waterh. Ent. Monthl. Mag. XII, 1876, p. 173.	Mindoro

Auxicerus Waterh.

Waterh. Ann. Mag. Nat. Hist. (5) XI, 1883, p. 387.

Calodaemon Boileau, Naturaliste XIX, 1897, p. 248; l. c. 1898, p. 119.

aethiops Jacowl. Horae Soc. Ent. Ross. XXXIV, 1900, p. 38. — Bolivia

multicolor *(Calodaemon)* Boil. Naturaliste 1897, p. 248, f. ♂, ♀; l. c. 1898, p. 119, f. — Bolivia

platyceps Waterh. Ann. Mag. Nat. Hist. (5) XI, 1883, p. 387; Aid. Identif. Insects II, 1890, p. 181, f. 1. — Peru, Chancha-mayo

3

Prismognathus Motsch.

Motsch. Schrenks Reise, 1860, p. 138.

Cyclorasis Thoms. Ann. Soc. Ent. Fr. (4) II, 1862, p. 397.

angularis Waterh. Ent. Monthl. Mag. XI, 1874, p. 6. — Lewis, Trans. Ent. Soc. Lond. 1883, p. 337, t. 14, f. 1 ♂. — Japan

Branczicki Nonfried, Berl. Ent. Zeitschr. L, 1905, p. 11. — China

Davidis Deyr. Ann. Soc. Ent. Fr. (5) VIII, 1878, p. 94. — Mitt.-China

lucidus Boil. Naturaliste XXVI, 1904, p. 278. — Sikkim

platycephalus Hope, Proc. Ent. Soc. Lond. 1842, p. 83; Ann. Mag. Nat. Hist. XII, 1845, p. 364.—Westw. Cab. Or. Ent. 1848, p. 17, t. 8, f. 2. — Hope, Trans. Ent. Soc. Lond. IV, 1847, p. 73. — Assam

subaeneus Motsch. Schrenks Reise, 1860, p. 138, t. 9, f. 12. — Dauria

dauricus Motsch. l. c. 1860, p. 137, t. 9, f. 11 ♀. — v. Heyden, Deutsche Ent. Zeitschr. XXVIII, 1884, p. 276.

Jekeli Parry, Trans. Ent. Soc. Lond. 1864, p. 41, t. 9, f. 4 ♂; l. c. 1870, p. 87.

subnitens Parry, Proc. Ent. Soc. Lond. 1862, p. 112; Trans. Ent. Soc. Lond. 1864, p. 42, t. 7, f. 1 ♂. — Ostindien

7

Cantharolethrus Thoms.

Thoms. Ann. Soc. Ent. Fr. (4) II, 1862, p. 411. — Parry, Trans. Ent. Soc. Lond. 1872, p. 75.

Azambrei Boil. Naturaliste XIX, 1897, p. 275, f. ♂, ♀. — Ecuador

Buckleyi Parry, Trans. Ent. Soc. Lond. 1872, p. 77, t. 1, f. 1 ♂, f. 2 ♀. — Ecuador

inflexus Boil. Bull. Soc. Ent. Fr. 1899, p. 297. — Costa-Rica

Luxeri Buquet, Bull. Soc. Ent. Fr. 1843, p. 51. — Parry, Trans. Ent. Soc. Lond. 1864, p. 6, t. 9, f. 6 ♂. — Waterh. Cist. Ent. II, 1875, p. 365. — Parry, Cist. Ent. 1875, p. 51. — Bates, Biol. Centr. Americ. Col. II, 2, 1886, t. 1, f. 1 ♂, 2 ♀. — Columbia

Georgius Thoms. Ann. Soc. Ent. Fr. (4) II, 1862, p. 412.

Reichei (♀) Hope, Proc. Ent. Soc. Lond. 1843, p. 95; Trans. Ent. Soc. Lond. IV, 1847, p. 182,

t. 13, f. 3 ♀. — Burm. Handb. V, 1847, p. 420, nota. — Chénu, Encycl. d'Hist. Nat. 1855, t. 10, f. 4.

Steinheili Parry, Cist. Ent. II, 1875, p. 51, ♂, ♀. — Columbia, Cordilleras

5

Leptinopterus Hope.

Hope, Ent. Magaz. V, 1838, p. 316.

Psalidostomus Burm. Handb. V, 1847, p. 377.

affinis Parry, Trans. Ent. Soc. Lond. 1872, p. 80, t. 1, f. 5 ♂. — Parana

consimilis Möllenk. Notes Leyd. Mus. XXII, 1900, p. 47; Deutsche Ent. Zeitschr. 1903, p. 350. — Brasilien

elegans Jacowl. Horae Soc. Ent. Ross. XXXIV, 1900, p. 632. — Brasilien

erythrocnemus Burm. Handb. V, 1847, p. 378 ♂. — Boil. Bull. Soc. Ent. Fr. 1899, p. 300. — Brasilien

femoratus Thoms. Ann. Soc. Ent. Fr. (4) II, 1862, p. 397.

tibialis Klug, Nov. Act. Leop. Car. 1825, XII, p. 431.

femoratus F. Ent. Syst. II, 1775, p. 237. — Ol. Ent. I, 1, 1789, p. 17, t. 4, f. 10. — Burm. Handb. V, 1847, p. 378. — Brasilien

fraternus Westw. Trans. Ent. Soc. Lond. 1874, p. 359, t. 3, f. 3 ♂. — Brasilien

Fryi Parry, Proc. Ent. Soc. Lond. 1862, p. 112; Trans. Ent. Soc. Lond. 1864, p. 43, t. 7, f. 4 ♂. — Contagallo

gracilis Boil. Bull. Soc. Ent. Fr. 1899, p. 196. — S. Catharina

ibex Billb. Mém. Ac. Petersb. VII, 1820, p. 382, t. 12, f. 1. — Sturm. Cat. 1826, p. 67, t. 2, f. 18 a—c. — Burm. Handb. V, 1847, p. 379. — Brasilien

sarcorhamphus Cast. Hist. Nat. II, 1837, p. 172.

melanarius Hope (Westw.) Cat. Luc. 1845, p. 15. — Brasilien

funereus Hope (Westw.) Cat. Luc. 1845, p. 15 (forma min.).

morio Burm. Handb. V, 1847, p. 379.

paranensis Parry, Trans. Ent. Soc. Lond. 1872, p. 80, t. 1, f. 4. — Parana

polyodontus Hope (Westw.) Cat. Luc. 1845, p. 15. — Burm. Handb. V, 1847, p. 381. — Brasilien

tibialis Eschsch. Entomogr. I, 1822, p. 5, t. 1, f. 1. — S. Catharina

v-nigrum Hope (Westw.) Cat. Luc. 1845, p. 15. — Brasilien

triangularis Burm. Handb. V, 1847, p. 380.

14

Macrocrates Burm.

Burm. Handb. V, 1847, p. 381.

bucephalus Hope (Westw.) Cat. Luc. 1845, p. 15. — Burm. Handb. V, 1847, p. 382. — Dohrn. Stett. Ent. Zeitschr. XXIII, 1862, p. 155, ♀. — Brasilia

1

Metadorcus Parry.

Parry, Trans. Ent. Soc. Lond. 1870, p. 88.

rotundatus Parry *(Leptinopterus)* Proc. Ent. Soc. Lond. 1862, p. 112; l. c. 1864, p. 43, t. 7, f. 8 ♂; l. c. 1870, p. 88. — Boil. Bull. Soc. Ent. Fr. 1899, p. 298, ♀. — Brasilia, Rio Grande do Sul

1

V. Dorcinae.

Parry, Trans. Ent. Soc. Lond. 1864, p. 86 *(Dorcidae)*.

Hemisodorcus Thoms.

Thoms. Ann. Soc. Ent. Fr. (4) II, 1862, p. 421.

Macrognathus Hope (Westw.) Cat. Luc. 1845, p. 5 (pars). — Albers, Deutsche Ent. Zeitschr. 1894, p. 167.

Digonophorus Waterh. Ann. Mag. Nat. Hist. (6) XVI, 1895, p. 157. (pars.)

— **axis** Boil. Naturaliste XXVI, 1904, p. 284, f. ♂. — Sumatra

— **Donckieri** Boil. Bull. Soc. Ent. Fr. 1898, p. 227, f. 6. — Himalaya

— **elegans** Parry, Proc. Ent. Soc. Lond. 1862, p. 110; Trans. Ent. Soc. Lond. 1864, p. 27, t. 8, f. 3 ♂; l. c. 1870, p. 92. — Ostindien

Digonophorus Atkinsoni Waterh. Ann. Mag. Nat. Hist. (6) XVI, 1895, p. 157 (teste: Boileau, Bull. Soc. Ent. Fr. 1899, p. 178).

— **fulvonotatus** Parry, Proc. Ent. Soc. Lond. 1862, p. 111; Trans. Ent. Soc. Lond. 1864, p. 28, t. 6, f. 3, ♂; Trans. Ent. Soc. Lond. 1870, p. 91. — Ostindien

— *bisignatus* Parry, Proc. Ent. Soc. Lond. 1862, p. 111; Trans. Ent. Soc. Lond. 1864, p. 28, t. 7, f. 3 ♂, 5 ♀; l. c. 1870, p. 91.

— **gracilis** Saund. Trans. Ent. Soc. Lond. 1854, p. 47,t. 3, f. 3. — China

— **Mac Leayi** Hope (Westw.) Cat. Luc. 1845, p. 19 — Assam

— **nepalensis** Hope in Gray, Zool. Miscell. I, 1831, p. 22, — Reiche, Ann. Soc. Ent. Fr. (3) I, 1853, p. 81. — Nepal, Assam

Chevrolati Chénu, Mag. Zool. 1845, p. 44 ♂. — Redtb. Hügel's Kashmir IV, 1848, p. 532.

Parryi Hope, Proc. Ent. Soc. Lond. 1843, p. 94; Trans. Ent. Soc. Lond. IV, 1847, p. 193. — Hope (Westw.) Cat. Luc. 1845, p. 20 (forma min.)

Rafflesi Hope, Trans Linn. Soc. Lond. XVIII, 1842, p. 588 (forma max.).

similis Hope in Gray, Zool. Miscell. I, 1831, p. 22.

— **picipennis** Westw. Trans. Ent. Soc. Lond. 1855, p. 202, t. 10, f. 6 ♂. — China

— **Semenowi** Jacowl. Horae Soc. Ent. Ross. XXXIV, 1900, p. 36. — Setschuen

— **sinensis** Boil. Bull. Soc. Ent. Fr. 1899, p. 176. — Yunnan

10

Ditomoderus Parry.

Parry, Trans. Ent. Soc. Lond. (3) II, 1864, p. 45.

— **mirabilis** Parry, Trans. Ent. Soc. Lond. 1864, p. 45. — Westw. Trans. Ent. Soc. Lond. 1864, p. 46, t. 12, f. 6 a—e. — Boil. Ann. Soc. Ent. Belg. XLV, 1901, p. 17, t. 1, f. 5 ♀. — Borneo, Sumatra

1

Eurytrachelus Thoms.

Thoms. Ann. Soc. Ent. Fr. (4) II, 1862, p. 421.

Platyprosopus Hope (Westw.) Cat. Luc. 1845, p. 31. — Thoms. Ann. Soc. Ent. Fr. (4) II, 1862, p. 421.
Macrodorcus Motsch. Etud. Ent. 1861, p. 15 (pars).
Serrognathus Motsch. Etud. Ent. 1861, p. 12 (pars). — Lewis, Entomologist XXVI, 1893, p. 150.

— **alcides** Voll. Tijdschr. Ent. VIII, 1865, p. 150, t. 10, f. 2 ♂, 3 ♂. — Albers, Deutsche Ent. Zeitschr. 1883, p. 222; l. c. 1886, p. 83; l. c. 1889, p. 233. — Sumatra

— **arfakianus** Lansb. C. R. Soc. Ent. Belg. XXIII, 1880, p. 118. — Neu-Guinea
coranus Gestro, Ann. Mus. Civ. Genova XVI, 1881, p. 321, f. ♂. (forma min. teste: Rits. Notes Leyd. Mus. III, 1881, p. 82.)

— **bucephalus** Perty, Observ. Col. Ind. 1831, p. 36, t. 1, f. 5. — Burm. Handb. V, 1847, p. 384. — Java
briareus Hope (Westw.) Cat. Luc. 1845, p. 20.
bubalus Perty, Observ. Col. Ind. 1831, p. 35. — Parry, Trans. Ent. Soc. Lond. 1864, p. 48; l. c. 1870, p. 61.
punctifrons (♀) Sturm, Cat. 1843, p. 136.
rugifrons (♀) Hope (Westw.) Cat. Luc. 1845, p. 24.
subcostatus (♀) Sturm, Cat. 1826, p. 165.

capricornis Möllenk. Intern. Ent. Zeitschr. Guben III, 1909, p. 3. — Shetlands-Inseln

— **Castelnaudi** Deyr. Ann. Soc. Ent. Belg. IX, 1865, p. 31, t. 2, f. 3. — Bengalen

cervulus Boil. Bull. Soc. Ent. Fr. 1901, p. 284. — Tonkin

consentaneus Albers, Deutsche Ent. Zeitschr. XXX, 1886, p. 28. — Peking

— **costatus** Boil. Naturaliste XX, 1898, p. 45, f. ♂, ♀. — Liu-Kiu-Ins.

— **cribriceps** Chevr. Rev. Zool. 1841, p. 224. — Philippinen
moloschus Hope (Westw.) Cat. Luc. 1845, p. 21.
oryx Burm. Handb. V, 1847, p. 389.

— **egregius** Möllenk. Soc. Ent. XII, 1897, p. 146; Insektenbörse XXII, 1905, p. 7. — Neu-Guinea
var. *honesta* Möllenk. Notes Leyd. Mus. 1900, p. 47; Deutsche Ent. Zeitschr. 1903, p. 350. — Astrolabe-Bay

— **elegans** Boil. Bull. Soc. Ent. Fr. 1899, p. 177. — Liu-Kiu-Ins.

— **eurycephalus** Burm. Handb. V, 1847, p. 387. — Voll. Tijdschr. Ent. VIII, 1865, p. 151, t. 10, f. 4 ♂. — Albers, Deutsche Ent. Zeitschr. 1886, p. 83; l. c. 1889, p. 233. — Java
bubalus var. Reiche, Ann. Soc. Ent. Fr. (3) I, 1853, p. 79.

Candezei Parry, Trans. Ent. Soc. Lond. 1870. p. 90, t. 1, f. 2; l. c. 1874, p. 371.
Lansbergei Gestro, Ann. Mus. Civ. Gen. XVI, 1881, p. 320, f. ♂ (forma med. teste: Rits. Notes Leyd. Mus. III, 1881, p. 82).
Vollenhoveni Albers, Deutsche Ent. Zeitschr. 1886, p. 83; l. c. 1889, p. 234 (teste: Rits. l. c.).

— **Ghiliani** Gestro, Ann. Mus. Civ. Genova XVI, 1881, p. 315, f. ♂. — Albers, Deutsche Ent. Zeitschr. 1884, p. 174, 304. — v. d. Poll, Tijdschr. Ent. XXXVI, 1893, p. 24, t. 1, f. 4—5. — Key-Inseln

— **gypaetus** Cast. Hist. Nat. II, 1837, p. 172. — Java
Chevrolati Hope, Proc. Ent. Soc. Lond. 1842, p. 84; Trans. Ent. Soc. Lond. IV, 1847, p. 76. — Hope (Westw.) Cat. Luc. 1845, p. 20. — Parry, Trans. Ent. Soc. Lond. 1864, p. 47 (forma max. teste: Parry).
dubius Hope (Westw.) Cat. Luc. 1845, p, 21 (forma min. teste: Parry).
incertus Hope (Westw.) Cat. Luc. 1845, p. 22 (forma min. ♂).
indeterminatus Hope (Westw.) Cat. Luc. 1845, p. 22 (forma min. ♂).
saiga Auct. Albers, Deutsche Ent. Zeitschr. 1883, p. 224.
vultur Cast. Hist. Nat. II, 1837, p. 172.
var. *capito* Burm. Handb. V, 1847, p. 387. — Albers, Deutsche Ent. Zeitschr. 1884, p. 173. — Java

— **Hansteini** Albers, Deutsche Ent. Zeitschr. 1889, p. 235. — Rits. Notes Leyd. Mus. XV, 1893, t. 2, f. 4 ♂. — Sumatra

— **hirticornis** Jacowl. Storae Soc. Ent. Ross. XXX, 1896, p. 457. — China

— **intermedius** Gestro. Ann. Mus. Civ. Genova XVI, 1881, p. 317, f. ♂. — Albers, Deutsche Ent. Zeitschr. 1883, p. 229. — Waterh. Trans. Ent. Soc. Lond. 1883, p. 448, t. 21, f. 2 (var. ?). — Albers, Deutsche Ent. Zeitschr. 1884, p. 174. — Sharp, Willeys Results. IV, 1900, p. 382, t. 35, f. 3a—d. — N.-Guinea

mandibularis Möllenk. Intern. Ent. Zeitschr. Guben I, 1907, no. 14, p. 94. — N.-Borneo

minax Möllenk. Insektenbörse XXII, 1905, p. 2. — W.-Sumatra

— **montivagus** Lewis *(Macrodorcus)* Trans Ent. Soc. Lond. 1883, p. 337, t. 14, f. 2♂. — Japan

niasicus Nonfried, Berl. Ent. Zeitschr. XL, 1895, p. 280. — Nias

pectinicornis Möllenk. Intern. Ent. Zeitschr. Guben III, 1909, p. 3. — D.-N.-Guinea

— **pilosipes** Waterh. Trans. Ent. Soc. Lond. 1883, p. 447, t. 21, f. 1, 2♂. — Salomon-Inseln

— **platymelus** Saund. Trans. Ent. Soc. Lond. 1854, p. 50, t. 3, f. 7. — China
castanicolor Motsch. Etud. Ent. 1861, p. 12♂ (teste: Lewis).
lateralis Saund. Trans. Ent. Soc. Lond. 1854, p. 46.
marginalis (♀) Saund. Trans. Ent. Soc. Lond. 1854, p. 53, t. 4, f. 6.
obscurus (♀) Saund. l. c. 1854, p. 52, t. 4, f. 7.
pilifer Voll. Tijdschr. Ent. IV, 1861, p. 112, t. 6, f. 4. — Schönf. Ent. Nachr. 1884, p. 45.

praecellens Möllenk. Insektenbörse XIX, 1902, p. 283. — Deutsche Ent. Zeitschr. 1903, p. 344. — Himalaya

— **Prosti** Boil. Ann. Soc. Ent. Belg. XLV, 1901, p. 15, t. 1, f. 4. — Möllenk. Insektenbörse XXI, 1904, p. 375♀. — W.-Borneo

— **purpurascens** Voll. Tijdschr. Ent. IV, 1861, p. 111, t. 7, f. 1, 2♂, 6♀. — Parry, Trans. Ent. Soc. Lond. 1864, p. 88. — Sumatra, Nias, Borneo, Malacca

var. *capito* Albers, Deutsche Ent. Zeitschr. 1884, p. 173, 304. — Nias, Sumatra

— **rama** Boil. Naturaliste XIX, 1897, p. 181, f. ♂. — Sumatra

— **rectus** Motsch. *(Macrodorcus)* Etud. Ent. 1857, p. 29♂; l. c. 1861, p. 16♀. — Lewis, Trans. Ent. Soc. Lond. 1883, p. 333. — Schönf. Ent. Nachr. X, 1884, p. 45. — Japan, China, Korea

diabolicus Thoms. Ann. Soc. Ent. Fr. (4) II, 1862, p. 243. — Lewis, Trans. Ent. Soc. Lond. 1883, p. 333. — Schönf. Ent. Nachr. X, 1884, p. 45.

niponensis Voll. Tijdschr. Ent. IV, 1861, p. 113, t. 7, f. 3. — Waterh. Ent. Monthl. Mag. VI, 1870, p. 207. — Motsch. Bull. Soc. Imp. Mosc. XLIII, 1870, p. 27, nota. — Schönf. Ent. Nachr. X, 1884, p. 45.

rugipennis Motsch. Etud. Ent. 1861, p. 16♀. — Lewis, Trans. Ent. Soc. Lond. 1883, p. 333. — Schönf. Ent. Nachr. X, 1884, p. 45.

— **Reichei** Hope, Proc. Ent. Soc. Lond. 1842, p. 83; Ann. Mag. Nat. Hist. XII, 1845, p. 364; Trans. Ent. Soc. Lond. IV, 1847, p. 75. — Möllenk. Insektenbörse 1904, p. 402. — Sylhet

Blanchardi Hope, Proc. Ent. Soc. Lond. 1842, p. 84; Ann. Mag. Nat. Hist. XII, 1845, p. 364. — Hope (Westw.) Cat. Luc. 1845, p. 21♀. — Trans. Ent. Soc. Lond. IV, 1847, p. 75 (forma min. teste: Parry).

cognatus Hope, Proc. Ent. Soc. Lond. 1842, p. 84; Ann. Mag. Nat. Hist. XII, 1845, p. 364; Trans. Ent. Soc. Lond. IV, 1847, p. 75♂ (forma min. teste: Parry).

falco Cast. Hist. Nat. II, 1837, p. 172♂.

punctilabris Hope, Proc. Ent. Soc. Lond. 1842 p. 84; Ann. Mag. Nat. Hist. XII, 1845, p. 364. — Hope (Westw.) Cat. Luc. 1845, p. 21 (forma min. teste: Parry).

— — *submolaris* Hope (Westw.) Cat. Luc. 1845, p. 23♂.

— **rubrofemoratus** Voll. Tijdschr. Ent. VIII, 1865, p. 152, t. 2, f. 1, 2. — Lewis, Trans. Ent. Soc. Lond. 1883 p. 337. — Albers, Ann. Soc. Ent. Belg. XXXVII, 1893, p. 72. — Jacowl. Horae Soc. Ent. Ross. XXX, 1896, p. 173♀. — Japan, Korea

— **saiga** Ol. Ent. I, 1, 1789, p. 23, t. 5, f. 18. — Thoms. Ann. Soc. Ent. Fr. (4) II, 1862, p. 398. — Molukken

concolor Blanch. Voy. Pôle Sud. IV, 1837, p. 139, t. 9, f. 10♂. — Gestro, Ann. Mus. Civ. Genova XVI, 1881, p. 319. f. ♂. — Albers, Deutsche Ent. Zeitschr. 1893, p. 224; l. c. 1890, p. 88.

elaphus Herbst *(Lucanus)* Käfer II, 1787, t. 33, f. 6. — v. d. Poll, Notes Leyd. Mus. XII, 1890, p. 28.
var. *ceramensis* Thoms. Ann. Soc. Ent. Fr. (4) II, 1862, p. 424. — Ceram

striatipennis Motsch. *(Macrodorcus)* Etud. Ent. 1861, p. 17. — Lewis, Trans. Ent. Soc. Lond. 1883, p. 333, 338. — Japan, China, Korea
binervis Motsch. Etud. Ent. 1860, p. 16; l. c. 1861, p. 18 ♂. — Schauf. Nunq. Otiosus III, 1879, p. 477 (teste: Lewis).
cribellatus Motsch. Etud. Ent. 1861, p. 17 ♂ (teste: Lewis).
opacus Waterh. Ent. Monthl. Mag. VI, 1870, p. 208. — Parry, Trans. Ent. Soc. Lond. 1870, p. 91 (teste: Lewis).
Van-Volxemi Lewis, Ann. Mag. Nat. Hist. (5) II, 1879, p. 462; Trans. Ent. Soc. Lond. 1883, p. 333.

ternatensis Thoms. Ann. Soc. Ent. Fr. (4) II, 1862, p. 423 ♂. — Gestro. Ann. Mus. Civ. Genova XVI, 1881, p. 317, f. ♂. — Molukken
Thomsoni Parry, Trans. Ent. Soc. Lond. 1864, p. 47 ♂. — Voll. Tijdschr. Ent. VIII, 1865, p. 152. — Parry, Trans. Ent. Soc. Lond. 1870, p. 90. — Fairm. Ann. Soc. Ent. Belg. XXVII, 1883, p. 5.

Titanus Boisd. Voy. Astrol. 1832, Col. p. 237, t. 6, f. 19. — Burm. Handb. V, 1847, p. 384. — Albers, Ann. Soc. Ent. Belg. XXXVII, 1893, p. 72. — Philippinen, Celebes, Borneo, Sumatra, Nias, Ostindien
var. *Typhon* Boil. Naturaliste XXVII, 1905, f. 17, f. ♂. — Luzon, Celebes

Tityus Hope, Proc. Ent. Soc. Lond. 1842, p. 83; Trans. Ent. Soc. Lond. IV, 1847, p. 74. — Parry, Trans. Ent. Soc. Lond. 1864, p. 46; l. c. 1870, p. 62, t. 3, f. 3, 8. — Sylhet
exaratus (♀) Thoms. Ann. Soc. Ent. Fr. (4) II, 1862, p. 426. — Parry, Trans. Ent. Soc. Lond. 1864, p. 48 (teste: Parry).
falco Hope (Westw.) Cat. Luc. 1845, p. 6.
lineatopunctatus Hope in Gray, Zool. Miscell. I, 1831, p. 22. — Hope (Westw.) Cat. Luc. 1845, p. 23 (teste: Parry).
punctatostriatus (♀) Redtb. in Hügel, Kaschmir IV, 2, 1848, p. 532.
semirugosus Thoms. Ann. Soc. Ent. Fr. (4) II, 1862, p. 422 (forma min.). — Parry, Trans. Ent. Soc. Lond. 1864, p. 46 (teste: Parry).

urocephalus Albers, Deutsche Ent. Zeitschr. XXVII, 1883, p. 225. — Celebes

Westermanni Hope, Trans. Linn. Soc. Lond. XIX, 1843, p. 106 ♂. — Sylhet

Wickhami Waterh. Ann. Mag. Nat. Hist. (6) XIII, 1894, p. 283. — Queensland

Dorcus M'Leay.

Mac Leay, Horae Ent. I, 1819, p. 111. — Thomson. Ann. Soc. Ent. Fr. (4) II, 1862, p. 398.

— **antaeus** Hope, Proc. Ent. Soc. Lond. 1842, p. 83; Ann. Mag. Nat. Hist. XII, 1845, p. 364. — Hope (Westw.) Cat. Luc. 1845, p. 20. — Hope, Trans. Ent. Soc. Lond. IV, 1847, p. 74. — Assam
scaritoides (♀) Hope (Westw.) Cat. Luc. 1845, p. 24. — Parry, Trans. Ent. Soc. Lond. 1864, p. 90; l. c. 1870, p. 111.

brachycerus Boil. *(Eurytrachelus?)* Bull. Soc. Ent. Fr. 1904, p. 27. — Kaschmir

— **brevis** Say, Journ. Ac. Sc. Phil. V, 1865, p. 202. — Albers, Deutsche Ent. Zeitschr. 1883, p. 221. — Fuchs, Bull. Brookl. Ent. Soc. 1882, p. 52. — Horn, Ent. News. 1892, p. 73, t. 3. — N.-Amerika

caucasicus Ganglb. Soc. Ent. I, 1886, p. 81. — Caucasus

— **De Haani** Hope, Trans. Linn. Soc. XIX, 1843, p. 106. — Hope (Westw.) Cat. Luc. 1845, p. 22. — Assam
curvidens Hope, Trans. Linn. Soc. XVIII, 1842, p. 589. — Hope (Westw.) Cat. Luc. 1845, p. 22 (forma min.).
Klugi Thoms. Ann. Soc. Ent. Fr. (4) II, 1862, p. 424. — Parry, Trans. Ent. Soc. Lond. 1864, p. 50 (forma med.).

— **derelictus** Parry, Proc. Ent. Soc. Lond. 1862, p. 112; Trans. Ent. Soc. Lond. 1864, p. 50♀; l. c. 1870, p. 92, t. 2, f. 3. — Himalaya
— *rudis* Westw. Trans. Ent. Soc. Lond. 1864, p. 35, t. 9, f. 4a—g; Trans. Ent. Soc. Lond. 1872, p. 357, t. 8, f. 2 (teste: Boileau).

glabripennis Westw. Trans. Ent. Soc. Lond. 1871, p. 359, t. 8, f. 6. — Ostindien

— **Hopei** Saund. Trans. Ent. Soc. Lond. 1854, p. 50, t. 3, f. 8. — China
binodulosus Waterh. Ent. Monthl. Mag. XI, 1874, p. 6 (teste: Lewis).
striatopunctatus Saund. Trans. Ent. Soc. Lond. 1854, p. 51, t. 4, f. 5♂ (form. min. teste: Parry).
striatus (♀) Saund. Trans. Ent. Soc. Lond. 1854, p. 53, t. 4, f. 4 (teste: Parry).

— **hyperion** Boil. Bull. Soc. Ent. Fr. 1899, p. 177. — Birmah

laevidorsis Fairm. Ann. Soc. Ent. Belg. XXXII, 1888, p. 15. — Yunnan

Meeki Boil. Naturaliste XXVIII, 1906, p. 92, f. — N.-Guinea

— **musimon** Géné, Mém. Ac. Torin. 1836, p. 192, t. 1, f. 23♀; l. c. 1839, p. 67, t. 1, f. 19♂. — Burm. Handb. V, 1847, p. 394. — Corsica, Sardinien, N.-Afrika
semisulcatus Muls. Ann. Soc. Linn. Lyon II, 1855, p. 52. — Desbr. Mitth. Schweiz. Ent. Ges. IV, 1873, p. 196 (forma min.).

nitidus Kirsch, Mitth. Mus. Dresd. II, 1877, p. 138. — N.-Guinea

— **parallelopipedus** L. Syst. Nat. I, 1735, p. 561. — M'Leay, Hor. Ent. I, 1819, p. 111. — Ratzeb. Forst. Ins. I, 1839, p. 86, t. 3, f. 19. — Muls. Lamell. France 1842, p. 581, t. 1, f. 18. — Burm. Handb. V, 1847, p. 393. — Er. Naturgesch. Ins. Deutschl. III, 1848, p. 940. — Stierl. Berl. Ent. Zeitschr. — Europa

VIII, 1864, p. 147. — Planet, Naturaliste XII, 1890, p. 156 (larva, pupa).
bipunctatus (♀) Schrank, Fauna Boica I, 1798, p. 376.
bituberculatus (♀) M'Leay, Hor. Ent. I, 1819, p. 112.
capra (♀) Panz. Fauna Germ. 1805, 58, p. 12.
dama (♀) Müll. Zool. Prodr. 1776, p. 52.
infractus (♀) Bergstr. Nomencl. II, 1778, t. 8, f. 2.
tuberculatus M'Leay, Hor. Ent. I, 1819, p. 112.
var. *Leuthneri* Ganglb. Soc. Ent. I, 1886, p. 140. — Syrien
var. *Reichei* Ganglb. Soc. Ent. I, 1886, p. 81. — Syrien
bengalensis Hope (Westw.) Cat. Luc. 1845, p. 22 (forma min).
var. *Truquii* Muls. Ann. Soc. Linn. Lyon. II, 1855, p. 14. — Baudi, Berl. Ent. Zeitschr. XIV, 1870, p. 64 ♂. — Apenninen

— **parallelus** Say, Journ. Ac. Phil. III, 1823, p. 248. — Burm. Handb. V, 1847, p. 395. — Schaupp, Bull. Brookl. Soc. IV, 1881, p. 35 (pupa); l. c. V, 1882, t. 1, f. 7a, b, 6b (pupa). — Fuchs. Bull. Brookl. Soc. V, 1882, f. 5, 5a (pupa), t. 52, f. 5 ♂. — N.-Amerika
costatus (♀) Lec. Proc. Ac. Phil. 1866, p. 380. — Parry, Trans. Ent. Soc. Lond. 1870, p. 61. — Horn, Ent. News 1892, p. 73, t. 3.
oblongus Charp. Hor. Ent. 1825, p. 214.
Voeti Schönh. Syn. Ins. I, 1806, p. 326.

— **Parryi** Thoms. Ann. Soc. Ent. Fr. (4) II, 1862, p. 425 ♂. — Celebes, Java, Sumatra

— **Peyroni** Reiche, Ann. Soc. Ent. Fr. (3) IV, 1856, p. 407, t. 12, f. 9. — Syrien

— **ratiocinativus** Westw. Trans. Ent. Soc. Lond. 1871, p. 356, t. 8, f. 2. — Boil. Mém. Soc. Ent. Belg. IX, 1902, p. 59, t. 1, f. 2, 3. — Himalaya

Rosti Zang, Deutsche Ent. Zeitschr. 1906, p. 184. — Kaschmir

— **rugosus** Boil. Bull. Soc. Ent. Fr. 1904, p. 39. — Madura

— **Sewertzowi** Semenow, Horae Soc. Ent. Ross. XXV, 1891, p. 309. — Turkestan

— **suturalis** Westw. Trans. Ent. Soc. Lond. 1871, p. 358, t. 8, f. 5. — Waterh. Ann. Mag. Nat. Hist. (5) XIX, 1887, p. 289. — Himalaya
opacipennis Zang, Deutsche Ent. Zeitschr. 1906, p. 184.

tenuecostatus Fairm. Rev. d'Ent. VII, 1888, p. 116. — Peking

— **thoracicus** Möllenk. Insektenbörse XIX, 1902, p. 283; Deutsche Ent. Zeitschr. 1903, p. 346. — Borneo

Vavrai Nonfried, Berl. Ent. Zeitschr. L, 1905, p. 12. — Kurdistan

— **vicinus** Saund. Trans. Ent. Soc. Lond. 1854, p. 51, t. 4, f. 9 ♂. — China

26

Falcicornis Planet.

Planet, Naturaliste XVI, 1894, p. 44.

— **Groulti** Planet, l. c. 1894, p. 44, f. — Assam
barbarus Jord. und Rothschild *(Dorcus)*, Novit. Zool. I, 1894, p. 485, t. 13, f. 2; l. c. 1894, p. 692.

1

Gnaphaloryx Burm.

Burm. Handb. Ent. V, 1847, p. 396.

capreolus Boil. Bull. Soc. Ent. Fr. 1903, p. 109.	W.-Borneo
— **cinereus** Boil. l. c. 1902, p. 321.	Sikkim
curtus Kirsch, Mitth. Mus. Dresd. II, 1877, p. 138. — Albers, Deutsche Ent. Zeitschr. 1885, p. 233.	N.-Guinea, Aru-Ins.
— **cylindricus** Thoms. Ann. Soc. Ent. Fr. (4) II, 1862, p. 427 ♂.	Ostindien
— **Davidis** Fairm. Revue d'Ent. VI, 1887, p. 314.	Peking
dilaticollis Parry, Trans. Ent. Soc. Lond. 1864, p. 51 ♂.	Ostindien
— **miles** Voll. Tijdschr. Ent. VIII, 1865, p. 155, t. 2, f. 5.	Halmaheira, Celebes, Gebeh
var. *laticornis* Boil. Bull. Soc. Ent. Fr. 1903, p. 110.	N.-Guinea
— **opacus** Burm. Handb. V, 1847, p. 397. — Albers, Deutsche Ent. Zeitschr. 1889, p. 236.	Java
— **perforatus** Rits. Notes Leyd. Mus. VII, 1885, p. 39, t. 3, f. 1a—b.	Sumatra
rugosus Albers, Deutsche Ent. Zeitschr. 1885, p. 236.	Celebes
— **sculptipennis** Parry, Trans. Ent. Soc. Lond. 1864, p. 52 ♂. — Westw. Trans. Ent. Soc. Lond. 1874, p. 362, t. 3, f. 6a ♂. — Gestro, Ann. Mus. Civ. Genova XVI, 1881, p. 324, f. ♂. — Albers, Deutsche Ent. Zeitschr. 1885, p. 232.	N.-Guinea
aper Gestro, Ann. Mus. Civ. Genova XVI, 1881, p. 324, f. (teste: Ritsema, Notes Leyd. Mus. III, 1881, p. 32).	
— **squalidus** Hope (Westw.) Cat. Luc. 1845, p. 19.	Java,
setosus Sturm, Cat. 1826, p. 165.	Borneo,
tomentosus Burm. Handb. V, 1847, p. 397.	Sumatra
— **taurus** F. Syst. Ent. II, 1793, p. 250. — Parry, Trans. Ent. Soc. Lond. II, 1864, p. 90. — Voll. Tijdschr. Ent. VIII, 1865, p. 154, t. 2, f. 3, 4. — Albers, Deutsche Ent. Zeitschr. 1889, p. 236.	Sumatra, Nias, Borneo, Waigiu, Halmaheira, Ternate, Morotai, Dorei, N.-Guinea
tricuspis Rits. Notes Leyd. Mus. IV, 1882, p. 163; Midden Sumatra, Suppl. 1892, p. 4; Notes Leyd. Mus. XV, 1893, t. 2, f. 5.	Sumatra
velutinus Thoms. Ann. Soc. Ent. Fr. (4) II, 1862, p. 426.	Ostindien

15

Eulepidius Westw.

Westw. Trans. Ent. Soc. Lond. 1874, p. 357.

— **cephalotes** Leuthner *(Odontolabis)* Trans. Zool. Soc. XI, 1885, p. 478 (an huj. genus?).	Borneo
luridus Westw. Trans. Ent. Soc. Lond. 1874, p. 357, t. 3, f. 1.	„

2

Metallactulus Rits.

Ritsema, Notes Leyden Museum VII, 1885, p. 54.

Metallactus Albers, Deutsche Ent. Zeitschr. 1884, p. 301.

parvulus *(Dorcus)* Hope (Westw.) Cat. Luc. 1845, p. 25. — Philippinen

1

Aegotypus Parry.

Parry, Trans. Ent. Soc. Lond. 1874, p. 371.

armatus Boil. Bull. Soc. Ent. Fr. 1897, p. 288, f. *lobicollis* Jacowl. Horae Soc. Ent. Ross. XXXI, 1897, p. 240 (teste: Boileau). — Borneo

trilobatus Parry, Proc. Ent. Soc. Lond. 1862, p. 113; Trans. Ent. Soc. Lond. (3) II, 1864, p. 59, t. 7, f. 7♂; l. c. 1874, p. 371. — Borneo, Sumatra

2

Aegus M'Leay.

Mac Leay, Horae Ent. I, 1819, p. 112.

acuminatus F. Syst. El. II, 1801, p. 251. — Burm. Handb. V, 1847, p. 399. — Reiche, Ann. Soc. Ent. Fr. 1853, p. 82. — Parry, Trans. Ent. Soc. Lond. 1864, p. 52. — Albers, Deutsche Ent. Zeitschr. 1883, p. 226. — Java

cicatricosus (♀) Wied. Zool. Mag. 1823, II, 1, p. 108. — Parry, Trans. Ent. Soc. Lond. 1864, p. 52.

cornutus Thunb. Mém. Mosc. I, 1806, p. 202, t. 12, f. 3.

depressus Ill. Wiedem. Arch. I, 1, 1800, p. 105.

falciger Westw. Ann. Sc. Nat. (2) I, 1834, p. 118.

lunatus Weber, Obs. Ent. I, 1801, p. 83♀. — Burm. Handb. V, 1847, p. 400. — Parry, Trans. Ent. Soc. Lond. 1864, p. 53. — Albers, Deutsche Ent. Zeitschr. 1883, p. 227.

luteus Westw. Trans. Ent. Soc. Lond. 1855, p. 218, t. 12, f. 4. — Parry, Trans. Ent. Soc. Lond. 1864, p. 51.

obscurus M'Leay, Hor. Ent. I, 1819, p. 113.

punctatus F. Syst. El. II, 1801, p. 253.

striatellus Perty, Obs. Col. Ind. 1831, p. 35.

var. *mandibularis* Möllenk. Entom. Zeitschr. Guben XX, 1906, p. 170. — Java

adelphus Thoms. Ann. Soc. Ent. Fr. (4) II, 1862, p. 428. — Deyr. Ann. Soc. Ent. Belg. IX, 1865, p. 35, t. 2, f. 9. — Borneo

amictus Deyr. Ann. Soc. Ent. Belg. IX, 1865, p. 35, t. 2, f. 7. — Malacca, Sumatra, Borneo

Beauchenei Boil. Bull. Soc. Ent. Fr. 1902, p. 288. — Tonkin

bellus Möllenk. Insektenbörse XIX, 1902, p. 353; Deutsche Ent. Zeitschr. 1903, p. 352. — N.-Guinea

—	**bidens** Möllenk. Insektenbörse XIX, 1902, p. 353; Deutsche Ent. Zeitschr. 1903, p. 354.	Tonkin
	bigibbosus Rits. Notes Leyd. Mus. XIX, 1897, p. 185.	O.-Sumatra
—	**blandus** Parry, Trans. Ent. Soc. Lond. (3) II, 1864, p. 57 ♂.	N.-Guinea, Salawatty
—	**capitatus** Westw. Trans. Ent. Soc. Lond. IV, 1847, p. 275, t. 20, f. 5. — Parry, Trans. Ent. Soc. Lond. (3) II, 1864, p. 92. — Rits. Notes Leyd. Mus. XI, 1889, p. 229 (♂ forma min.).	Malabar, Borneo, Sumatra
	aequalis Westw. Proc. Ent. Soc. Lond. 1844, p. 102; Trans. Ent. Soc. Lond. IV, 1847, p. 276 t. 20, f. 6 (forma min.).	
	distinctus Westw. Proc. Ent. Soc. Lond. 1844, p. 102; Trans. Ent. Soc. Lond. IV, 1847, p. 276, t. 20, f. 8 (forma med.).	
	malabaricus Westw. Proc. Ent. Soc. Lond. 1844, p. 102; Trans. Ent. Soc. Lond. IV, 1847, p. 276, t. 20, f. 7 ♀.	
	platycephalus Westw. Proc. Ent. Soc. Lond. 1844, p. 101; Trans. Ent. Soc. Lond. IV, 1847, p. 275.	
	sinister (♀) Hope (Westw.) Cat. Luc. 1845, p. 23.	
—	**chelifer** M'Leay, Horae Ent. I, 1819, p. 113. — Westw. Trans. Ent. Soc. Lond. 1855, p. 215. — Parry, Trans. Ent. Soc. Lond. (3) II, 1864, p. 54.	Malacca, Sumatra, Borneo, Cambodja
—	**cornutus** Boil. Bull. Soc. Ent. Fr. 1899, p. 319.	Süd-China
—	**Curtisi** Waterh. Ann. Mag. Nat. Hist. (6) V, 1890, p. 36.	Sumatra
	dilaticollis Rits. Notes Leyd. Mus. XXII, 1900, p. 189.	Borneo, Sumatra, Mentawei-Arch.
	elegantulus v. Roon, Tijdschr. Ent. L, 1907, p. 140, f.	D.-N.-Guinea
	ellipticus Boil. Bull. Soc. Ent. Fr. 1902, p. 304 ♂.	N.-Hannover
—	**Eschscholtzi** Hope (Westw.) Cat. Luc. 1845, p. 22 ♂.	Malacca, Sumatra, Borneo
—	**formosae** Bates, Proc. Zool. Soc. 1866, p. 347.	Formosa
—	**fornicatus** Albers, Deutsche Ent. Zeitschr. 1889, p. 238.	Sumatra
—	**Gestroi** Boil. Bull. Soc. Ent. Fr. 1902, p. 287.	Borneo
—	**glaber** Parry, Trans. Ent. Soc. Lond. (3) II, 1864, p. 59 ♂. — Gestro, Ann. Mus. Civ. Genova XVI, 1881, p. 327, 331, f. ♂.	N.-Guinea
—	**gracilicornis** Möllenk. Insektenbörse XIX, 1902, p. 353; Deutsche Ent. Zeitschr. 1903, p. 353.	Borneo
	gracilis Deyr. Ann. Soc. Ent. Belg. IX, 1865, p. 34 t. 2, f. 6.	Amboina
—	**grandis** Deyr. Trans. Ent. Soc. Lond. 1874, p. 411, t. 5, f. 6.	Fiji-Ins.
—	**hamatus** Jacowl. Horae Soc. Ent. Ross. XXXIV, 1900, p. 635.	Borneo
	Hopei Boil. Ann. Soc. Ent. Belg. XLV, 1901, p. 19, t. 1, f. 6, 7.	Sumatra
—	**impressicollis** Parry, Trans. Ent. Soc. Lond. (3) II, 1864, p. 58, t. 5, f. 3.	Malacca, Sumatra, Borneo, Java
	inermis F. Syst. El. II, 1801, p. 251. — Thunb. Mém. Mosc. I, 1806, p. 204. — M'Leay, Horae Ent.	Sumatra

	I, 1819, p. 113. — Parry, Trans. Ent. Soc. Lond. 1864, p. 49.	
insipidus	Thoms. Ann. Soc. Ent. Fr. (4) II, 1862, p. 428 ♂.	Celebes, Woodlark
	chelifer Montr. Ann. Soc. Agr. Lyon VII, 1857, p. 26, — Parry, Trans. Ent. Soc. Lond. 1864, p. 54.	
interruptus	M'Leay, Horae Ent. I, 1819, p. 113. — Westw. Ann. Sc. Nat. (2) I, 1834, p. 118.	Ostindien
Jansoni	Boil. Naturaliste XXVII, 1905, p. 17.	Queensland
kandiensis	Parry, Trans. Ent. Soc. Lond. 1864, p. 53; l. c. 1870, p. 61, t. 2, f. 5, 8.	Ceylon
labilis	Westw. Trans. Ent. Soc. Lond. 1864, p. 54, t. 11, f. 5.	Ostindien
laevicollis	Saund. Trans. Ent. Soc. Lond. 1854, p. 54, t. 4, f. 8 ♂.	China
	punctiger Saund. Trans. Ent. Soc. Lond. 1854, p. 55, t. 3, f. 6.	
Lansbergei	Boil. Bull. Soc. Ent. Fr. 1902, p. 302.	Sumbawa
latidens	Schauf. Sitzungsber. Isis Dresden 1864, p. 19; Nunquam Ot. I, 1871, p. 159; l. c. II, 1877, p. 444. — Zang, Deutsche Ent. Zeitschr. 1906, p. 95.	N.-Guinea
Leeuweni	Rits. Notes Leyd. Mus. IV, 1882, p. 164; l. c. XV, 1893, t. 2, f. 6 ♂; Midden Sumatra, Suppl. 1892, p. 4.	Sumatra
malaccus	Thoms. Revue Zool. 1856, p. 516.	Malacca,
	rectangulus Voll. Tijdschr. Ent. IV, 1861, p. 114, t. 7, f. 7; l. c. VIII, 1865, p. 156 (forma maj.).	Sumatra, Borneo
minutus	Gestro, Ann. Mus. Civ. Genova XVI, 1881, p. 329, 331, f. ♂.	N.-Guinea
myrmidon	Thoms. Revue Zool. 1856, p. 528. — Deyr. Ann. Soc. Ent. Belg. IX, 1865, t. 2, f. 8 ♂.	Malacca
nitidicollis	Albers, Deutsche Ent. Zeitschr. 1883, p. 227.	Philippinen
nitidus	Boil. Bull. Soc. Ent. Fr. 1899, p. 321.	Borneo
ogivus	Deyr. Ann. Soc. Ent. Belg. IX, 1865, p. 33, t. 2, f. 5 ♂.	Malacca, Borneo, Sumatra
oxygonus	Jacowl. Hor. Soc. Ent. Ross. XXXI, 1897, p. 243.	Borneo
parallelus	Hope (Westw.) Cat. Luc. 1845, p. 22. — Westw. Trans. Ent. Soc. Lond. 1864, p. 56.	Borneo, Prince of Wales Ins.
Parryi	Waterh. Ann. Mag. Nat. Hist. (6) V, 1890, p. 37.	Sarawak
parvus	Boil. Bull. Soc. Ent. Fr. 1902, p. 320.	China
pengalenganus	v. d. Poll, Notes Leyd. Mus. XVII, 1895, p. 126.	Java
philippensis	Deyr. Ann. Soc. Ent. Belg. 1865, p. 32, t. 2, f. 4 ♂. — Albers, Deutsche Ent. Zeitschr. 1883, p. 226.	Philippinen
Planeti	Jacowl. Horae Soc. Ent. Ross. XXXIV, 1900, p. 367.	N.-Guinea
platyodon	Parry, Proc. Ent. Soc. Lond. 1862, p. 112; Trans. Ent. Soc. Lond. (3) II, 1864, p. 56, t. 10, f. 1 ♂.	Halmaheira, Key-Insel
politus	Montr. Ann. Soc. Agr. Lyon VII, 1857, p. 28.	Woodlark
preangerensis	v. d. Poll, Notes Leyd. Mus. XVII, 1895, p. 127.	Java
punctithorax	Heller, Abh. Mus. Dresden IX, nr. 5, 1900, p. 9, f. 8.	Celebes

pusillus Gestro, Ann. Mus. Civ. Genova XVI, 1881, p. 328, 331, f. ♂. — Ins. Yobi
pygmaeus Jacowl. Revue Russ. Ent. II, 1902, p. 35. — Borneo
Ritsemae Boil. Bull. Soc. Ent. Fr. 1899, p. 320. — Malacca
Roepstorffi Waterh. Ann. Mag. Nat. Hist. (6) V, 1890, p. 36. — Andamanen
rosselianus Boil. Bull. Soc. Ent. Fr. 1902, p. 287. — Luisiade-Arch.
rotundatus Boil. Bull. Soc. Ent. Fr. 1902, p. 304 ♂. — Adonara
sculpticollis Heller, Abh. Mus. Dresden IX, 1900, nr. 5, p. 8, f. 9. — Süd-Celebes
semicircularis Schauf. Horae Soc. Ent. Ross. XXI, 1887, p. 119. — Makassar
serratus Parry, Trans. Ent. Soc. Lond. (3) II, 1864, p. 58, t. 5, f. 1 ♂. — Ins. Morty
specularis Jacowl. Horae Soc. Ent. Ross. XXXIV, 1900, p. 633. — Cochin-China
subnitidus Waterh. Ent. Monthl. Mag. IX, 1873, p. 277. — Lewis. Trans. Ent. Soc. Lond. 1883, p. 338. — Japan
taurus Boil. Bull. Soc. Ent. Fr. 1899, p. 320. — Tonkin
Westwoodi Boil. l. c. p. 321. — Malacca
Woodfordi Waterh. Ann. Mag. Nat. Hist. (6) V, 1890, p. 38. — Ins. Salomon

67

Xenostomus Boil.

Boileau, Bull. Soc. Ent. France 1898, p. 264.

insolitus Jacowl. Horae Soc. Ent. Ross. 1897, p. 241. — Mindoro
punctipennis Parry, Trans. Ent. Soc. Lond. 1864, p. 58. — Borneo
Ritsemae Boil. Bull. Soc. Ent. 1898, p. 265, f. (teste Waterhouse).

2

Paraegus Gahan.

Gahan, Proc. Zool. Soc. 1888, p. 539.

Listeri Gahan, l. c. 1888, p. 539; Mon. Christmas. Island, 1900, p. 96, t. 11, f. 1, 2. — Christmas.-Ins.

1

Pseudaegus Heller.

Heller, Abh. Mus. Dresden IX, 1900, nr. 5, p. 7.

leptodon Heller, l. c. p. 8, t. f. 10. — Süd-Celebes

1

Aegognathus Leuthner.

Leuthner, Trans. Ent. Soc. Lond. 1883, p. 445.

Leuthneri v. d. Poll, Tijdschr. Ent. XXIX, 1886, p. 153. — Columbia
Waterhousei Leuthner, Trans. Ent. Soc. Lond. 1883, p. 445, t. 21, f. 3. — Peru

2

Alcimus Fairm.

Fairm. Revue Zoolog. 1849, p. 416.

— **alternatus** Fairm. Naturaliste III, 1881, p. 340. — Ins. Panope
dilatatus Fairm. Revue Zool. 1849, p. 416, t. 11, f. 6. — Waterh. Trans. Ent. Soc. Lond. 1875, p. 163 ♂. — Ins. Wallis

2

Apterocyclus Waterh.

Waterh. Trans. Ent. Soc. Lond. 1871, p. 315.

honoluluensis Waterh. l. c. 1871, p. 316, f. ♀. — Ins. Sandwich

1

Sclerognathus Hope.

Hope (Westw.) Cat. Lucan. Col. 1845, p. 26.

Sclerostomus Burm. Handb. V, 1847, p. 423.
Epipedus Sol. in Gay, Hist. Chile, Zool. V, 1851, p. 49.
Pycnosiphorus Sol. l. c. p. 56.
Godartia Chénu, Encycl. Hist. Nat. 1855, t. 15, f. 6.

aurocinctus Boil. Bull. Soc. Ent. Fr. 1899, p. 298. — Brasilien
— **Bacchus** Hope (Westw.) Cat. Luc. 1845, p. 26. — Chile
bipunctatus Philippi, Ann. Univ. Chile 1859, p. 656 (teste: Reed).
Darwini Burm. Handb. V, 1847, p. 424. — Sol. in Gay, Hist. Chile V, 1851, p. 48.
— **Buckleyi** Waterh. Ann. Mag. Nat. Hist. (5) XVII, 1886, p. 497. — Ecuador
— **caelatus** Blanch. Voy. d'Orb. 1837, Col. p. 194, t. 12, f. 8. — Sol. in Gay, Hist. Chile V, 1851, p. 49. — Chile
variolosus Hope (Westw.) Cat. Luc. 1845, p. 25.
vittatus Burm. Handb. V, 1847, p. 423.
— **cruentus** Burm. Handb. V, 1847, p. 425 ♂. — Brasilien
cribratus Thoms. Ann. Soc. Ent. Fr. 1862, p. 429. — Parry, Trans. Ent. Soc. Lond. 1870, p. 96.
ditomoides Westw. Trans. Ent. Soc. Lond. 1855, p. 208, t. 11, f. 4 ♂. — Parry, Trans. Ent. Soc. Lond. 1870, p. 96.
neotragus Westw. Trans. Ent. Soc. Lond. 1855, p. 207, t. 11, f. 3 ♂. — Parry, Trans. Ent. Soc. Lond. 1870, p. 96.
— **cucullatus** Blanch. Voy. d'Orb. Col. 1837, p. 194, t. 12, f. 10. — Burm. Handb. V, 1847, p. 427. — Sol. in Gay, Hist. Chile V, 1851, p. 46, t. 15, f. 4 ♂. — Waterh. Ann. Mag. Nat. Hist. 1883, p. 388. — Chile
elongatus Deyr. Trans. Ent. Soc. Lond. 1870, p. 96. — ,,
— **Fairmairei** Parry, Trans. Ent. Soc. Lond. 1864, p. 61. — ,,
— **fasciatus** Germain, Ann. Univ. Santiago 1855, p. 397. — Deyr. Ann. Soc. Ent. Fr. (4) IV, 1864, p. 318. — Parry, Trans. Ent. Soc. Lond. 1864, t. 3, f. 4 ♀. — Albers, Deutsche Ent. Zeitschr. 1891, p. 78 ♂. — ,,

Scortinus Westw.

maculatus Kl. (only)

femoralis Guér. Revue Zool. 1839, p. 303. — Sol. in Gay, Hist. Chile V, 1851, p. 51. — Westw. Trans, Ent. Soc. Lond. 1855, p. 209, t. 12, f. 9. — Chile
Darwini Hope, Ann. Nat. Hist. VIII, 1845, p. 302. — Hope (Westw.) Cat. Luc. 1845, p. 25. — Hope, Trans. Ent. Soc. Lond. 1846, p. 279.
modestus Philippi, Ann. Univ. Santiago 1859, p. 657.
rubripes Burm. Handb. V, 1847, p. 424.
rufifemoralis Curtis, Voy. Cap. King. Magell. Trans. Linn. Soc. XIX, 1843, p. 456 (teste Parry).
Lessoni Buq. Ann. Soc. Ent. Fr. XI, 1842, p. 283, t. 12, f. 1. — Sol. in Gay, Hist. Chile V, 1851, p. 55. — ,,
mandibularis Sol. in Gay, Hist. Chile V, 1851, p. 56.
lineatus Deyr. Ann. Soc. Ent. Fr. (4) IV, 1864, p. 319 ♂. — Parry, Trans. Ent. Soc. Lond. 1864, t. 3, f. 3. — Peru
liocephalus Sol. in Gay, Hist. Chile V, 1851, p. 53, t. 15, f. 5. — Gemm. und Harold, Cat. Col. III, 1868, p. 962 *(femoralis)*. — Chile
marginipennis Deyr. Trans. Ent. Soc. Lond. 1870, p. 95. — ,,
pallidocinctus Fairm. Col. Chile II, 1861, p. 2. — ,,
Philippii Westw. Trans. Ent. Soc. Lond. 1864, p. 61, t. 11, f. 5 ♂. — ,,
rotundatus Boil. Mém. Soc. Ent. Belg. IX, 1902, p. 43, t. 1, f. 4; Naturaliste XXIV, 1902, p. 204. — Brasilien
Rouleti Sol. in Gay, Hist. Chile V, 1851, p. 53. — Chile
rufipes Sol. l. c. p. 50. — Gemm. und Harold, Cat. Col. III, 1868, p. 962 *(femoralis)*. — Parry, Cat. III, 1875, p. 14. — ,,
signatipennis Deyr. Ann. Soc. Ent. Fr. (4) IV, 1864, p. 319. — Parry, Trans. Ent. Soc. Lond. 1864, t. 3, f. 2 ♂. — Brasilien
Spinolae Sol. in Gay, Hist. Chile V, 1851, p. 52. — Chile
tristis Deyr. Trans. Ent. Soc. Lond. 1870, p. 95. — ,,
vittatus Eschsch. Entomogr. 1835, p. 9. — Sol. in Gay, Hist. Chile V, 1851, p. 50. — ,,
rubrovittatus Blanch. Voy. d'Orb. 1837, p. 194, t. 12, f. 9.

23

Scortizus Westw.

Westw. Ann. Sc. Nat. (2) I, 1834, p. 119.

costatus Hope (Westw.) Cat. Luc. 1845, p. 27. — Burm. Handb. V, 1847, p. 426. — Westw. Trans. Ent. Soc. Lond. 1855, p. 109, t. 11, f. 5. — Gemm. und Harold, Cat. Col. III, 1868, p. 961 *(Sclerognathus)*. — Parry, Cat. III, 1875, p. 14. — Brasilien
cuniculus Thoms. Ann. Soc. Ent. Fr. (4) II, 1862, p. 429.
Gounellei Boil. Bull. Soc. Ent. Fr. 1899, p. 299. — ,,
maculatus Klug, Nov. Act. Leop. Car. XII, 2, 1825, p. 432. — Burm. Handb. V, 1847, p. 422. — Westw. Trans. Ent. Soc. Lond. 1855, p. 210, t. 11, f. 8. — ,,

irroratus Hope, Trans. Zool. Soc. Lond. I, 1835, p. 100, t. 14, f. 3♀. — Chénu, Encycl. Hist. Nat. 1855, t. 15, f. 1♂.

plagiatus Burm. Handb. V, 1847, p. 425♂. — Bahia
hastatus Westw. Trans. Ent. Soc. Lond. 1855, p. 205, t. 11, f. 2.

pulverosus Westw. Trans. Ent. Soc. Lond. 1875, p. 243, t. 9, f. 2. — N.-Grenada, O.-Cordilleras

tuberculatus Sol. in Gay, Hist. Chile V, 1851, p. 54♀. — Chile

6

Charagmophorus Waterh.

Waterh. Ann. Mag. Nat. Hist. (6) XV, 1895, p. 495.

lineatus Waterh. l. c. p. 495; Trans. Linn. Soc. Lond. VIII, 1901, p. 74♀. — Sierra-Roraima

1

Platycerus Geoffr.

Geoffroy, Ins. Envir. Paris I, 1762, p. 62. — Casey, Ann. N. York. Ac. V, 1889, p. 63. — Albers, Deutsche Ent. Zeitschr. 1891, p. 319.

Agassizi Lec. Proc. Acad. Phil. 1861, p. 345♀. — Parry, Trans. Ent. Soc. Lond. 1864, p. 60. — Fuchs, Bull. Brookl. Ent. Soc. V, 1882, p. 58, f. 8, t. f. 8♀. — Lec. Trans. Am. Ent. Soc. IX, 1882, p. 21; l. c. XII, 1885, p. 169. — Californien

californicus Casey, Bull. Calif. Acad. Sc. I, 1885, p. 331. — Horn, Proc. Am. Ent. Soc. 1886, p. 8. — Casey, Notices I, 1886, p. 263. — ,,

caraboides L. Syst. Nat. I, 1735, p. 561. — Ol. Ent. I, 1, 1789, p. 20, t. 2, f. 2. — F. Syst. El. II, 1801, p. 253. — Muls. Col. Fr. Lamell. 1842, p. 595. — Burm. Handb. V, 1847, p. 405. — Europa
capra De Geer. Mém. Ins. IV, 1781, p. 334, t. 12, f. 11.
cribratus Muls. Ann. Soc. Linn. Lyon X, 1865, p. 7.
virescens Muls. Col. Fr. Lamell. 1842, p. 595.
viridiaeneus Muls. l. c. p. 595.
var. *rufipes* Herbst, Käfer III, 1790, p. 311, t. 34, f. 8. — M.-Europa
var. *spinifer* Schauf. Sitzungsber. Ges. Isis 1862, p. 198; Revue Zool. 1863, p. 120. — ,,

caucasicus Parry, Trans. Ent. Soc. Lond. (3) II, 1864, p. 60♂. — Caucasus

chalybaeus Casey, Ann. New York. Ac. IX, 1897, p. 639. — N.-Amerika

Delagrangei Fairm. Ann. Soc. Ent. Belg. XXXVI, 1892, p. 145. — Akbes

delicatulus Lewis, Trans. Ent. Soc. Lond. 1883, p. 338, t. 14, f. 3. — Japan

depressus Lec. Agass. Lake Sup., p. 224. — Fuchs, Bull. Brookl. Ent. Soc. V, 1882, p. 58, f. 9, t. f. 9♂. — N.-Amerika
(?)*piceus* Kirby in Richardson, Fauna Am. Bor. IV, 1837, p. 141.

ebeninus Deyr. Ann. Soc. Ent. Fr. (4) IV, 1864, p. 317. t. 4, f. 4. — Brasilien

— **Keeni** Casey, Canad. Entom. XXVII, 1895, p. 153. — Queen-Charlotte-Ins.

— **latus** Fall, Canad. Entom. XXXIII, 1901, p. 291. — Californien

— **marginalis** Casey, Ann. N. York Ac. IX, 1897, p. 639. — N.-Amerika

opacus Fall, Ent. News XVII, 1906, p. 393. — Californien

— **oregonensis** Westw. Proc. Ent. Soc. Lond. 1844, p. 106; Trans. Ent. Soc. Lond. IV, 1847, p. 277, t. 20, f. 9 ♂. — Parry, Cat. III, 1875, p. 14. — Fuchs, Bull. Brookl. Ent. Soc. V, 1882, p. 57, f. 7, t. f. 7 ♂. — Oregon

coerulescens Lec. Proc. Ac. Phil. 1861, p. 345 ♂. — Parry, Trans. Ent. Soc. Lond. 1864, p. 60. — Horn, Trans. Am. Ent. Soc. V, 1875, p. 137.

— **pacificus** Casey, Ann. New York Ac. V, 1875, p. 165. — Californien

parvicollis Casey, l. c. p. 164. — „

— **quercus** Weber, Obs. Entom. I, 1801, p. 85. — Burm. Handb. V, 1847, p. 406. — Fuchs, Bull. Brookl. Ent. Soc. V, 1882, p. 57, f. 6, t. f. 6 ♂. — N.-Amerika

scaritoides Sturm, Cat. 1826, p. 184.

securidens Say, Journ. Ac. Sc. Phil. III, 1863, p. 249.

virescens F. Syst. Ent. App. ~~1794, p. 87~~ (teste Parry).

thoracicus Casey, Canad. Entom. XXVII, 1895, p. 154. — Californien

18

Pseudodorcus Parry.

Parry, Trans. Ent. Soc. Lond. 1870, p. 94.

hydrophiloides *(Dorcus)* Hope (Westw.) Cat. Luc. 1845, p. 23 ♂. — Ins. Melville

carbonarius (♀) Westw. Trans. Ent. Soc. Lond. (3) I, 1863, p. 515, t. 21, f. 3 (teste: Parry, Trans. Ent. Soc. Lond. 1870, p. 94).

1

Lissapterus Deyr.

Deyr., Trans. Ent. Soc. Lond. 1870, p. 98.

— **Howittanus** *(Lissotes)* Westw. Trans. Ent. Soc. Lond. 1863, p. 513, t. 21, f. 1 ♂. — Parry, Trans. Ent. Soc. Lond. 1864, p. 97. — Deyr. Trans. Ent. Soc. Lond. 1870, p. 98. — Westw. Trans. Ent. Soc. Lond. 1871, p. 369. — Australien

— **pelorides** Westw. Trans. Ent. Soc. Lond. 1855, p. 220; l. c. 1863, p. 514, t. 21, f. 2 ♀. — Parry, Trans. Ent. Soc. Lond. 1864, p. 90; l. c. 1870, p. 114. — Moreton-Bay

2

Hoplogonus Parry.

Parry, Cistula Entomol. II, 1876, p. 131.

Simsoni Parry, l. c. p. 131, t. 1, f. 1—3. — Tasmanien

1

Lissotes Westw.

Westw. Trans. Ent. Soc. Lond. 1855, p. 213. — Parry, Trans. Ent. Soc. Lond. 1873, p. 340.

abditus Broun, Man. N. Zeal. Col. II, 1881, p. 673.	N.-Seeland
acmenus Lewis, Trans. N. Zeal. Inst. XXXIV, 1902, p. 203.	,,
aemulus Broun, Man. N. Zeal. Col. V, 1893, p. 1109.	,,
auriculatus Broun, Ann. Mag. Nat. Hist. XI, 1903, p. 615.	,,
basilaris Deyr. Ann. Soc. Ent. Fr. (6) I, 1881, p. 240.	Tasmanien
cancroides F. Mant. I, 1787, p. 2. — Ol. Ent. I, 1, 1789, p. 18, t. 4, f. 11. — Westw. Ent. Mag. V, 1838, p. 267. — Burm. Handb. V, 1847, p. 402. — Parry, Trans. Ent. Soc. Lond. 1870, p. 81. — Westw. Trans. Ent. Soc. Lond. 1871, p. 371.	,,
capito Deyr. Trans. Ent. Soc. Lond. 1873, p. 339, t. 5, f. 4♂. — Parry, Trans. Ent. Soc. Lond. 1873, p. 339, t. 5, f. 5♀.	Chatham-Ins.
cornutus Boil. Naturaliste XXVII, 1905, p. 201.	Australien
crenatus Westw. Trans. Ent. Soc. Lond. 1855, p. 216, t. 12, f. 3.	,,
curvicornis Boisd. Voy. Astrolabe. Col. 1832, p. 235. — Reiche, Ann. Soc. Ent. Fr. (3) I, 1853, p. 82. — Parry, Trans. Ent. Soc. Lond. ~~1870~~, p. 81.	,,
Desmaresti Deyr. Ann. Soc. Ent. Fr. (6) I, 1881, p. 239, t. 5, f. 3.	N.-Seeland
distinctus Deyr. l. c. p. 240.	Tasmanien
elegans Broun, Man. N. Zeal. Col. V, 1893, p. 1110.	N.-Seeland
forcipula Westw. Trans. Ent. Soc. Lond. 1871, p. 366, t. 9, f. 2; l. c. 1871, p. 367, t. 9, f. 6a—b♀.	Tasmanien
furcicornis Westw. l. c. 1871, p. 362, t. 9, f. 3.	Victoria
Helmsi Sharp, Ent. Monthl. Mag. XVIII, 1881, p. 49.	N.-Seeland
ithaginis Broun, Man. N. Zeal. Col. V, 1893, p. 1108.	,,
latidens Westw. Trans. Ent. Soc. Lond. 1871, p. 363, t. 9, f. 4.	Tasmanien
Launcestoni Westw. Trans. Ent. Soc. Lond. 1871, p. 365, t. 9, f. 1.	,,
Menalcas Westw. Trans. Ent. Soc. Lond. 1855, p. 214, t. 12, f. 1.	Australien
Novae-Zeelandiae Hope (Westw.) Cat. Luc. 1845, p. 25.	N. Seeland
caviceps Westw. Trans. Ent. Soc. Lond. 1855, p. 212, t. 12, f. 6♂, 7♀.	
punctulatus White, Voy. Ereb. Terr. 1846, Ins. p. 9 (teste: Sharp).	
obtusatus Westw. Ent. Mag. V, 1838, p. 267; Trans. Ent. Soc. Lond. 1855, p. 217; — Burm. Handb. V, 1847, p. 402. — Westw. Trans. Ent. Soc. Lond. 1875, p. 244 (var.?).	Tasmanien
opacus Deyr. Trans. Ent. Soc. Lond. 1870, p. 97.	,,
planus Broun, Man. N. Zeal. Col. I, 1880, p. 252.	N. Seeland
reticulatus Westw. Proc. Ent. Soc. Lond. 1844, p. 106; Trans. Ent. Soc. Lond. IV, 1847, p. 275, t. 20, f. 4; l. c. 1855, p. 218, t. 12, f. 9.	,,
cicatricosus Burm. Handb. V, 1847, p. 403.	
squamidorsis White, Voy. Ereb. Terr. 1846, Ins. p. 9, t. 2, f. 2. — Blanch. Voy. Pôle Sud. IV, 1847, p. 140 (teste Sharp).	
zealandicus Fairm. Revue Zool. 1849, p. 44 (teste Parry).	

— [illegible]

— [illegible]

— **rufipes** Sharp, Trans. Roy. Dubl. Soc. (2) III, 1886, p. 398. N. Seeland
Stewarti Broun, Man. N. Zeal. Col. II, 1881, p. 673. „
— **subcrenatus** Westw. Trans. Ent. Soc. Lond. 1871, p. 368, t. 9, f. 5. Tasmanien
— **subtuberculatus** Westw. Trans. Ent. Soc. Lond. 1855, p. 215, t. 12, f. 2. „

29

Oonotus Parry.

Parry, Trans. Ent. Soc. Lond. (3) II, 1864, p. 62.

adspersus Boh. Ins. Caffr. II, 1848, p. 384. — Westw. Trans. Ent. Soc. Lond. (3) I, 1863, p. 455, t. 16, f. 6. — Péringuey, Trans. South. Afr. Phil. Soc. XII, 1901, p. 7. Natal

1

VI. Figulinae.

Thoms. Ann. Soc. Ent. France (4) II, 1862, p. 391 *(Figulitae)*.

Nigidius M'Leay.

M'Leay, Horae Ent. I, 1819, p. 108. — Westw. Ann. Sc. Nat. (2) I, 1834, p. 121; Entom. Mag. V, 1838, p. 121. — Burm. Handb. V, 1847, p. 431. — Parry, Trans. Ent. Soc. Lond. 1873, p. 342. — Péringuey, Trans. South Afr. Phil. Soc. XII, 1901, p. 9.

Eudora Cast. Hist. Nat. Ins. II, 1837, p. 174 (pars).
Hadronigidius Kraatz, Deutsche Ent. Zeitschr. 1896, p. 65.

amplicollis Qued. Berl. Ent. Zeitschr. XXVIII, 1884, p. 266. — v. d. Poll, Notes Leyd. Mus. XI, 1889, p. 228. Quango, Zanzibar Sambesi
auriculatus Guér. *(Platycerus)* Ic. Règn. Anim. 1833, Ins. t. 27, f. 4. — Cast. Hist. Nat. II, 1837, p. 174. — Westw. Ent. Mag. V, 1838, p. 265. — Burm. Handb. V, 1847, p. 433. — Thoms. Arch. Ent. II, 1858, p. 48. Senegambien
— **Baeri** Boil. Naturaliste XXVII, 1905, p. 18. Manilla
Bennigseni Kraatz *(Hadronigidius)* Deutsche Ent. Zeitschr. 1896, p. 66. — Zang, Deutsche Ent. Zeitschr. 1905, p. 215. Usambara, Tanganyika-See
Bonneuili Boil. Naturaliste XXVII, 1905, p. 18. Mindoro
— **bubalus** Sweder. Vet. Ak. Nya Handl. 1787, p. 187, t. 8, f. a—c ♂. Guinea
auriculatus Klug, Erman's Reise Atl. 1829, p. 39, t. 15, f. 10.
integer Westw. Ent. Mag. V, 1838, p. 265.
Midas Cast. Hist. Nat. II, 1837, p. 174, t. 17, f. 5.
— **cornutus** M'Leay, Horae Ent. I, 1819, p. 109, t. 1, f. 6. — Westw. Ent. Mag. V, 1838, p. 264. — Parry, Trans. Ent. Soc. Lond. 1864, p. 63. Malacca

—	**cribricollis** Parry, Trans. Ent. Soc. Lond. 1873, p. 340, t. 5, f. 6.	W.-Afrika
—	**Delegorguei** Thoms. Ann. Soc. Ent. Fr. (4) II, 1862, p. 430. — Péringuey, Trans. South Afr. Phil. Soc. XII, 1901, p. 10, t. 21, f. 2.	Natal, Transvaal
—	**dentifer** Albers, Deutsche Ent. Zeitschr. XXVIII, 1884, p. 16. — v. d. Poll, Notes Leyd. Mus. XI, 1889, p. 228.	M.-Afrika, Old-Calabar, Togo
—	**distinctus** Parry, Trans. Ent. Soc. Lond. 1873, p. 341, t. 5, f. 7.	Cambodja
—	**divergens** Waterh. Ann. Mag. Nat. Hist (6) V, 1890, p. 38.	Nyassa
—	**elongatus** Boil. Naturaliste XXIV, 1902, p. 204.	Birmah
—	**formosanus** Bates, Proc. Zool. Soc. Lond. 1866, II, p. 347. — Parry, Trans. Ent. Soc. Lond. 1870, p. 65.	Formosa
	Fruhstorferi Albers, Deutsche Ent. Zeitschr. 1894, p. 161.	Java
—	**gigas** Möllenk. Insektenbörse XIX, 1902, p. 363; Deutsche Ent. Zeitschr. 1903, p. 346.	Tonkin
—	**grandis** Hope, Ann. Mag. Nat. Hist. VIII, 1841, p. 302; Trans. Ent. Soc. Lond. III, 1846, p. 279. — Hope (Westw.) Cat. Luc. 1845, p. 26. — Rits. Notes Leyd. Mus. 1896, p. 130.	Sierra-Leona
	Albersi Duviv. Ann. Soc. Ent. Belg. XXXIV, 1890, p. 6; l. c. 1892, p. 276. — Rits. Notes Leyd. Mus. 1896, p. 130. — Boil. Mém. Soc. Ent. Belg. IX, 1902, p. 34.	
	georgianus Thoms. Arch. Ent. II, 1858, p. 47, t. 1, f. 4.	
	Mniszechi Thoms. l. c. p. 47.	
	spectabilis Kraatz, Deutsche Ent. Zeitschr. 1895, p. 370 (teste: Rits. Notes Leyd. Mus. XVIII, 1896, p. 130).	
	Hageni Rits. Notes Leyd. Mus. XI, 1889, p. 1.	Sumatra
	Helleri Boil. Naturaliste XXVII 1905, p. 47.	Palembang
—	**impressicollis** Boil. l. c. 1905, p. 60.	Khasia Hills
—	**kinabaluensis** Rits. Notes Leyd. Mus. XIX, 1897, p. 187.	N.-Borneo
—	**laevicollis** Westw. Proc. Zool. Soc. Lond. V, 1835, p. 128; Ent. Mag. V, 1838, p. 264.	Manilla
	forcipatus Westw. Ent. Mag. V, 1838, p. 267. — Burm. Handb. V, 1847, p. 433.	
—	**laevigatus** Harold, Mitth. Münch. Ent. Ver. II, 1878, p. 100; Col. Hefte XVI, 1879, p. 31. — v. d. Poll, Notes Leyd. Mus. XI, 1889, p. 228.	Lunda, Nyassa
—	**Lewisi** Boil. Naturaliste XXVII, 1905, p. 61.	Liu-Kiu-Ins.
	Lichtensteini Rits. Notes Leyd. Mus. I, 1879, p. 129.	Celebes
—	**madagascariensis** Cast. Hist. Nat. II, 1837, p. 175. — Westw. Entom. Mag. V, 1838, p. 266. — Burm. Handb. V, 1847, p. 434.	Madagascar
—	**nitidus** Thoms. Ann. Soc. Ent. Fr. (4) II, 1862, p. 431.	Senegal
	Oberndorferi Nonfried, Ent. Nachr. XVIII, 1892, p. 118.	Nossibé
—	**obesus** Parry, Trans. Ent. Soc. Lond. (3) II, 1864, p. 63 ♂. — Westw. Trans. Ent. Soc. Lond. 1874, p. 361, t. 3, f. 5 ♂.	Malacca, Borneo, Sumatra
	oxyotus Fairm. Ann. Soc. Ent. Fr. (6) VIII, 1888, p. 339.	Tonkin
—	**Parryi** Bates, Proc. Zool. Soc. Lond. 1866, p. 347. — Parry, Trans. Ent. Soc. Lond. 1870, p. 66. — Westw. Trans. Ent. Soc. Lond. 1871, p. 360, t. 8, f. 1 ♂.	Formosa

— **perforatus** Harold, Mitth. Münch. Ent. Ver. II, 1878, p. 100; Coleopt. Hefte XVI, 1879, p. 30. — Lunda M.-Afrika
semicariosus Fairm. Compt. Rend. Soc. Ent. Belg. XXXV, 1891, p. 283. — Somali
taurus Jacowl. Horae Soc. Ent. Ross. XXXIV, 1900, p. 640. — Philippinen
— **trilobus** Westw. Ent. Mag. V, 1838, p. 263 *(Figulus)*. — Parry, Trans. Ent. Soc. Lond. 1873, p. 343; Catal. III, 1875, p. 15. — Australien
vagatus Fairm. Ann. Soc. Ent. Fr. (6) VIII, 1888, p. 339. — Tonkin
validus Péringuey, Trans. South. Afr. Phil. Soc. XII, 1901, p. 11, t. 31, f. 3. — Mozambique, Rikatla
Welwitschi Waterh. Ann. Mag. Nat. Hist. (6) V, 1890, p. 39. — Angola

38

Agnus Burm.

Burm. Handb. Ent. V, 1847, p. 441.

— **egenus** Burm. l. c. p. 442 ♂. — Mauritius
Bobus Picornoti Boil. Bull. Soc. Ent. Fr. 1899, p. 40 (teste: Boileau).

1

Amneidus Cocq.

Cocquerel, Ann. Soc. Ent. Fr. (4) VI, 1866, p. 325.

— **Godefroyi** Cocq. l. c. p. 326, t. 7, f. 1. — Parry, Trans. Ent. Soc. Lond. 1870, p. 66. — Ins. Bourbon

1

Penichrolucanus Deyr.

Deyrolle, Ann. Soc. Ent. Fr. 1863, p. 485.

copricephalus Deyr. l. c., p. 486, t. 9, f. 11. — Parry, Trans. Ent. Soc. Lond. 1864, p. 64. — Malacca

1

Figulus M'Leay.

Mac Leay, Horae Ent. I, 1819, p. 110. — Westw. Ann. Sc. Nat. (2) I, 1834, p. 115; Ent. Mag. V, 1838, p. 261. — Burm. Handb. V, 1847, p. 435. — Parry, Trans. Ent. Soc. Lond. 1873, p. 343.

Eudora Cast. (pars). Westw. Ann. Sc. Nat. (2) I, 1834, p. 119; Ent. Mag. V, 1838, p. 261. — Burm. Handb. V, 1847, p. 435.

— **Albertisi** Gestro, Ann. Mus. Civ. Genova XVI, 1881, p. 335. — N.-Guinea
ater Deyr. Trans. Ent. Soc. Lond. 1874, p. 412. — Mysole
— **Beccarii** Gestro, Ann. Mus. Civ. Genova XVI, 1881, p. 338. — Sumatra
— **binodulus** Waterh. Ent. Month. Mag. IX, 1873, p. 277. — Lewis Trans. Ent. Soc. Lond. 1883, p. 339. — Japan
— **cambodjensis** Deyr. Trans. Ent. Soc. Lond. 1874, p. 414. — Cambodja

capensis Thunb. Ins. Spec. Nov. 1781, p. 5, f. 1; Mém. Mosc. I, 1806, p. 203. — Burm. Handb. V, 1847, p. 139.	Cap b. Sp.
caviceps Boil. Naturaliste XXIV, 1902, p. 205.	Birmah.
cicatricosus Boil. Naturaliste XXVII, 1905, p. 38.	Neilgherries
confusus Westw. Ent. Mag. V, 1838, p. 262. — Burm. Handb. V, 1847, p. 439.	Ostindien, Cambodja
striatus M'Leay, Horae Ent. I, 1819, p. 100.	
decipiens Albers, Stett. Ent. Zeitschr. XLV, 1884, p. 173; Deutsche Ent. Zeitschr. 1885, p. 248.	W.-Afrika
fissicollis Fairm. Revue Zool. 1849, p. 414.	Tongatabu
modestus Parry, Proc. Ent. Soc. Lond. 1862, p. 113 (teste: Sharp).	
foveicollis Boisd. Voy. Astrolabe, Col. 1832, p. 239. — Fairm. Revue Zool. 1849, p. 414.	Tongatabu
insularis Blanch. Voy. Pôle Sud 1852, Zool. p. 142.	
lifuanus Montr. Ann. Soc. Ent. Fr. (3) VIII, 1860, p. 287.	
woodlarkianus Montr. Ann. Soc. Agr. Lyon VII, 1857, p. 26.	
Horni Zang, Deutsche Ent. Zeitschr. 1905, p. 161.	Ceylon
impressicollis Rits. Notes Leyd. Mus. XVII, 1896, p. 139.	Borneo
integricollis Thoms. Ann. Soc. Ent. Fr. (4) II, 1862, p. 431 ♂. — Gestro, Ann. Mus. Civ. Genova XVI, 1881, p. 337.	Marianen
interruptus Waterh. Ent. Monthl. Mag. XI, 1874, p. 7.	Ostindien
laevipennis Montr. Ann. Soc. Ent. Fr. (3) VIII, 1860, p. 286.	N.-Caledon.
Lansbergei Rits. Notes Leyd. Mus. II, 1880, p. 217.	Sumbawa
laticollis Reiche, Ann. Soc. Ent. Fr. (3) I, 1853, p. 84. — Thoms. Ann. Soc. Ent. Fr. (4) II, 1862, p. 402. — Parry, Trans. Ent. Soc. Lond. 1870, p. 115.	Philippinen, Borneo
lilliputanus Westw. Trans. Ent. Soc. Lond. 1855, p. 219, t. 12, f. 5.	Australien
clivinoides Thoms. Ann. Soc. Ent. Fr. (4) II, 1862, p. 432.	
manilarum Hope (Westw.) Cat. Luc. 1845, p. 26.	Manilla
marginalis Rits. Notes Leyd. Mus. I, 1879, p. 189.	Java, Sumatra, Borneo
mediocris Deyr. Trans. Ent. Soc. Lond. 1874, p. 414.	Malacca, Sumatra, Borneo
mento Albers, Deutsche Ent. Zeitschr. 1883, p. 226.	N.-Guinea
minutus Deyr. Trans. Ent. Soc. Lond. 1874, p. 414.	Banda
nitens Waterh. Ent. Monthl. Mag. XI, 1874, p. 7.	N.-S.-Wales
nitidulus Gestro, Ann. Mus. Civ. Genova XVI, 1881, p. 335.	N.-Guinea
papuanus Gestro, l. c. p. 336.	N.-Guinea, Key-Inseln
procerus Heller, Abh. Mus. Dresden VII, 1898, nr. 3, p. 21, t. 3, f. 3.	Celebes
punctatostriatus Deyr. Trans. Ent. Soc. Lond. 1874, p. 413.	Timor
punctatus Waterh. Ent. Monthl. Mag. IX, 1872, p. 278. — Lewis, Trans. Ent. Soc. Lond. 1883, p. 339.	Japan
regularis Westw. Ann. Sc. Nat. (2) I, 1834, p. 120; Ent. Mag. V, 1838, p. 263. — Burm. Handb. V, 1847, p. 437.	Australien

australicus Thoms. Ann. Soc. Ent. Fr. (4) II, 1862, p. 432.

— **Rossi** Gahan, Monogr. Christmas Island 1900, p. 96. Christmas-Ins.

— **rugosus** Deyr. Trans. Ent. Soc. Lond. 1874, p. 413. Borneo, Sumatra

— **scaritiformis** Parry, Proc. Ent. Soc. Lond. 1862, p. 113; Trans. Ent. Soc. Lond. 1864, p. 64. Malacca, Borneo

— **striatus** Ol. Ent. I, 1, 1789, p. 19, t. 4, f. 14. — Cast. Hist. Nat. II, 1837, p. 175, t. 17, f. 6. — Westw. Ent. Mag. V, 1838, p. 262. — Burm. Handb. V, 1847, p. 438. — Blanch. Hist. Nat. I, 1850, p. 268, t. 8, f. 2—3 (larva). Mauritius, Bourbon

— **subcastaneus** Westw. Ent. Mag. V, 1838, p. 263. — Burm. Handb. V, 1847, p. 438. Java

— **sublaevis** Beauv. Ins. Afr. et Amer. I, 1805, p. 3, t. 1, f. 3 ♂. — Westw. Ent. Mag. V, 1838, p. 262. — Burm. Handb. V, 1847, p. 436. — Gerst. Arch. f. Nat. XXXVII, 1871, p. 46. — Parry, Trans. Ent. Soc. Lond. 1873, p. 343. — Albers, Stett. Ent. Zeitschr. XLV, 1884, p. 173; Deutsche Ent. Zeitschr. 1885, p. 248. Oware, Senegal, Madagascar

anthracinus Klug, Ins. Madag. 1832, p. 173. — Albers, Stett. Ent. Zeitschr. XLV, 1884, p. 173 (teste: Gerst. Arch. f. Nat. XXXVII, 1871, p. 46).

ebenus Westw. Ann. Sc. Nat. (2) I, 1834, p. 120, t. 7, f. 4; Ent. Mag. V, 1838, p. 261.

monilifer Parry, Proc. Ent. Soc. Lond. 1862, p. 113.

nigritus Westw. Ent. Mag. V, 1838, p. 161. — Parry, Trans. Ent. Soc. Lond. 1864, p. 99; Cat. Luc. III, 1875, p. 22. — Albers, Deutsche Ent. Zeitschr. 1884, p. 173.

vulneratus Thoms. Ann. Soc. Ent. Fr. (4) II, 1862, p. 433.

— **sulcicollis** Hope (Westw.) Cat. Luc. 1845, p. 26. Port Essington

39

Cardanus Westw.

Westw. Ann. Sc. Nat. (2) I, 1834, p. 112.

Eudora Cast. (pars) Hist. Nat. Ins. II, 1837, p. 174.

alfurus Gestro, Ann. Mus. Civ. Genova XVI, 1881, p. 339. Neu-Guinea

Boileavi Rits. Notes Leyd. Mus. XXII, 1900, p. 190. W.-Borneo

— **costatus** Rits. l. c. XXIII, 1901, p. 229. W.-Sumatra

— **cribratus** Parry, Trans. Ent. Soc. Lond. 1870, p. 98. Philippinen

— **laevigatus** Deyr. Trans. Ent. Soc. Lond. 1874, p. 412. Molukken, Philippinen

sericeus Boil. Bull. Soc. Ent. Fr. 1899, p. 43. W.-Sumatra

— **sulcatus** Westw. Ann. Sc. Nat. (2) I, 1834, p. 113, t. 7, f. 1. — Burm. Handb. V, 1847, p. 440. Java, Sumatra, Borneo

cornutus Gray in Griff. Anim. Kingdom. 1832, t. 46, f. 3. — Cast. Hist. Nat. II, 1837, p. 175.

7

Xiphodontus Westw.

Westw. Ent. Mag. V, 1838, p. 259. — Péringuey, Trans. South Afr. Phil. Soc. XII, 1901, p. 7.

Cephax Cast. Hist. Nat. Ins. II, 1837, p. 175.

antilope Westw. Ent. Mag. V, 1838, p. 260, f. — Burm. Handb. V, 1847, p. 430. — Péringuey, Trans. South Afr. Phil. Soc. XII, 1901, p. 8. — Cap b. Sp.
capensis Sturm, Cat. 1843, p. 347, t. 4, f. 3.
Reichei Cast. Hist. Nat. Ins. II, 1837, p. 175, t. 17, f. 7—8.

1

VII. Syndesinae.

Mac Leay, Horae Ent. I, 1819, p. 104 *(Syndesidae)*.

Syndesus M'Leay.

M'Leay, Horae Ent. I, 1819, p. 104.

cancellatus Montr. Ann. Soc. Ent. Fr. (3) VIII, 1860, p. 283. — Reiche, Ann. Soc. Ent. Fr. 1860, p. 283, nota. — N.-Caledonien

cornutus F. Syst. El. II, 1801, p. 377. — M'Leay, Horae Ent. I, 1819, p. 104. — Boisd. Voy. Astrolabe 1832, p. 238. — Westw. Ann. Sc. Nat. (2) I, 1834, p. 114. — Cast. Hist. Nat. Ins. 1837, p. 176. — Burm. Handb. V, 1847, p. 333. — Lac. Genera, Atl. 1856, t. 25, f. 3. — Reiche, Ann. Soc. Ent. Fr. (3) VIII, 1860, p. 283. — Tasmania
parvus Donov. Ins. Nov. Holl. 1805, t. 1, f. 1.

Götzeni Kaeseberg, Durch Afrika von Ost nach West, Berl. 1895, p. 396. — Afrika

Mac-Leayi Boil. Naturaliste 1905, p. 61. — Victoria

punctatus Boil. l. c. p. 61. — N.-Caledonien

5

Hexaphyllum Gray.

Gray in Griff. Anim. Kingdom. Ins. I, 1832, p. 536.

Psilodon Perty, Delect. Anim. 1830, p. 53.

aequinoctiale Buquet. Ann. Soc. Ent. Fr. 1840, p. 375 ♂. — Bogota
Westwoodi Hope Proc. Ent. Soc. Lond. 1840, p. 11. — Ann. Nat. Hist. VII, 1841, p. 147. — Burm. Handb. V, 1847, p. 332.

Schuberti Perty, Delect. Anim. 1830, p. 54, t. 11, f. 12 ♀. — Cast. Hist. Nat. Ins. II, 1837, p. 176. — Brasilien
brasiliense Gray, Griff. Anim. Kingdom. Ins. I, 1832, p. 536, t. 46, f. 4. — Westw. Ann. Sc. Nat. (2) I, 1834, p. 114, t. 7, f. 1. 2. — Burm. Handb. V, 1847, p. 532. — Reiche, Ann. Soc. Ent. Fr. 1860, p. 283.

2

VIII. Aesalinae.

Mac Leay, Horae Ent. I, 1819, p. 115 *(Aesalidae)*.

Diphyllostoma Fall.

Fall, Canad. Ent. XXXIII, 1901, p. 324.

Phyllostoma Fall, l. c. p. 290.

fimbriata Fall, l. c. p. 290. Californien
1

Ceruchus M'Leay.

Mac Leay, Horae Ent. I, 1819, p. 115.

Platycerus Latr. Gen. Crust. Ins. II, 1807, p. 133.

— **atavus** Fairm. Compt. Rend. Soc. Ent. Belg. XXXV, 1891, p. 88. Kaschmir

— **lignarius** Lewis, Trans. Ent. Soc. Lond. 1883, p. 339, t. 14, f. 4 ♂. Japan

— **piceus** Weber, Observ. Ent. I, 1801, p. 84. — F. Syst. El. II, 1801, p. 252. — Thunb. Mém. Soc. Nat. Mosc. I, 1806, p. 202. — Schönh. Syn. Ins. I, 3, 1806, p. 327. — Burm. Handb. V, 1847, p. 329. — Fuchs, Bull. Brookl. Ent. Soc. V, 1882, p. 59, f. 12, t. f. 11 ♂, 15 larva, 16 pupa. N.-Amerika
Balbi Cast. Hist. Nat. II, 1837, p. 174, t. 17, f. 3—4.
quercicola Melsh. Sturm. Cat. 1843, p. 136.

— **punctatus** Lec. Ann. Mag. Nat. Hist. (4) IV, 1869, p. 377. — Parry, Cat. Luc. Col. III, 1875, p. 4. — Fuchs, Bull. Brookl. Ent. Soc. V, 1882, p. 59, t. f. 10 ♂. „

— **striatus** Lec. Proc. Ac. Phil. 1859, p. 85 ♂. — Fuchs, Bull. Brookl. Ent. Soc. V, 1882, p. 59. „

— **tenebrioides** F. Mant. Ins. I, 1787, p. 2. — Panz. Fauna Germ. 1794, p. 62. — Dufts. Fauna Austr. I, 1805, p. 67. — Schönh. Syn. Ins. I, 3, 1806, p. 328. — Latr. Gen. Crust. Ins. II, 1807, p. 133. — Gyll. Ins. Suec. II, 1808, p. 68. — M'Leay, Horae Ent. I, 1819, p. 115. — Cast. Hist. Nat. Ins. II, 1837, p. 173. — Heer, Fauna Helv. I, 1838, p. 497. — Muls. Lamell. France 1842, p. 597, t. 3, f. 4—6. — Burm. Handb. V, 1847, p. 328. Deutschland, Schweiz, Frankreich, Oesterreich, Schweden
chrysomelinus Hochenw. Schrift. Berl. Ges. 1785, p. 356, t. 8, f. 11.
piceus Boisd. Vet. Ak. Nya. Handl. VI, 1785, p. 222, t. 8, f. a (teste Gemm. und Harold).
sylvicola Muls. Col. Lamell. 1842, p. 598.
tarandus Panz. Beitr. Gesch. Ins. 1802, p. 25, t. 3, f. 3—5. — Jacq. du Val, Gen. Col. Eur. 1857, t. 2, f. 6 ♂, 7 ♀.

Nicagus Lec.

Lec., Classif. of N. Amer. Col. I, 1860, p. 139. — Deyr. Trans. Ent. Soc. Lond. 1873, p. 344, t. 5, f. 8 a—b.

obscurus Lec. Journ. Ac. Phil. (2) I, 1848, p. 86. — Deyr. Trans. Ent. Soc. Lond. 1873, p. 344, t. 5, f. 8 a—b. — Westw. Proc. Ent. Soc. Lond. 1878, p. 34, f. 3 a—k. — N.-Amerika

1

Ceratognathus Westw.

Westw. Ent. Mag. V, 1838, p. 260. — Broun, Manual N. Zealand Col. V, 1893, p. 1112.

abdominalis Parry, Trans. Ent. Soc. Lond. 1870, p. 99♀. — Australien
alboguttatus Bates, Ent. Monthl. Mag. IV, 1867, p. 54. — Parry, Trans. Ent. Soc. Lond. 1870, p. 67. — Moreton-Bay
dispar Sharp, Trans. Ent. Soc. Lond. 1882, p. 82. — N.-Seeland
flabellatus Boil. Naturaliste XXVII, 1905, p. 176, f. ♂. — Queensland
Frenchi Blackb. Trans. R. Soc. S. Austr. XXI, 1897, p. 28. — Victoria
Froggatti Blackb. Proc. Linn. Soc. N. S. Wales IX, 1894, p. 94. — Froggatt, Proc. Linn. Soc. N. S. Wales. IX, 1894, p. 120 (larva). — N.-S.-Wales
Gilesi Blackb. Trans. R. Soc. S. Austr. XIV, 1895, p. 215. — Victoria
helotoides Thoms. Ann. Soc. Ent. Fr. (4) II, 1862, p. 434. — Parry, Trans. Ent. Soc. Lond. 1864, p. 8; l. c. 1870, p. 99. — N.-Seeland
areolatus Westw. Trans. Ent. Soc. Lond. 1863, p. 430, t. 14, f. 2. — Parry, Proc. Ent. Soc. Lond. 1864, p. 7.
macrognathus Boil. Naturaliste XXVII, 1905, p. 200. — Australien
mentifer Westw. Trans. Ent. Soc. Lond. 1863, p. 434, t. 15, f. 5 ♂. — „
niger Westw. Ent. Mag. V, 1838, p, 261, f. — Burm. Handb. V, 1847, p. 325. — Tasmanien
furcatus Cast. Hist. Nat. II, 1837, p. 174.
rufipennis Westw. Trans. Ent. Soc. Lond. 1872, p. 82, t. 2, f. 2. — Australien
Westwoodi Thoms. Ann. Soc. Ent. Fr. (4) II, 1862, p. 433 ♂. — Parry, Trans. Ent. Soc. Lond. 1870, p. 99 ♀. — „
punctatissimus Westw. Trans. Ent. Soc. Lond. 1863, p. 433, t. 15, f. 4 ♂. — Parry, Proc. Ent. Soc. Lond. 1864, p. 6.

13

Mitophyllus Parry.

Parry, Trans. Ent. Soc. Lond. IV, 1845, p. 55.

Ptilophyllum Guér. Rev. Zool. 1845, p. 439.

angusticeps Broun, Ann. Mag. Nat. Hist. (6) XV, 1895, p. 199. — N.-Seeland
coniognathus Broun, Ann. Mag. Nat. Hist. XI, 1903, p. 616. — „

cuvidens Braun, Ann. Mag. Nat. Hist. XIV, 1904, p. 50.

— **cylindricus** Broun, Ann. Mag. Nat. Hist. (6) XV, 1895, p. 199. — N.-Seeland
— **foveolatus** Broun, Manual N. Zeal. Col. I, 1880, p. 253. — „
— **fusculus** Broun, Manual N. Zeal. Col. IV, 1886, p. 837. — „
gibbosus Broun, Manual N. Zeal. Col. IV, 1886, p. 928. — „
— **irroratus** Parry, Trans. Ent. Soc. Lond. IV, 1845, p. 56, t. 1, f. 4. — White, Voy. Ereb. Terr. 1846, t. 2, f. 3—4. — Burm. Handb. V, 1847, p. 326. — Lacord. Genera Atl. 1856, t. 25, f. 4. — Broun, Trans. N. Zeal. Inst. XIII, 1881, p. 230 (larva, pupa). — „
Godeyi Guér. Rev. Zool. 1845, p. 439; Bull. Soc. Ent. Fr. (2) III, 1845, p. 97.
macrocerus Broun, Manual N. Zeal. Col. IV, 1886, p. 837. — „
marmoratus Waterh. Ent. Monthl. Mag. XI, 1874, p. 8. — „
— **Parryanus** Westw. Trans. Ent. Soc. Lond. 1863, p. 432, t. 15, f. 3 ♂. — „
zealandicus Broun, *(Ceratognathus)* Trans. N. Zeal. Inst. IX, 1876, p. 372; Manual. N. Zeal. Col. I, 1880, p. 253; l. c. V, 1893, p. 1112. — Zang, Deutsche Ent. Zeitschr. 1906, p. 95.
— **tuberculatus** Broun, Manual N. Zeal. Col. V, 1893, p. 1112. — „

11

Aesalus F.

F. Syst. El. II, 1801, p. 254.

asiaticus Lewis, Trans. Ent. Soc. Lond. 1883, p. 340, t. 14, f. 5. — Japan
neotropicalis Bates, Biol. Centr.-Amer. Col. II, 2, 1886, p. 2, t. 1, f. 3. 3 a. — Guatamala
scarabaeoides Panz. Fauna Germ. 1794, t. 26, f. 15 ♂, 16♀. — Duftschm, Fauna Austr. I, 1805, p. 70. — Schönh. Syn. Ins. I, 3, 1806, p. 331. — Latr. Gen. Crust. Ins. II, 1807, p. 133. — M'Leay, Horae Ent. I, 1819, p. 103. — Muls. Col. Fr. Lamell. 1842, p. 605, t. 3, f. 8—9. — Guér. Icon. Règn. An. 1843, t. 27, f. 2. — Burm. Handb. V, 1847, p. 323. — Jacq. du Val, Gen. Col. Eur. 1857, t. 2, f. 3. — Europa
Smithi Bates, Biol. Centr.-Amer. Col. II, 2, 1889, p. 382. — Mexico
trogoides Albers, Deutsche Ent. Zeitschr. 1883, p. 228. — Bates, Biol. Centr.-Amer. Col. II, 2, 1889, p. 2. — „
Ulanowskyi Ganglb. Soc. Entom. I, 1887, p. 89. — Caucasus

6

IX. Sinodendrinae.

Thoms. Ann. Soc. Ent. France (4) II, 1862, p. 391 *(Sinodendronitae)*.

Sinodendron Hellw.

Hellwig, Schneid. Mag. 1794, p. 391.

Ligniperda F. Syst. El. II, 1801, p. 18.

americanum Beauv. Ins. Afr. et Amer. 1805, p. 192, t. 1, f. 1—2. — Parry, Trans. Ent. Soc. Lond. 1864, p. 65; l. c. 1870, p. 100 (= *cylindricum?*) — N.-Amerika

cylindricum L. Syst. Nat. I, 2, 1735, p. 544. — De Geer, Mém. IV, 1774, p. 258 *(Scarabaeus)*. — Ol. Entom. I, 1, 1789, p. 47, 54, t. 9, f. a, b, c. — F. Ent. Syst. II, 1801, p. 376. — Latr. Gen. Crust. Ins. II, 1807, p. 101. — Heer, Fauna Helv. 1838, p. 497. — Ratzeb. Forst. Ins. I, 1839, p. 87. — Westw. Classif. Ins. I, 1839, p. 185, f. 13—18. — Muls. Col. Fr. Lamell. 1842, p. 42, t. 1, f. 15 (larva). — Burm. Handb. V, 1847, p. 320. — Europa

juvenile Muls. Col. Fr. Lamell. 1842, p. 602 (forma min.).

persicum Reitt. Wien. Ent. Zeit. XXI, 1902, p. 81. — Kopet-Dagh

rugosum Mannh. Bull. Mosc. XVI, 1843, II, p. 262. — Lec. Report Survey 1857, p. 42, t. 1, f. 15. — Fuchs, Bull. Brookl. Ent. Soc. V, 1882, p. 59, f. 13, t. f. 13♂. — N.-Amerika

Lucanidae

Index.

Subfamiliae, Genera, Subgenera.

Aegognathus Leuthn. 43
Aegotypus Parry 40
Aegus M'Leay 40
Aesalinae 55
Aesalus F. 57
Agnus Burm. 51
Alcimus Fairm. 44
Allotopus Albers 15
Amneïdus Cocq. 51
Anoplocnemus Burm. 15, 16
Apterocyclus Waterh. 44
Aulacostethus Waterh. 22
Auxicerus Waterh. 30

Bobus Boil. 51

Cacostomus Newm. 6
Calodaemon Boileau 30
Cantharolethrus Thoms. 30
Cardanus Westw. 53
Casignethus M'Leay 4
Cephax Cast. 54
Ceratognathus Westw. 56
Ceruchus M'Leay 55
Chalcimon Dalm. 4
Chalcodes Westw. 16
Charagmophorus Waterh. 46
Chiasognathinae 4
Chiasognathus Steph. 4
Cladognathinae 21
Cladognathus Burm. 21
Colophon Gray 8
Cyclommatus Parry 28
Cyclophthalmus Hope 28
Cyclorasis Thoms. 30

Dendroblax White 6
Digonophorus Waterh. 32
Diphyllostoma Fall 55
Ditomoderus Parry 33
Dorcinae 32
Dorcus M'Leay 37

Epipedus Sol. 44
Eudora Cast. 49, 51, 53
Eulepidius Westw. 39
Eurytrachelus Thoms. 33

Falcicornis Planet 38
Figulinae 49
Figulus M'Leay 51

Gnaphaloryx Burm. 39
Godartia Chénu 44

Hadronigidius Kraatz 49
Hemisodorcus Thoms. 32
Hexarthrius Hope 14
Heterochthes Westw. 21
Hexaphyllum Gray 54
Homoderus Parry 28
Homolamprima M'Leay 6
Hoplitocranum Jacowl. 22
Hoplogonus Parry 47

Lamprima Latr. 7
Lepidotes Westw. 6
Leptinopterus Hope 31
Ligniperda F. 57
Lissapterus Deyr. 47
Lissotes Westw. 48
Lucaninae 9
Lucanus Scop. 10

Macrocrates Burm. 31
Macrodorcus Motsch. 33
Macrognathus Hope 21, 32
Megaloprepes Thoms. 28

Mesotopus Hope 15
Metadorcus Parry 32
Metallactulus Rits. 40
Metallactus Albers 40
Metopodontus Hope 22
Mitophyllus Parry 56

Neolamprima Gestro 8
Neolucanus Thoms. 15
Nicagus Lec. 56
Nigidius M'Leay 49

Odontolabinae 15
Odontolabis Hope 16
Odontolabis Hope 15
Oonotus Parry 49

Paraegus Gahan 43
Penichrolucanus Deyr. 51
Phalacrognathus M'Leay 8
Pholidotus M'Leay 4
Phyllostoma Fall 55
Platycerus Geoffr. 46
Platycerus Latr. 55
Platyprosopus Hope 33
Prismognathus Motsch. 30
Prosopocoelus Hope 25
Psalidognathus Motsch. 22
Psalidoremus Motsch. 22
Psalidostomus Burm. 31
Pseudaegus Heller 43
Pseudodorcus Parry 47
Pseudolucanus Hope 9
Pseudorhaetus Planet 13
Psilodon Perty 54
Ptilophyllum Guér. 56
Pycnosiphorus Sol. 44

Rhaetulus Westw. 14
Rhaetus Parry 13
Rhyssonotus M'Leay 6

Sclerognathus Hope 44
Sclerostomus Burm. 44
Scortizus Westw. 45
Serrognathus Motsch. 33
Sinodendrinae 57
Sinodendron Hellw. 57
Sphenognathus Buquet 5
Streptocerus Fairm. 8
Syndesinae 54
Syndesus M'Leay 54

Tetraophthalmus Lesson 4

Xenostomus Boil. 43
Xiphodontus Westw. 54

Species, Subspecies, Varietates.

abditus Broun 48
abdominalis Parry 56
acmenus Lewis 48
acuminatus F. 40
adelphus Thoms. 40
Adolphinae Gestro 8
adspersus Boh. 49
aduncus Jord. 14
aemulus Broun 48
aenea F. 7
aenea Donovan (Lamprima) 7
aenea Boisd. (Lamprima) 7
aenemicans Parry 29
aequalis Westw. 41
aequinoctiale Buquet 54
aeratus Hope 17
aethiops Jacowl. 30
affinis Parry (Leptinopt.) 31
affinis Philippi (Chiasogn.) 5
affinis Parry (Cyclomm.) 28
Agassizi Lec. 46
var. *akbesianus* Planet 10
Albersi Kraatz 28
Albersi Duviv. 50
Albertisi Gestro 51
albofuscus Blanch. 5
alboguttatus Bates 56
alces F. 17
alces Burm. 17
alcides Vollenh. 33
alfurus Gestro 53
alternatus Fairm. 44
var. *alticola* Möllenk. 18
americanum Beauv. 58
americanus Hope 10
amictus Deyr. 40
amplicollis Quedenf. 49
amplicollis Thoms. 7
andamanensis Westw. 21
angularis Waterh. 30
angulatus Hope 16
angusticeps Broun 56
antaeus Hope 37
anthracinus Kl. 53
antilope v. Rothenb. (Odont.) 17
antilope Swed. (Prosop.) 25
antilope Westw. (Xiphod.) 54
antilope Burm. 27
aper Gestro 39
approximatus Parry 25
Archeri Waterh. 22
areolatus Westw. 56

arfakianus Lansb. 33
armatus Parry (Sphenogn.) 5
armatus Boil. (Aegotypus) 40
armiger Herbst. 10
asiaticus Lewis 57
assimilis Parry 25
astacoides Hope 23
asteriscus Thoms. 24
atavus Fairm. 55
ater Deyr. 51
Atkinsoni Waterh. 32
atratus Hope 9
attenuatus Parry 22
aulicus Möllenk. 25
aurata Latr. 7
auriculatus Broun (Lissot.) 48
auriculatus Guér. (Nigid.) 49
auriculatus Kl. 49
aurocinctus Boil. 44
australicus Thoms. 53
axis Boil. 32
Azambreï Boil. 32

Bacchus Hope 44
Baeri Boil. 49
baladeva Hope 16
Balbi Cast. 55
barbarossa F. 9
barbarossa Costa 13
barbarus Jordan 38
basilaris Deyr. 48
Beauchenei Boil. 40
Beccarii Gestro 51
bellicosus Boil. (Sphenogn.) 5
bellicosus Cast. (Odont.) 17
bellicosus Boil. (Homod.) 28
bellicosus Reiche (Odont.) 20
bellicosus Thoms. (Odont.) 20
bellus Möllenk. 40
bengalensis Tennent (Odont.) 18
bengalensis Hope (Dorcus) 38
Bennigseni Kraatz 49
bicolor Möllenk. 28
bicolor Burm. (Neoluc.) 15
bicolor Burm. (Odont.) 18, 19
bicolor Oliv. (Odont.) 19
bicolor Thoms. (Odont.) 19
bidens Thunb. 13
bidens Möllenk. 41
bigibbosus Rits. 41
binervis Motsch. 36
binodulosus Waterh. 37
binodulus Waterh. 51
biplagiatus Westw. 22
bipunctatus Schrank (Dorcus) 38
bipunctatus Philippi (Sclerogn.) 44
birmaensis Möllenk. 15
bisignatus Parry 32
bison F. 22
bituberculatus M'Leay 38
Blanchardi Parry 23
Blanchardi Hope 35
blandus Parry 41
Boileavi Planet (Lucanus) 10
Boileavi Rits. (Cardanus) 53
Bonneauilli Boil. 49
Boreli Boil. 25
Bowringi Parry 14
brachycerus Boil. 37
brachypterus Westw. 21
brahminus Hope 22
Branczicki Nonfr. 30
brasiliense Gray 54
brevis Boil. (Neoluc.) 15
brevis Say (Dorcus) 37
briareus Hope 33
Brookeanus Vollenh. 17
var. *brunneus* Nonfr. 27
Bruyni Oberth. 25
bubalus Sweder. 49
bubalus Perty 33
bucephalus Hope (Macrocr.) 31
bucephalus Perty (Eurytr.) 33
Buckleyi Parry (Canthar.) 30
Buckleyi Waterh. (Sclerogn.) 44
Buddha Hope 25
bulbosus Hope 25
Buqueti Hope 14
Burmeisteri Hope 17

caelatus Blanch. 44
calcaratus Jacowl. 23
californicus Casey 46
camarunus Kolbe 25
cambodjensis Deyr. 51
camelus Ol. 17
canaliculatus Parry (Sphenogn.) 5
canaliculatus Rits. (Cyclomm.) 28
cancellatus Montrz. 54
cancroides F. 48
Candezei Boil. 23
Candezei Parry 34
Cantori Hope 10
capensis Thunb. 52
capensis Sturm 54
capitatus Westw. 41
capito Deyr. (Lissotes) 48
var. *capito* Burm. (Eurytr.) 34
var. *capito* Albers (Eurytr.) 35
capra Ol. (Lucan.) 10
capra Panz. (Dorcus) 38
capra Geer (Platyc.) 46
capreolus L. (Pseudoluc.) 9
capreolus Boil. (Gnaphal.) 39
capreolus Sulz. (Lucan.) 10
capricornis Möllenk. 33

caraboides L. 46
carbonarius Westw. 47
carinatus L. 17
carinatus Parry (Odont.) 17, 20
carinatus Reiche (Odont.) 17
carinatus Thoms. (Odont.) 17
var. *caspica* Semen. 12
castaneus Hope 23
castanicolor Motsch. 34
castanopterus Hope 15
Castelnaudi Parry (Odont.) 18
Castelnaudi Deyrolle (Eurytr.) 33
Castetsi Boil. 14
caucasicus Ganglb. (Dorcus) 37
caucasicus Parry (Platyc.) 46
caviceps Boil. 52
caviceps Westw. 48
cavifrons Hope 25
celebensis Möllenk. (Neoluc.) 16
celebensis Leuthn. (Odont.) 18
cephalotes Leuthn. 39
var. *ceramensis* Thoms. 36
cervulus Boil. 33
cervus L. 10
chalybaeus Casey 46
Championi Parry 16
var. *Chaudoiri* Deyr. 14
chelifer M'Leay 41
chelifer Montrz. 42
Chevrolati Chénu (Hemisod.) 32
Chevrolati Hope (Eurytr.) 34
chiloensis Lesson 5
chrysomelinus Hochenw. 55
cicatricosus Boil. 52
cicatricosus Wiedem. (Aegus) 40
cicatricosus Burm. (Lissotes) 48
ciliatus Albers 18
cilipes Thoms. 25
cinctus Montrz. 23
cinereus Boil. 39
cingalensis Parry 18
cingulatus Parry 16
cinnamomeus Guér. 23
circumflexus Parry 5
clivinoides Thoms. 52
coerulea Donov. 7
coerulescens Lec. 47
cognatus Hope 35
concolor Blanch. 35
Confucius Hope 21
confusus Westw. 52
congoanus Duviv. 25
coniognathus Broun 56
consanguineus Boil. 28
consentaneus Albers 33
consimilis Möllenk. 31
copricephalus Deyr. 51
coranus Gestro 33
cornutus Boil. (Aegus) 41
cornutus Boil. (Liss.) 48
cornutus M'Leay (Nig.) 49
cornutus F. (Synd.) 54
cornutus Gray (Cord.) 53
cornutus Thunb. (Aegus) 40
costatus Boil. (Eurytr.) 33
costatus Lec. (Dorcus) 38
costatus Hope (Scort.) 45
costatus Rits. (Card.) 53
Cotesi Nonfr. 14
crenatus Westw. (Rhaet.) 14
crenatus Westw. (Lissotes) 48
crenicollis Thoms. 25
crenulata M'Leay 6
crenulidens Fairm. 25
cribellatus Motsch. 36
cribratus Parry (Cardan.) 53
cribratus Thoms. (Sclerogn.) 44
cribratus Muls. (Platyc.) 46
cribriceps Chevr. 33
cribricollis Parry 50
cruentus Burm. 44
cucullatus Blanch. 44
cultridens Burm. 7
Cumingi Hope 17
cuniculus Thoms. 45
cuprea Latr. 7
cupreiventris Möllenk. 18
cupreonitens Boil. 28
Curtisi Waterh. 41
var. *curtulus* Motsch. 12
curtus Kirsch 39
curvicornis Boisd. 48
curvidens Nonfr. 25
curvidens Hope 37
curvipes Hope 25
cuvera Hope 18
cuvera Parry 18
cylindricum L. 53
cylindricus Thoms. (Gnaphal.) 39
cylindricus Broun (Mitoph.) 57

Dalmani Hope 18
dama F. (Pseudoluc.) 9
dama Müller (Dorcus) 38
Darwini Burm. (Sclerogn.) 44
Darwini Hope (Sclerogn.) 45
dauricus Motsch. 30
Davidis Deyr. (Pseudoluc.) 9
Davidis Deyr. (Prismogn.) 30
Davidis Fairm. (Gnaphal.) 39
Davisoni Waterh. 14
decipiens Parry (Prosop.) 25
decipiens Albers (Figulus) 52
De Haani Westw. (Cyclomm.) 28
De Haani Hope (Dorcus) 37
Dejeani Buquet (Pholid.) 4
Dejeani Sol. (Strept.) 8

Dejeani Reiche (Odont.) 19
Dejeani Parry (Odont.) 19
Delagrangei Fairm. 46
Delavoyi Fairm. 11
Delegorguei Thoms. 50
Delesserti Guér. 18
Delesserti Hope 18
delicatulus Lewis 46
denticulatus Boil. 26
dentifer Deyr. (Prosop.) 26
dentifer Albers (Nigidius) 50
depressus Lec. 46
depressus Ill. 40
derelictus Parry 37
Desmaresti Deyr. 48
Deyrollei Parry 14
diabolicus Thoms. 35
dilatatus Fairm. 44
dilaticollis Parry (Gnaphal.) 39
dilaticollis Rits. (Aegus) 41
dispar Sharp 56
dissimilis Boil. 22
distinctus Deyr. (Lissotes) 48
distinctus Parry (Nigidius) 50
distinctus Westw. 41
ditomoides Westw. 44
divergens Waterh. 50
dorcas Panz. 10
Donckieri Boil. 32
dorsalis Burm. 25
dorsalis Er. 26
Downesi Hope 23
Downesi Hope 22
Dubernardi Planet 23
dubius Hope 34
Duivenbodei Deyr. 18
dux Westw. 17
Dybowskyi Parry 11

Earlei White 6
ebenius Albers (Prosop.) 26
ebeninus Deyr. (Platyc.) 47
ebenus Westw. 53
egenus Burm. 51
egregius Möllenk. 33
elaphus F. (Lucanus) 11
elaphus Möllk. (Metop.) 23
elaphus Gestro (Cyclomm.) 28
elaphus Herbst 36
elegans Möllenk. (Odontol.) 18
elegans Jacowl. (Leptinopt.) 31
elegans Parry (Hemisod.) 32
elegans Boil. (Eurytr.) 33
elegans Broun (Lissotes) 48
elegans Planet (Lucanus) 11
elegantulus Albers (Prosop.) 26
elegantulus v. Roon (Aegus) 41
Elizabethae Waterh. 23
ellipticus Boil. 41
var. *elongatulus* Möllenk. 15
elongatus Jordan (Hexarthr.) 14
elongatus Deyr. (Sclerogn.) 44
elongatus Boil. (Nigidius) 50
emarginatus Saund. 20
eremicola Möllenk. 18
erythrocnemus Burm. 31
Eschscholtzi Hope 41
eurycephalus Burm. 33
eustictus Philippi 8
Evansi Westw. 20
exaratus Thoms. 36
eximius Parry (Prosop.) 26
eximius Möllenk. (Cyclomm.) 28

faber Thoms. 26
Fabiani Muls. 10
Fairmairei Planet (Lucanus) 11
Fairmairei Parry (Sclerogn.) 44
falciger Hope (Hexarthr.) 14
falciger Westw. (Aegus) 40
falco Cast. (Eurytr.) 35
falco Hope (Eurytr.) 36
fallaciosus Boil. 18
fasciatus Germ. 44
faunicolor Hope 28
Feai Boil. 26
Feisthameli Guér. 5
Felschei Möllenk. 23
femoralis Waterh. (Odont.) 18
femoralis Guér. (Sclerogn.) 45
femoratus Boil. (Prosop.) 26
femoratus F. (Leptinopt.) 31
femoratus Thoms. 31
Ferriei Planet 11
fimbriata Fall 55
fissicollis Fairm. 52
flabellatus Boil. 56
flavidus Parry 26
var. *flavoguttatus* Möllenk. 24
forceps Vollenh 26
forcipatus Westw. 50
forcipula Westw. 48
forficatus Albers 26
forficula Thoms. 26
formosae Bates 41
formosanus Planet (Lucanus) 11
formosanus Bates (Nigidius) 50
fornicatus Albers 41
Forsteri Hope 14
Fortunei Saund. 11
foveatus Hope 23
foveicollis Boisd. 52
foveolatus Broun 57
foveolatus Thunb. 6
fratellus Leuthn. 18
fraternus Westw. 31

fraternus Hope 23
Frenchi Blackb. 56
Frey-Gessneri Rits. 28
Froggatti Blackb. 56
Fruhstorferi Meyer-Darcis 18
Fruhstorferi Kolbe (Prosop.) 26
Fruhstorferi Albers (Nigidius) 50
Fryi Parry 31
fulgida Boisd. 7
fulvipes Hope 23
fulvolimbatus Blanch. 22
fulvonotatus Parry 32
funereus Hope 31
furcatus Cast. 56
furcicornis Westw. 48
fusculus Broun 57

Garleppi Boil. 5
Gaujoni Oberth. 4
gazella F. 18
gazella Thoms. (Odont.) 20
gazella Parry (Odont.) 20
georgianus Thoms. 50
georgius Thoms. 30
geotrupoides M'Leay 4
Gestroi Boil. (Odont.) 19
Gestroi Boil. (Aegus) 41
Ghilianii Gestro 34
gibbosus Broun 57
giganteus Möllenk. 28
gigas Möllenk. 50
Gilesi Blackb. 56
giraffa F. (Cladogn.) 22
giraffa Möllenk. (Cyclomm.) 29
glaber Parry 41
glabratus Hope 16
glabripennis Westw. 37
gladiator Jacowl. 28
Godefroyi Coquerel 51
Godeyi Guér. 57
Götzeni Kaeseberg 54
Gouberti Waterh. 17
Gounellei Boil. 45
gracilicornis Möllenk. 41
gracilis Albers (Lucanus) 11
gracilis Kaup (Odont.) 19
gracilis Boil. (Leptinopt.) 31
gracilis Saund. (Hemisod.) 32
gracilis Deyr. (Aegus) 41
grandis Deyr. (Aegus) 41
grandis Hope (Nigidius) 50
Granti Steph. 4
Groulti Planet (Pseudoluc.) 9
Groulti Planet (Falcicornis) 38
gypaetus Cast. 34

Hacquardi Oberth. 24
Hageni Rits. 50
hamatus Jacowl. 41
Hanningtoni Waterh. 26
Hansteini Albers 34
hastatus Westw. 46
Helleri Boil. 50
Helmsi Sharp 48
helotoides Thoms. 56
Higginsi Parry 5
hircus Herbst 10
hirticornis Jacowl. 34
var. *honesta* Möllenk. 33
honoluluensis Waterh. 44
Hopei Parry (Lucanus) 11
Hopei Saund. (Dorcus) 37
Hopei Boil. (Aegus) 41
Horni Zang 52
Howittanus Westw. 47
Humboldti Gyll. 4
hydrophiloides Hope 47
hyperion Boil. 37

ibex Billb. 31
var. *ibiricus* Motsch. 12
imberbis Philippi 5
imperator Boil. 29
imperialis Möllenk. 19
impressicollis Parry (Aegus) 41
impressicollis Boil. (Nigidius) 50
impressicollis Rits. (Figulus) 52
impressus Waterh. 23
impressus Thunb. 13
impubis Parry 5
inaequalis Kaup 19
incertus Hope 34
inclinatus Motsch. 22
incognitus Möllenk. 29
indeterminatus Hope 34
inermis Marsh. 10
inermis F. 41
inflexus Boil. 30
var. *inflexus* Har. 22
infractus Bergstr. 38
inquinatus Westw. 23
insignis Parry 29
insipidus Thoms. 42
insolitus Jacowl. 43
instabilis Möllenk. 19
insularis M'Leay 7
insularis Blanch. 52
integer Westw. 49
integricollis Thoms. 52
intermedius v. d. Poll. (Odont.) 19
intermedius Gestro (Eurytr.) 34
intermedius Motsch. (Lucanus) 12
intermedius Deyr. (Odont.) 18
interruptus M'Leay (Aegus) 42
interruptus Waterh. (Figulus) 52
irroratus Parry (Mitoph.) 57

irroratus Hope (Scortizus) 46
ithaginis Broun 48
Jacowleffi Boil. 23
Jansoni Boil. 42
javanensis v. d. Poll 26
Jekeli Parry 30
Jenkinsi Westw. 23
Johnstoni Waterh. 28
Jousselini Reiche 5
var. *judaicus* Planet 10
jugularis Westw. 6
juvencus Thoms. 24
juvenile Muls. 58

kandiensis Parry 42
Kannegieteri v. d. Poll 23
Kaupi Deyr. 29
Keeni Casey 47
kinabaluensis Rits. (Nigidius) 50
var. *kinabaluensis* Möllenk. (Odon.) 21
Klugi Thoms. 37
Kreffti M'Leay 7

labilis Westw. 42
Lacordairei Vollenh. 19
laevicollis Saund. (Aegus) 42
laevicollis Westw. (Nigidius) 50
laevidorsis Fairm. 37
laevigatus Har. (Nigidius) 50
laevigatus Deyr. (Cardanus) 53
laevipennis Montrz. 52
Lafertei Reiche 26
lama Ol. (Neoluc.) 16
lama Burm. 12, 13
laminifer Waterh. (Lucanus) 12
laminifer Boil. (Prosop.) 26
Lansbergei Leuth. (Neoluc.) 16
Lansbergei Boil. (Aegus) 42
Lansbergei Rits. (Figulus) 52
Lansbergei Gestro (Eurytr.) 34
lateralis Hope 26
lateralis Saund. 34
laticeps M'Leay (Rhys.) 6
laticeps Möllenk. (Prosop.) 26
laticollis Thunb. (Neoluc.) 16
laticollis Reiche (Figulus) 52
var. *laticornis* Deyr. (Lucanus) 10
var. *laticornis* Boil. (Gnaphal.) 39
latidens Schauf. (Aegus) 42
latidens Westw. (Lissotes) 48
latipennis Hope 19
latus Boil. (Neoluc.) 16
latus Fall (Platyc.) 47
Latreillei Sol. (Chiasogn.) 5
Latreillei M'Leay (Lampr.) 7
Launcestoni Westw. 48
Leeuweni Rits. 42
lentus Cast. 10
lepidosus M'Leay 4
leptodon Heller 43
Lesnei Planet 9
Lessoni Buquet 45
Leuthneri Boil. (Neoluc.) 16
Leuthneri Boil. (Odont.) 19
Leuthneri v. d. Poll (Aegogn.) 43
var. *Leuthneri* Ganglb. (Dorcus) 38
Lewisi Boil. 50
Lichtensteini Rits. 50
lifuanus Montrz. (Prosop.) 26
lifuanus Montrz. (Figulus) 52
lignarius Lewis 55
lilliputanus Westw. 52
limbatus Waterh. 23
Lindei Boil. 4
Lindeni Murray 5
lineatopunctatus Hope 36
lineatus Waterh. (Charagm.) 46
lineatus Deyr. (Sclerogn.) 45
liocephalus Sol. 45
Listeri Gahan 43
lobicollis Jacowl. 40
longipennis Hope 14
Lorquini Deyr. 26
Lowei Parry 19
Lowei Gestro 20
lucidus Boil. 30
Ludekingi Vollenh. 20
lunatus Weber 40
lunifer Hope (Lucanus) 12
lunifer Boil. (Cyclomm.) 29
luridus Westw. 39
lusitanicus Hope 10
luteus Westw. 40
Luxeri Buquet 30

Mac-Clellandi Hope 24
Mac-Leayi Hope (Hemisod.) 32
Mac-Leayi Boil. (Syndesus) 54
macrocerus Broun 57
macrognathus Boil. 56
var. *macrophyllus* Kraatz 12
maculatus Klug 45
var. *maculifemoratus* Motsch. 11
madagascariensis Cast. 50
magnificus Möllenk. 24
Maitlandi Parry 29
malabaricus Westw. 41
malaccus Thoms. 42
mandibularis M'Leay (Neolampr.) 8
mandibularis Deyr. (Hexarthr.) 14
mandibularis Möllenk. (Prosop.) 26
mandibularis Möllenk. (Eurytr.) 34
mandibularis Thoms. (Psalid.) 22
mandibularis Sol. (Sclerogn.) 45
var. *mandibularis* Möllenk. (Aegus) 40

var. *mandibularis* Möllenk. 18
manifestus Jacowl. 5
manilarum Hope 52
Margaritae Gestro 29
marginalis Casey (Platyc.) 47
marginalis Rits. (Figulus) 52
marginalis Saund. (Eurytr.) 34
marginatus Waterh. 16
marginatus Burm. 26
marginipennis Deyr. 45
marmoratus Waterh. 57
Martini Hope 27
maxillaris Motsch. 10
Mazama Lec. 9
Mearesi Hope 12
mediocris Deyr. 52
Meeki Boil. 37
melanarius Hope 31
Mellyi Parry 28
Menalcas Westw. 48
mentifer Westw. 56
mento Albers 52
metallifer Boisd. 29
metallifer Hope 29
Micardi Reiche 7
microcephalus Muls. 10
Midas Cast. 49
miles Vollenh. 39
minax Möllenk. 34
minima M'Leay 7
minutus Gestro (Aegus) 42
minutus Deyr. (Figulus) 52
mirabilis Boil. (Metop.) 24
mirabilis Parry (Ditomod.) 33
Mniszechi Planet (Pseudoluc.) 9
Mniszechi Thoms. (Hexarthr.) 14
Mniszechi Thoms. (Cyclomm.) 29
Mniszechi Thoms. (Nigidius) 50
Mniszechi Thoms. (Chiasogn.) 5
modestus Parry (Prosop.) 26
modestus Philippi (Sclerogn.) 45
modestus Parry (Figulus) 52
Modiglianii Rits. 29
Moellenkampi Fruhst. (Allotop.) 15
Moellenkampi Fruhst. (Odont.) 20
Mohnikei Parry 24
moloschus Hope 33
monilifer Parry 53
montanellus Möllenk. 29
monticola Möllenk. 20
montivagus Lewis 34
mordax Boil. 26
morio Burm. 31
Moseri Möllenk. 15
Motschulskyi Waterh. 22
Mouhoti Parry 20
Muelleri M'Leay 8
multicolor Boil. 30
multidentatus Westw. 29
muntjac Gestro 16
Murrayi Thoms. 5
musimon Géné 37
muticus Thunb. 9
myrmecolion Schauf. 26
myrmidon Thoms. 42
mysticus Parry (Prosop.) 27
mysticus Möllenk. (Cyclomm.) 29

natalensis Parry 27
nebulosus Kirby 6
Neervoorti Fruhst. 27
neotragus Westw. 44
neotropicalis Bates 57
nepalensis Hope 32
niasicus Nonfr. 34
niger Westw. 56
var. *nigra* Vollenh. 19
nigricollis Hope 7
nigripennis M'Leay 7
nigripes Hope 12
var. *nigripes* Boil. 22
nigritus Deyr. (Odont.) 18
nigritus Westw. (Figulus) 53
niponensis Vollenh. 35
nitens Waterh. 52
nitidicollis Albers 42
nitidulus Gestro 52
nitidus Saund. (Neoluc.) 16
nitidus Kirsch (Dorcus) 37
nitidus Boil. (Aegus) 42
nitidus Thoms. (Nigidius) 50
nobilis Parry 5
Novae-Zeelandiae Hope 48
var. *nubigena* Möllenk. 20

Oberndorfferi Nonfr. 50
Oberthuri Planet (Pseudoluc.) 9
Oberthuri Planet (Lucanus) 12
Oberthuri Planet (Pseudorh.) 13
Oberthuri Leuthn. (Neoluc.) 16
obesus Parry 50
oblongus Charp. 38
obscurus Lec. (Nicagus) 56
obscurus Saund. (Eurytrach.) 34
obscurus M'Leay (Aegus) 40
obtusatus Westw. 48
occipitalis Hope 24
ogivus Deyr. 42
omissus Hope 23
opacipennis Zang 38
opacus Boil. (Neoluc.) 16
opacus Burm. (Gnaphal.) 39
opacus Fall (Platyc.) 47
opacus Deyr. (Lissotes) 48
opacus Waterh. (Eurytrach.) 36
oregonensis Westw. 47

orientalis Kraatz 12
oryx Burm. 33
ovatus Boil. 27
Oweni Hope 27
oxygonus Jacowl. 42
oxyotus Fairm. 50

pacificus Casey 47
pallescens Leuthn. 16
pallidipennis Hope 23
pallidocinctus Fairm. 45
papuanus Gestro 52
var. *paradoxus* Möllenk. 14
parallelopipedus L. 37
parallelus Deyr. (Rhysson.) 6
parallelus Say (Dorcus) 38
parallelus Hope (Aegus) 42
paranensis Parry 31
Parryanus Westw. 57
Parryi Boil. (Lucanus) 12
Parryi Boil. (Rhaetus) 13
Parryi Hope (Hexarthr.) 14
Parryi Leuthn. (Neoluc.) 16
Parryi Boil. (Odont.) 20
Parryi Thoms. (Dorcus) 38
Parryi Waterh. (Aegus) 42
Parryi Bates (Nigidius) 50
Parryi Hope (Hemisodorc.) 32
parvicollis Casey 47
parvulus Hope 40
parvus Boil. 42
parvus Donov. 54
passaloides Hope 27
Pasteuri Rits. (Prosop.) 27
Pasteuri Rits. (Cyclomm.) 29
patricius Schauf. 27
pectinicornis Möllenk. 34
pelorides Westw. 47
pengalenganus v. d. Poll 42
var. *pentaphyllus* Reiche 10
perforatus Rits. (Gnaphal.) 39
perforatus Har. (Nigidius) 51
perplexus Parry 27
persicum Reitt. 58
peruvianus Waterh. 5
Peyroni Reiche 38
philippensis Deyr. 42
Philippii Westw. 45
piceus Weber (Ceruchus) 55
piceus Kirby (Platyc.) 46
piceus Boisd. (Ceruchus) 55
picipennis Westw. 32
picipennis Hope 25
Picornoti Boil. 51
piger Motsch. 12
pilifer Vollenh. 34
pilosipes Waterh. 34
placidus Say 9
plagiatus Burm. 46
Planeti Planet (Lucanus) 13
Planeti Boil. (Metopod.) 24
Planeti Jacowl. (Aegus) 42
planus Broun 48
platycephalus Hope 30
platycephalus Westw. 41
platyceps Waterh. 30
platymelus Saund. 34
platynotus Hope 20
platyodon Parry 42
politus Parry (Prosop.) 27
politus Montr. (Aegus) 42
polyodontus Hope 31
var. *polyodontus* Boil. 28
var. *Pontbrianti* Muls. 11
var. *Poujadei* Planet 11
praecellens Möllenk. 35
praestans Jacowl. 5
preangerensis v. d. Poll 42
Preussi Kolbe 28
Prinseppi Hope 18
prionoides Buquet 5
procerus Heller 52
productus Parry 25
Prosti Boil. 35
pubescens Waterh. 5
pulchellus Möllenk. 29
pulverosus Westw. 46
pulverosus Parry 24
punctatissimus Fairm. 27
punctatissimus Westw. 56
punctatostriatus Deyr. 52
punctatostriatus Redt. 36
punctatus Waterh. (Figulus) 52
punctatus Boil. (Syndesus) 54
punctatus Lec. (Ceruchus) 55
punctatus F. 40
punctifrons Sturm 33
punctiger Hope (Prosop.) 25
punctiger Saunders (Aegus) 42
punctilabris Hope 35
punctipennis Parry 43
punctithorax Heller 42
punctulatus White 48
purpurascens Vollenh. 35
purpurascens Hope 7
pusillus Gestro 43
pygmaea M'Leay 7
pygmaeus Jacowl. 43

quadridens Hope 25
quadrinodosus Parry 24
quercicola Melsh. 55
quercus Weber 47

Rafflesi Hope (Metopod.) 23
Rafflesi Hope (Hemisod.) 32

rama Boil. 35
rangifer Schönh. 29
ratiocinativus Westw. 38
rectangulus Vollenh. 42
rectus Motsch. 35
regius Möllenk. 15
regularis Westw. 52
Reichei Hope (Eurytr.) 35
Reichei Thoms. (Chiasogn.) 5
Reichei Hope (Cantharol.) 30
Reichei Castelnau (Xiphod.) 54
var. *Reichei* Ganglb. (Dorcus) 38
relucens Möllenk. 20
reticulatus Westw. 48
rhinoceros Ol. 14
Ritsemae Boil. (Odont.) 20
Ritsemae Boil. (Aegus) 43
Ritsemae Boil. (Xenost.) 43
var. *Ritsemae* Jacowl. (Cyclomm.) 29
var. *robustus* van Roon 20
Roepstorffi Waterh. (Metopod.) 24
Roepstorffi Waterh. (Aegus) 43
Rollei Möllenk. 14
Rosenbergi Vollenh. 15
rosselianus Boil. 43
Rossi Gahan 53
Rosti Zang 38
rotundatus Parry (Metadorcus) 32
rotundatus Boil. (Aegus) 43
rotundatus Boil. (Sclerogn.) 45
rotundicollis Westw. 6
Rouleti Sol. 45
rubripes Burm. 45
rubrofemoratus Vollenh. 35
rubrovittatus Blanch. 45
rudis Westw. 37
rufifemoralis Curtis 45
rufipennis Westw. 56
rufipes Sharp (Lissotes) 49
rufipes Sol. (Sclerogn.) 45
var. *rufipes* Boil. (Hexarthr.) 14
var. *rufipes* Herbst (Platyc.) 46
rufonotatus v. Rothenb. 19
rugifrons Hope (Lucanus) 12
rugifrons Hope (Eurytr.) 33
rugipennis Motsch. 35
rugosum Mannerh. 58
rugosus Boil. (Dorcus) 38
rugosus Albers (Gnaphal.) 39
rugosus Deyr. (Figulus) 53
rupicapra Dej. 10
rutilans Er. 7

saiga Ol. 35
saiga auct. (Eurytr.) 34
Sarasinorum Heller 20
sarcorhamphus Cast. 31
Saundersi Parry 16
Savagei Hope 24
Sayersi Hope 27
scarabaeoides Panz. 57
scaritiformis Parry 53
scaritoides Hope (Dorcus) 37
scaritoides Sturm (Platyc.) 47
Schreibersi Hope 7
Schuberti Perty 54
sculpticollis Helier 43
sculptipennis Parry 39
securidens Say 47
Semenowi Jacowl. 32
semicariosus Fairm. 51
semicircularis Schauf. 43
semirugosus Thoms. 36
semisulcatus Muls. 37
senegalensis Klug (Prosop.) 27
senegalensis Hope (Prosop.) 25
sericans Vollenh. 11
sericea M'Leay 7
sericeus Westw. (Metop.) 24
sericeus Boil. (Cardanus) 53
serraticornis Fairm. 13
serratus Parry 43
serricollis Hope 14
serricornis Latr. 27
serrifer Hope 17
setosus Sturm 39
Sewertzowi Semen. 38
var. *siciliana* Planet 13
signatipennis Deyr. 45
var. *signatipennis* Möllenk. 19
signatus Parry 6
similis Hope 32
Simsoni Parry 47
sinensis Westw. (Odont.) 20
sinensis Boil. (Hemis.) 32
singularis Planet 13
sinicus Boil. (Pseudorh.) 13
sinicus Saund. (Neoluc.) 16
sinister Hope 41
siva Hope 20
Smithi Parry (Lucanus) 13
Smithi Bates (Aesalus) 57
Sommeri Parry 20
speciosus Fairm. (Strept.) 8
speciosus Boil. (Metop.) 24
speciosus Boil. (Cyclomm.) 29
spectabilis Boil. 21
spectabilis Kraatz 50
specularis Boil. (Prosop.) 27
specularis Jacowl. (Aegus) 43
speculifer Hope 25
Spencei Hope 27
spinifer Boil. 6
var. *spinifer* Schauf. 46
Spinolae Sol. 45
Spixi Perty 4
splendens Er. 7

squalidus Hope 39
squamidorsis White 48
squamilateris Parry 27
squamosus Newm. (Cacost.) 6
squamosus Rits. (Cyclomm.) 29
Steinheili Parry 31
Stevensi Thoms. 21
Stewarti Broun 49
striatellus Perty 40
striatipennis Motsch. 36
striatopunctatus Saund. 37
striatus Deyr. 21
striatus Ol. (Figulus) 53
striatus Lec. (Ceruch.) 55
striatus Saund. (Dorcus) 37
striatus M'Leay (Figulus) 52
strigiceps Westw. 29
subaeneus Motsch. 30
subangulatus Hope 27
subcastaneus Westw. 53
subcostatus Sturm 33
subcrenatus Westw. 49
sublaevis Beauv. 53
submolaris Hope 35
subnitens Parry 30
subnitidus Waterh. 43
subrugosa Hope 7
subtuberculatus Westw. 49
subvelutinus Motsch. 12
sulcatus Westw. 53
sulcicollis Hope 53
sumptuosa Hope 7
sumptuosus Möllenk. 29
suturalis Ol. (Metop.) 24
suturalis Westw. (Dorcus) 38
swanzyanus Parry 24
Swinhoei Parry (Lucanus) 13
Swinhoei Bates (Neoluc.) 16
sylvicola Muls. 55
syriacus Motsch. (Lucanus) 12
var. *syriacus* Planet (Lucanus) 16

tarandus Sweder. (Mesotop.) 15
tarandus Möllenk. (Odont.) 21
tarandus Thunb. (Cyclomm.) 29
tarandus Panz. 55
tarsalis Rits. 27
Taschenbergi Parry 6
tasmaniae Hope 7
tauricus Motsch. 10
taurus F. (Gnaphal.) 39
taurus Boil. (Aegus) 43
taurus Jacowl. (Nigidius) 51
tenebrioides F. 55
tenebrosus Motsch. 12
tenuecostatus Fairm. 38
tenuipes Hope 25
ternatensis Thoms. 36
tesserarius Herbst 23
tetraodon Thunb. 13
tetraodon Duval 12
thibetanus Planet 13
var. *thibetanus* Planet 23
thibeticus Westw. 25
Thomsoni Parry 36
thoracicus Möllenk. (Dorcus) 38
thoracicus Casey (Platycerus) 47
Thunbergi Westw. 8
tibialis Eschz. 31
tibialis Klug 31
Titanus Boisd. 36
Tityus Hope 36
tomentosus Burm. 39
torresensis Deyr. 24
tragulus Vollenh. 27
triangularis Burm. 31
tricuspis Rits. 39
trifurcatus Möllenk. 29
trigonus Thunb. 9
trilobatus Parry 40
trilobus Westw. 51
tristis Deyr. 45
trogoides Albers 57
var. *Truquii* Muls. 38
tuberculatus Sol. (Scortizus) 46
tuberculatus Broun (Mitoph.) 57
tuberculatus M'Leay (Dorcus) 38
var. *tumidicollis* Möllenk. 23
var. *turcicus* Sturm 10
var. *Typhon* Boil. 36

Ulanowskyi Ganglb. 57
Umhangi Fairm. 24
ungulatus Hope 24
urocephalus Albers 36
ursus Cast. 17

vagatus Fairm. 51
validus Péring. 51
Van-Volxemi Lewis 36
varians Burm. 7
variegatus Boil. 28
variolosus Hope 44
Vavrai Nonfr. 38
velutinus Thoms. 39
vicinus Hope (Lucanus) 13
vicinus Saund. (Dorcus) 38
villosus Hope 13
violacea M'Leay 8
virescens Muls. (Platyc.) 46
virescens F. (Platyc.) 47
viridiaeneus Muls. 46
viridis Er. 8
Vishnu Hope 17
vittatus Deyr. (Prosop.) 27

vittatus Eschsch. (Sclerogn.) 45
vittatus Burm. (Sclerogn.) 44
vitulus Hope 14
V-nigrum Hope 31
Voeti Schoenh. 38
Volkmanni Nonfr. 23
Vollenhoveni Parry (Odont.) 21
Vollenhoveni Albers (Eurytr.) 34
vulneratus Thoms. 53
vultur Cast. 34

Wallacei Parry 27
Wallisi Taschenb. 5
Waterhousei Boil. (Neoluc.) 16
Waterhousei Leuthn. (Aegogn.) 43
Waterstradti v. Rothenb. 21
Welwitschi Waterh. 51
Wentzel-Heckmannae Kolbe 24
Westermanni Hope (Lucanus) 13
Westermanni Hope (Eurytr.) 36
Westwoodi Gray (Colophon) 8
Westwoodi Parry (Rhaetus) 13
Westwoodi Boil. (Aegus) 43
Westwoodi Thoms. (Ceratogn.) 56
Westwoodi Shipp (Phalacrogn.) 8
Westwoodi Hope (Hexaph.) 54
Wickhami Waterh. 36
Wimberleyi Parry 27
Wollastoni Parry 21
Woodfordi Waterh. 43
woodlarkianus Montr. 52

zealandicus Fairm. (Lissotes) 48
zealandicus Broun (Mitoph.) 57
zebra Ol. 27
Zuberi Waterh. 29

QH 541.5
.D
M4